

**20.1" High Resolution LCD Panel**

UXGA 1600 x 1200 panel for engineering, design and any application demanding productivity.

ErgoBright™ technology

One-touch brightness and contrast control optimizes image performance and saves energy.

ErgoStand™ design

Convenient ergonomic set height stand with tilt adjust allows for more comfortable viewing position.

Super-Thin bezel design

Desktop savings; mount one or tile many for maximum productivity.

Premium image quality

Auto ImageSet™ technology optimizes picture for consistent performance.

Sony's SDM-S204/B Flat Panel LCD, offers maximum performance with UXGA hi-resolution panel combined with a slim bezel and small footprint to achieve optimal productivity. These latest displays are customized to meet the demands of today's office environments with ease of use features and energy saving design. Sony displays; designed for human performance™

SDM-S204/B

Display



SONY DISPLAYS

| | |
|-------------------------------------|--|
| Model | SDM-S204/B |
| Color | Black |
| Viewable Image Size | 20.1" |
| Panel Type | TFT Active Matrix |
| Native Resolution | 1600 x 1200 |
| Pixel Pitch | 0.255mm |
| Luminance | 250cd/m |
| Contrast Ratio | 500:1 |
| ErgoBright™ Technology | High: 250cd/m , Middle: 200cd/m , Low: 100cd/m |
| Horizontal Scan (kHz) | 28 - 92kHz |
| Vertical Refresh (Hz) | 48 - 85Hz |
| Viewing Angle | Horizontal: 170°, Vertical: 170° |
| Response Time | 25ms (Rise/Fall) |
| ErgoStand™ System | Tilt Range: -5° to +20°, Swivel Range: +/-175° (350° total), 5° Ergonomic Set Height |
| Vesa Wall/Arm Mount | 100mm |
| Video Input Connector | DVI-D, HD15 x 2 |
| Power Management | Normal Operation: 58 watts (max.), Sleep Mode: 2.7 watt (max.), Main Power Off: 0 watts |
| ErgoBright™ Power Management | High: 50W, Middle: 42W, Low: 35W |
| Product Measurements | Weight: 16.7 lbs. (w/ stand base), Weight: 13.7 lbs. (w/o stand base), Dimensions (WxHxD): 17.3" x 17.6" x 9.2" (w/ stand base), Dimensions (WxHxD): 17.3" x 14.0" x 2.9" (w/o stand base) |
| Shipping Measurements | Weight: 14.3 lbs., Dimensions (WxHxD): 20.2" x 20.7" x 12.4" |
| Limited Warranty | 3 Years (Parts, Labor, Backlight) |
| Supplied Accessories | AC Power Cord DVI-D Video Signal Cable HD15 Video Signal Cable CD-ROM Manuals and Setup S/W for Windows® and Macintosh® Limited Warranty Card Quick Setup Guide |

©2004 Sony Electronics Inc. All rights reserved.
Features and specifications are subject to change without notice. All trademarks reference herein are trademarks of Sony or their respective owners.

SONY

Sony Electronics Inc.
16765 West Bernardo Drive
San Diego, CA 92127

<http://www.sony.com>

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>