


Radio Cassette Player

Operating instructions
Használati útmutató
Návod k obsluze (Zadní strana)
Инструкция по эксплуатации
(обратная сторона)



WM-FX493/FX491

Sony Corporation © 2000 Printed in Malaysia




Specifications


Battery life (approximate hours)		
	(JEITA*)	Sony alkaline LR6 (SG) Sony R6P (SR)
Tape playback	25	7.5
Radio reception	40	14
<small>* Measured value by the standard of JEITA (Japan Electronics and Information Technology Industries Association). (Using a Sony HF series cassette tape)</small>		
<small>Note: The battery life may shorten depending on the operation of the unit.</small>		

Design and specifications are subject to change without notice.


A



B



C



English

Preparations

To Insert Batteries A

- Slide and open the battery compartment lid, and insert two R6 (size AA) dry batteries with correct polarity.

Replace the batteries with new ones when "—" flashes in the display.

Playing a Tape B

- If the HOLD function is turned on, slide the HOLD switch in the opposite direction of the arrow to unlock the controls.
- Insert a cassette and press MENU repeatedly to set the cursor to TAPE in the display. Then press SET to select the tape type.
- Press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, tune in to a station you wish to store using TUNING +/-, and select a preset number using PRESET +/-.

Adjust the volume with VOL.

- When adjusting the volume on the Walkman (FX493 only)
Set the VOL control on the remote control at maximum.

- When adjusting the volume on the remote control (FX493 only)
Set the VOL control on the Walkman slightly above the appropriate level.

Note:

- If you cannot complete step 4 or 5 while the indications are flashing, repeat from step 3.
- If a station is already stored, the new station replaces the old one.

To cancel the stored station

Follow the procedure above and in step 3, instead of tuning in to a station, press and hold TUNING +/- until "----" is displayed. Press ENTER while "----" is flashing.

If the cassette holder is opened before the tape is stopped, the tape may loosen and be damaged.

Operation on the main unit

To Press

Switch playback to **▶▶ (play)** during playback
Stop playback **■**

Operation on the remote control (FX493 only)

To Press

Switch playback to **▶▶ ■** for 2 seconds or more during playback
Stop playback **▶▶ ■** once during playback

Other tape operations

To Press

Fast forward* **FF** during stop
Rewind* **REW** during stop

Play the same side from **REW** during playback
the beginning (Auto Play function)

Play the other side from **FF** during playback
the beginning (Skip Reverse function)

* For FX493 only: If **▶▶ ■** on the remote control is pressed during fast forward or rewind, the Walkman switches to playback.

To select playback mode

Press MENU repeatedly to set the cursor to MODE in the display. Then press SET to select the desired mode.

To play Select

Both sides repeatedly **▶▶**

Both sides once from the side facing the cassette holder

Listening to the Radio B

- If the HOLD function is turned on, slide the HOLD switch in the opposite direction of the arrow to unlock the controls.

- Press RADIO ON/BAND to turn on the radio.

- Press RADIO ON/BAND repeatedly to select AM, FM1, FM2 or FM3.

- Press TUNING +/- to tune in to the desired station.

If you keep pressing TUNING +/- for a few seconds, the Walkman will start tuning to the stations automatically.

To turn off the radio

Press **■ (RADIO OFF)**.

To improve the broadcast reception C

- For FM: Extend the headphones/earphones cord (antenna) (FX493) or remote control cord (antenna) (FX493). If the reception is still not good, press MENU repeatedly to set the cursor in the display to FM MODE. Then press SET to switch between "MONO" (monaural) and none (stereo) for best reception.
- For AM: Reorient the unit itself.

Presetting Radio Stations

You can store radio stations into the unit's memory. You can preset up to 32 radio stations, 8 for each FM1, FM2, FM3 or AM bands.

- Press RADIO ON/BAND to turn on the radio.

- Press RADIO ON/BAND repeatedly to select AM, FM1, FM2 or FM3.

- Press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.

The frequency digits and a preset number flash in the display.


- While the frequency digits and the preset number are flashing, press TUNING +/-, and select a preset number using PRESET +/-.

- While the frequency digits and the preset number are flashing, press ENTER.


The frequency digits and a preset number flash in the display.

- While the frequency digits and the preset number are


A



B



C



Технические характеристики

- Диапазон частот
ЧМ: 87,5 – 108 МГц
АМ: 531 – 1602 кГц
- Потребляемая мощность
Батареек 3 в постоянного тока R6 (размера AA) x 2
- Размеры (ш/в/г)
Прибл.: 115,8 x 83,2 x 30,1 мм, включая выступающие части и органы управления
- Масса
Прибл.: 115 г/прибл.: 195 г, включая батареек и кассету
- Прилагаемые принадлежности
Стереофонические наушники с пультом дистанционного управления (1) (только FX493)
Стереофонические головные телефоны или стереофонические наушники (1) (только FX491)

Конструкция и технические характеристики могут быть изменены без уведомления.

Срок службы батареек (Приблизительно в часах) (JEITA*)

Шелочные батареики Sony, LR6 (SG)	Батареики Sony, R6P (SR)
Воспроизведение ленты 25	7.5
Радиоприем 40	14

* Значение измерено по стандарту JEITA (Japan Electronics and Information Technology Industries Association). (С использованием кассетной ленты Sony серии HF)

Примечание
• Срок службы батареек может стать короче в зависимости от эксплуатации аппарата.

Česky

Пříprava

Vložení baterií A

- Odsuňte a otevřete kryt bateriového prostoru a vložte se správnou polaritou dvě baterie typu R6 (velikost AA).

Výměnu baterií za nové je třeba provést, jakmile na displeji začne blikat symbol "■".

Reprodukce kazety B

- Je-li zapnuta funkce HOLD, odemkněte ovládací prvky posunutím přepínače HOLD proti směru šipky.

- Vložte kazetu a tiskněte opakovaně tlačítko MENU, čímž se nastaví kurzor na displeji na položku TAPE. Poté stisknutím tlačítka SET přepněte mezi položkou "MONO" (monofonické) a nezádáno (stereoфонné).

• Pásmo AM: Změňte položku samotného přijímače.

Naprogramování rozhlasových stanic

Do paměti přístroje můžete uložit rozhlasové stanice. Naprogramovat můžete až 32 stanici - po 8 v pásmech FM1, FM2, FM3 a AM.

- Zapněte rádio stisknutím tlačítka RADIO ON/BAND.

- Opakovaným stisknutím tlačítka RADIO ON/BAND vyberte pásmo AM, FM1, FM2 nebo FM3.

- Stiskněte tlačítko ▶ na příjemu nebo, pokud používáte dálkový ovládač (pouze model FX493), stiskněte tlačítko ▶ (přehrávání) • (zastavení).

- Nastavte hlasitost ovladačem VOL.

Nastavení hlasitosti na přístroji Walkman (pouze FX493)

Regulátor VOL na dálkovém ovladači nastavte na maximum.

Nastavení hlasitosti na dálkovém ovladači (pouze FX493)

Regulátor VOL na přístroji Walkman nastavte na mírně hlasitost úrovně než je normální.

Poznámka ke dvírkám kazetového prostoru

Než otevřete dvírka kazetového prostoru, stiskněte tlačítko ■ (zastavení), podívejte se skrz dírku, zda se kazeta skutečně zastavila, a teprve poté posuněte přepínač OPEN.

Pokud dvírka kazetového prostoru otevřete dřív, než se kazeta zastaví, páška v kazetě se může uvolnit a přetrhnut.

Ovládání na přístroji

Pro	Stiskněte
přepnutí na přehrávání druhé strany	▶ (přehrávání) během přehrávání
zastavení reprodukce	■

Ovládání dálkovým ovladačem (pouze model FX493)

Funkce	Tlačítko
přepnutí na přehrávání druhé strany	▶▶ ■ stisknout nejméně na 2 sekundy při přehrávání
zastavení přehrávání	▶▶ ■ stisknout jednou při přehrávání

Využití dalších funkcí

Zajištění ovládacích prvků

Nastavením přepínače HOLD do polohy ve směru šipky zablokujete ovládací prvky.

Zvýraznění basů

Stiskněte opakováně MENU, až se kurzor na displeji dostane do polohy MB. Potom stisknutím SET zapněte režim MB. Každým stisknutím se indikátor mění následovně:

MB (MEGA BASS): zvýraznění basů
Bez označení: vypnuto (normální zvuk)

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Volba přehrávacího režimu
Stiskněte opakováně MENU, až se kurzor na displeji dostane do polohy MODE. Potom volte příslušný režim stisknutím SET.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Ochrana sluchu - funkce AVLS (Systém automatického omezení hlasitosti)

Aktivaci funkce AVLS bude hlasitost s ohledem na Váš sluch automaticky omezena.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Bezpečnostní opatření

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

• Pouze model FX493: Pokud při rychlém převýšení dopředu nebo dolů dozadu stisknete tlačítko ▶▶ ■ na dálkovém ovladači, kazetový přehrávač se přepne na přehrávání.

<p

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>