

Speed Queen®

Commercial Heavy-Duty

Manual Control

High Efficiency Frontload Horizon® Washer

LTSA0 Rear Control



Commercial Built to Last Longer



Commercial Quality

Built tough to stay that way. The No. 1 supplier of commercial coin-operated laundry equipment, Speed Queen continues to lead in customer satisfaction. Speed Queen manual control washers and dryers feature many of the same rugged, reliable parts found in the coin-operated machines, so they're built to last.

Ultra, High-Efficient Frontload Washer

- ENERGY STAR® qualified.
- U.S Department of Energy compliant to 2007 commercial washer standards for energy and water savings.
- Reversing wash action.
- Heavy-duty freestanding washer.



Horizon Quality Features

- The "Big Load Door" opening of 188.6 square inches is 132% larger than the previous model.



- See-through door convenience with 180° swing for easy loading and unloading. The hinge is a robust 10" steel piano style to maintain door alignment.
- Frontmount supply dispenser automatically adds detergent, bleach and softener.



- More wash action with horizontal design. The stainless steel washtub with 4,912 perforated holes and three full-length baffles to maximize mechanical water surface area for cleaner clothes.



- High speed extract of 1,000 RPM final spin exerts 305 G-Force to maximize moisture removal from clothes.
- All drive components (pulley, trunnion, tub shaft and bearings) are manufactured with rugged steel construction.
- Heavy-duty 3/4 horsepower drive motor with reversing wash action.
- Freestanding design features four large automotive size shocks so the washer can be installed on most floor types or levels.

Washer Specifications

	L TSAO
Basket Volume - cu. ft. (liters)	2.84 (80)
Width - in (mm)	26 7/8" (683)
Depth - in (mm)	28" (711)
Height* - in (mm)	43" (1092)
Work Surface Height - in (mm)	36" (910)
Weight - lb (kg)	230 (105)
Shipping Weight - lb (kg)	250 (113)
Cycle Time	30-44 minutes
Motor HP	Variable Speed Induction, 3/4 HP
Water Consumption	13.92
Water Factor - gal. per cu. ft.	4.9
Modified Energy Factor	2.04
Hot Water Usage - gal. per cycle	1.74
Water Pressure - psi (bar)	20 to 120 (1.4/8.3)
Spin Speed - RPM	500, 650, 1000
Cycle/Temperature	Regular Permanent Press Delicate Rinse and Spin Spin Only Hot/Cold Warm/Warm Warm/Cold Cold/Cold
Electrical Specifications	120/60/1-15 amp
Agency Approval	UL
Activation	Push-to-Start
Top Finish	Powder Paint
Colors	White

* Heights may vary slightly depending on leveling adjustments.

Motor: 3/4 HP reversing, permanently lubricated. Electrical Requirements: Grounded 3-wire, 120V, 60 Hz AC, 15 amp circuit separately fused.

At Speed Queen, we're so confident that our heavy-duty commercial washers and dryers are Commercial Built to Last Longer, that we're offering the following limited warranty to prove it: Through three years† — Any part of the washer, dryer or stack dryer. Through five years† — The washer transmission assembly, base and cabinet assembly including top, lid and door, against rust from inside out. Lifetime† — The stainless steel washtub.

† Parts only. Labor not included. See Speed Queen Warranty Bond for specifics.

Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at Alliance Laundry Systems manufacturing facilities are registered as ISO 9001:2000 compliant. Features and certifications may vary by model.

©Copyright 2007 Alliance Laundry Systems LLC

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>