

## PARK





## Stiga Park Diesel

A Stiga front mower with an ecofriendly and efficient Hatz diesel engine that offers briliant economy per working hour.

The genuine articulated steering offers unsurpassed manoeuvrability. The back wheels follow the track of those up front. You no longer need to worry about the rear section bumping into obstacles and you can fully concentrate on mowing.

The front mounted deck is easy to use, clean and maintain. A high performance Combi Pro deck with a 125 cm cutting width gives a choice of Multiclip and rear discharge. The Multiclip system cuts and fertilises the lawn at the same time. No need for raking or emptying a collector.

This front mower comes with a lot of features. Hydrostatic speed control, adjustable foot pedal, high comfort seat adjustable with one hand grip, adjustable steering wheel, hour meter, headlight and mechanical servo steering.

The Park Diesel is an outstanding implement-carrier. You can easily change from a cutting deck, sweeper or edge cutter to a snow blade or snow thrower. The list of implements is long. Equipped with the patented quick connection for accessories.









13-6180-34

## Park Diesel (13-6180-34)

| ENGINE                                                                | Lista 1050 Dissol                                    |
|-----------------------------------------------------------------------|------------------------------------------------------|
| Brand<br>Power                                                        | Hatz 1B50 Diesel<br>12 hp                            |
| Battery                                                               | 12V / 24Ah                                           |
| FUEL                                                                  |                                                      |
| Type of fuel                                                          | Diesel                                               |
| Tank volume                                                           | 12                                                   |
| SPEED CONTROL                                                         |                                                      |
| Type of transmission                                                  | Hydrostatic K46                                      |
| Number of gears                                                       | Infinietely variable 0-10 km/h + R                   |
| STEERING                                                              |                                                      |
| Type of steering                                                      | Genuine articulated steering                         |
| Servo assisted steering                                               | Mechanical                                           |
| Steering ball                                                         | Yes                                                  |
| Adjustable steering wheel<br>Articulated steering through chain/chain | Yes<br>Yes                                           |
|                                                                       | 103                                                  |
| WHEELS                                                                |                                                      |
| Type of wheels                                                        | Stiga special lawn tyre tread                        |
| Wheel size<br>Bearings                                                | Front and rear 16 inches, wide<br>Plain              |
| Tyre pressure                                                         | Front 0,6 bar. Rear 0,4 bar                          |
| Driving                                                               | Rear wheel drive                                     |
| CUTTING INFORMATION                                                   |                                                      |
| Type of cutting system                                                | Front cutting Combi deck                             |
| Cutting heights                                                       | 25-85 mm in 10 steps                                 |
| Cutting width                                                         | 125 cm                                               |
| Cutting height adjustment                                             | Electric with 125 Combi Pro El.                      |
| VIBRATIONS & SOUND LEVELS                                             |                                                      |
| Free rotating blades                                                  | Yes                                                  |
| CONTROLS                                                              |                                                      |
| Deck connection                                                       | Quick connection                                     |
| Deck lift                                                             | Foot controlled                                      |
| Electric starter                                                      | Yes                                                  |
| Head light                                                            | Yes                                                  |
| Hour meter<br>Gear lever                                              | Yes<br>Foot pedal                                    |
|                                                                       |                                                      |
| COLOUR & MATERIAL                                                     | Yellow / Grey                                        |
| Material of chassis                                                   | Steel                                                |
| MEASURES & WEIGHT                                                     |                                                      |
| Weight                                                                | 215 kg excl. cutting deck                            |
| Gross weight                                                          | 255 kg excl. cutting deck                            |
| Package size WxHxL                                                    | 92x101x202 cm                                        |
| Largest measures WxHxL                                                | 133x124x244 cm with deck                             |
| SEAT                                                                  |                                                      |
| Type of seat<br>Seat adjustable horizontally                          | Comfort seat with high back support<br>One hand grip |
| OTHER FACTS                                                           | 5 1                                                  |
| CE-mark                                                               | Yes                                                  |
| Instructions for use                                                  | 8211-0007-80                                         |
| EAN bar code                                                          | 7 313 321 304 515                                    |
|                                                                       |                                                      |

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com