



Park Prestige 4WD

Articulated steering is the secret. You sit above the pivot point and watch over the cutting deck ahead. It is easy to turn and easy to navigate around bushes, trees and fences. The back wheels follow the track of those up front. Test drive and experience the incredible feeling of freedom! Combined with 4WD you can stop and go without slipping even on slippery slopes and snowcovered driveways.

The front mounted deck is easy to use, clean and maintain. There is a full range of Combi decks with Multiclip and rear discharge between 95 cm to 110 cm to choose from. The Multiclip system cuts and fertilises the lawn at the same time. No need for raking or emptying a collector.

This front mower comes with a lot of features. Hydrostatic speed control, high comfort seat adjustable with one hand grip, adjustable steering wheel, hour meter, headlight, electric cutting height adjustment and mechanical servo steering. The cutting deck can be angled into cleaning position without removing the V-belt.

Choose from a long list of implements. You can easily change from a cutting deck, sweeper or edge cutter to a snow blade or snow thrower. Equipped with the patented quick connection for accessories.

PARK

PARK PRESTIGE 4WD



STIGA®

www.stiga.com

Park Prestige 4WD (13-6185-14)

ENGINE

Brand	Kohler Courage
Power	18 hp SV540
Cylinders	1 cyl

FUEL

Type of fuel	Petrol
Tank volume	12 l

SPEED CONTROL

Type of transmission	Hydrostatic KTM 7
Number of gears	Infinitely variable 0-10 km/h + R

STEERING

Type of steering	Genuine articulated steering
Servo assisted steering	Mechanical
Adjustable steering wheel	Yes
Articulated steering through chain/chain	Yes

WHEELS

Type of wheels	Stiga special lawn tyre tread
Wheel size	Front and rear 16 inches, wide
Tyre pressure	Front 0,6 bar. Rear 0,4 bar
Driving	Four wheel drive

CUTTING INFORMATION

Type of cutting system	Front cutting Combi deck
Cutting heights	25-85 mm in 10 steps
Cutting width	95-110 cm
Cutting height adjustment	Electric with 95 Combi EI, 105 Combi EI and 110 Combi Pro EI

VIBRATIONS & SOUND LEVELS

Synchronized belt	On 95-105 Combi
Free rotating blades	On 110 Combi Pro

CONTROLS

Deck connection	Quick connection
Deck lift	Foot controlled
Electric starter	Yes
Head light	Yes
Hour meter	Yes
Gear lever	Foot pedal
Choke	Separate

COLOUR & MATERIAL

Colour	Yellow / Grey
Material of chassis	Steel

MEASURES & WEIGHT

Weight	218 kg excl. cutting deck
Gross weight	258 kg excl. cutting deck
Package size WxHxL	92x101x202 cm
Largest measures WxHxL	130x125x245 cm with deck

SEAT

Type of seat	Comfort seat with high back support
Seat adjustable horizontally	One hand grip

OTHER FACTS

CE-mark	Yes
Instructions for use	8211-0003-80
EAN bar code	7 313 321 303 624

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>