

The Stiga logo is a black rectangle with the word "STIGA" in white, bold, sans-serif capital letters. A registered trademark symbol (®) is located at the top right of the word. The background of the entire page is a yellow-to-black gradient with a faint, embossed pattern of various Stiga lawn care equipment, including lawnmowers, trimmers, and blowers. One of the most prominent elements in the background is a lawnmower deck with the word "STIGA" and the model number "ST102E14" embossed on it.

STIGA®

Stiga Consumer Line | 2009



75 years of garden excellence!

The passion for gardening has taken us a long way since 1934. From the first walk behinds to the latest generation of four-wheelers, the Stiga brand remains faithful to the concept of providing home owners with all the machinery they need to make gardening enjoyable.

Job satisfaction is a key word. To achieve this, we combine innovative technology and high momentum while reducing the impact on environment and man. Low emission engines, ethanol powered machines and four-stroke brushcutters reflect our ambition – to hand down an earth in good condition for generations to come. Please, step up and join us for a ride through 75 years of garden excellence!

Brushcutters

Good power-to-weight ratio. Effective. High torque. This is what distinguishes Stiga's brushcutters and make them ideal for use around the house. If environmental concerns rank highly, the low fuel consumption, low emissions and low sound-level speak in favour of a four-stroke engine. If higher torque is top priority, the two stroke engine model is an excellent alternative. All are built for a long and arduous use. Single strap harness included on all models except ST 27 J.



SB 27 J
 Displacement: 26cc
 Power: 0,80 kW/1,09 hp
 Shaft: 26 mm jointable
 Handle: Loop
 Line feed: Tap & Go
 Standard blade: 3T-blade
 Weight: 5,9 kg
 Available attachments: Pruner saw, hedgecutter, blower



SB 32
 Displacement: 30cc
 Power: 0,90 kW/1,22 hp
 Shaft: 26 mm
 Handle: Loop
 Line feed: Tap & Go
 Standard blade: 4T-blade
 Weight: 5,9 kg



ST 27 J
 Displacement: 26cc
 Power: 0,80 kW/1,09 hp
 Shaft: 26 mm curved jointable
 Handle: Loop
 Line feed: Tap & Go
 Weight: 5,4 kg
 Available attachments: Pruner saw, hedgecutter, blower



SB 27 JD
 Displacement: 26cc
 Power: 0,80 kW/1,09 hp
 Shaft: 26 mm jointable
 Handle: Bike
 Line feed: Tap & Go
 Standard blade: 3T-blade
 Weight: 6,0 kg
 Available attachments: Pruner saw, hedgecutter, blower



SB 32 D
 Displacement: 30cc
 Power: 0,90 kW/1,22 hp
 Shaft: 26 mm
 Handle: Bike
 Line feed: Tap & Go
 Standard blade: 4T-blade
 Weight: 6,0 kg

Lawn tractors

Designed for medium to large green areas, our Lawn tractors are built on a strong structure and equipped with up to 102 cm cutting deck, featuring Multiclip, for optimum cutting result. Choose between side discharge or collection (handling up to 300 l of grass clippings or leaves) in combination with rear discharge. Check with your dealer for more information!



SR6365 E

Engine: STIGA RM 65 ES, 196 cc
Electric start
Transmission/gear: Manual, 3+R
Cutting width: 63 cm
Cutting heights: 30-75 mm, 5 pos
Wheel dimensions: 11" x 13"
Blade engagement: Manual
Collector capacity: 140 l
Gross weight: 125 kg



SR6365

Engine: STIGA RM 65 - 196 cc
Manual start
Transmission/gear: Manual, 3+R
Cutting width: 63 cm
Cutting heights: 30-75 mm, 5 pos
Wheel dimensions: 11" x 13"
Blade engagement: Manual
Collector capacity: 140 l
Gross weight: 125 kg



SC9013

Engine: STIGA WM 13,5 hp
Transmission/gear: Manual, 5+R
Cutting width: 90 cm
Cutting heights: 25-80 mm, 7 pos
Blade engagement: Electromagnetic clutch
Wheel dimensions: 13" x 18"
Collector capacity: 210 l
Gross weight: 223 kg



SD9813

Engine: STIGA WM 13,5 hp
Transmission/gear: Manual, 5+R
Cutting width: 98 cm
Cutting heights: 25-80 mm, 7 pos
Wheel dimensions: 15" x 18"
Blade engagement: Electromagnetic clutch
Gross weight: 198 kg



ST10214

Engine: STIGA WM 14,5 hp
Transmission/gear: Hydrostatic
Cutting width: 90 cm
Cutting heights: 30-90 mm, 7 pos
Wheel dimensions: 13" x 18"
Blade engagement: Manual
Collector capacity: 300 l
Gross weight: 278 kg

Front mower

Primo represents a new generation of compact Front mowers from Stiga aimed at design-conscious homeowners. Featuring rear-wheel steering and easy-to-use single hand controls, it reduces the time and effort spent in the garden. The idea was to create a vehicle, which is manoeuvred and mows as well as the big Front mowers, and which you can be proud to park on your driveway. Material and construction, comfort and convenience, road grip and performance.



PRIMO

Engine: STIGA WM 12,5 hp
Transmission/gear: Manual, 3+R
Cutting width: 78 cm
Cutting heights: 25-85 mm, 9 pos
Blade engagement: Manual
Cutting system: Front mounted combi deck
Gross weight: 135 kg

Chainsaws

Feel how it sits in your hand! See how easy it is to tension the chain or replace the air filter! Start it and experience how well we have succeeded in damping the vibrations! User-friendly and ideal for wood cutting, garden work, and farmer work, etc. Well-balanced with low kick-back. Added safety for the inexperienced: all models equipped with primer, electronic ignition and automatic oilpump for easy starting.



SE 170
Power: 1,7kW
Bar length: 14" - 35 cm
Chain type: 3/8".050"
91PJ-50E
Weight: 4,05 kg



SE 170 Q
Power: 1,7kW
Quick chain tensioning
Bar length: 14" - 35 cm
Chain type: 3/8".050"
91PJ-50E
Weight: 4,05 kg



SE 182
Power: 1,8 kW
Bar length: 14" - 35 cm
Chain type: 3/8".050"
91VG-50E
Weight: 3,95 kg



SE 182 Q
Power: 1,8 kW
Quick chain tensioning
Bar length: 14" - 35 cm
Chain type: 3/8".050"
91VG-50E
Weight: 3,95 kg



SE 200
Power: 2,0 kW
Bar length: 16" - 40 cm
Chain type: 3/8".050"
91VG-56E
Weight: 3,95 kg



SE 200 Q
Power: 2,0 kW
Quick chain tensioning
Bar length: 16" - 40 cm
Chain type: 3/8".050"
91VG-56E
Weight: 3,95 kg



SP 350
Displacement: 35cc
Power: 1,4 kW
Bar length: 14" - 35 cm/16" - 40 cm
Chain type: 3/8".050"
91PJ-52E/91PJ-56E
Weight: 4,35 kg



SP 350 Q
Displacement: 35cc
Power: 1,4 kW
Quick chain tensioning
Bar length: 14" - 35 cm
Chain type: 3/8".050"
91PJ-52E
Weight: 4,35 kg



SP 400
Displacement: 40cc
Power: 1,6 kW
Bar length: 16" - 40 cm/18" - 45 cm
Chain type: 3/8".050"
91PJ-56E/91PJ-60E
Weight: 4,40 kg



SP 400 Q
Displacement: 40cc
Power: 1,6 kW
Quick chain tensioning
Bar length: 16" - 40 cm
Chain type: 3/8".050"
91PJ-56E
Weight: 4,40 kg

Lawn mowers (Multiclip)

All Multiclip models feature Stiga's unique mulching technology, which transforms grass clippings into fertilizer in a few days, and provides an exceptional finish. Because you skip the collection stage, cutting is easier and faster. Choose engine capacity and cutting width according to the size of your lawn. Options available include mains electric, ethanol or petrol engine with recoil or electric start, for added convenience, and self-propulsion. All models are equipped with ergonomic handle.



MULTICLIP 50 EL SVAN

Engine: 1600 W
Cutting width: 48 cm
Cutting height: 21 mm-65 mm, 4 lever
Weight: 25 kg



MULTICLIP 50

Engine: STIGA SA 45
Cutting width: 48 cm
Cutting height: 21 mm-65 mm, 4 lever
Weight: 28 kg



MULTICLIP 50 B

Engine: Briggs & Stratton 500 series XMH
Cutting width: 48 cm
Cutting height: 21 mm-65 mm, 4 lever
Weight: 26 kg



MULTICLIP 50 S

Engine: STIGA SA 45
Cutting width: 48 cm
Cutting height: 21 mm-65 mm, 4 lever
Weight: 31 kg
Self-propelled: Yes



MULTICLIP 50 S B

Engine: Briggs & Stratton 500 series XMH
Cutting width: 48 cm
Cutting height: 21 mm-65 mm, 4 lever
Weight: 29 kg
Self-propelled: Yes

Lawn mowers (Collector)

Stiga Collector is a range of simple, but robust and good value lawn mowers, handling up to 55 l of grass cuttings or leaves. Petrol driven or electronically powered, some self propelled, some with electric starter. The collector can be emptied and removed easily if you want the cuttings to be blown out. Ergonomic handle is standard on all models.



COLLECTOR 35 EL
Engine: 1100 W
Cutting width: 33 cm
Cutting height: 25 mm - 55 mm,
screw in screw out
Collector: 27 l
Weight: 11 kg



COLLECTOR 39 EL
Engine: 1300 W
Cutting width: 37 cm
Cutting height: 25 mm - 55 mm,
screw in screw out
Collector: 35 l
Weight: 13 kg



COLLECTOR 43 EL
Engine: 1600 W
Cutting width: 41 cm
Cutting height: 30 mm - 67 mm,
4 levers
Collector: 55 l
Weight: 19 kg



COLLECTOR 46 EL
Engine: 1600 W
Cutting width: 44 cm
Cutting height: 30 mm - 67 mm,
Central
Collector: 55 l
Weight: 23 kg

Lawn mowers (Dino)

Side discharge for longer grass. Deposits the clippings to one side. Ideal for summer cottages or other less frequently groomed gardens. Equipped with a safety protector which prevents stones and other objects from being propelled outwards. Wheels with ball bearings are standard on both models.



DINO 47
Engine: STIGA SA 45
Cutting width: 45 cm
Cutting height: 35 mm-60 mm,
spring loaded
Weight: 23 kg



DINO 47 B
Engine: Briggs & Stratton
450 series
Cutting width: 45 cm
Cutting height: 35 mm-60 mm,
spring loaded
Weight: 21 kg

Lawn mowers (Combi)

Three cutting methods in one. Stiga Combi is a series of multipurpose machines, featuring Stiga's patented cutting method, Multiclip in combination with rear discharge and collection (handling up to 60 l of grass clippings or leaves). All models equipped with central cutting height adjustment, ergonomic handle and wheels with ball bearings. Powered with petrol or ethanol.

**COMBI 46**

Engine: STIGA SA 45
Cutting width: 44 cm
Cutting height: 30 mm-67 mm, central
Collector: 55 l
Weight: 24 kg

**COMBI 46 B**

Engine: Briggs & Stratton 450 series
Cutting width: 44 cm
Cutting height: 30 mm-67 mm, central
Collector: 55 l
Weight: 22 kg

**COMBI 46 S**

Engine: STIGA SA 45
Cutting width: 44 cm
Cutting height: 30 mm-67 mm, central
Collector: 55 l
Weight: 26 kg
Self-propelled: Yes

**COMBI 46 S B**

Engine: Briggs & Stratton 450 series
Cutting width: 44 cm
Cutting height: 30 mm-67 mm, central
Collector: 55 l
Weight: 24 kg
Self-propelled: Yes

**COMBI 46 S ETHANOL**

Engine: STIGA SEA 60
Cutting width: 44 cm
Cutting height: 30 mm-67 mm, central
Collector: 55 l
Weight: 26 kg
Self-propelled: Yes

**COMBI 48 S BW**

Engine: STIGA SA 45
Cutting width: 46 cm
Cutting height: 30 mm-90 mm, central
Collector: 60 l
Weight: 34 kg
Self-propelled: Yes

**COMBI 48 S BW B**

Engine: Briggs & Stratton 450 series
Cutting width: 46 cm
Cutting height: 30 mm-90 mm, central
Collector: 60 l
Weight: 32 kg
Self-propelled: Yes

**COMBI 53**

Engine: STIGA SA 45
Cutting width: 51 cm
Cutting height: 30 mm-67 mm, central
Collector: 65 l
Weight: 26 kg

**COMBI 53 S**

Engine: STIGA SA 55
Cutting width: 51 cm
Cutting height: 30 mm-67 mm, central
Collector: 65 l
Weight: 28 kg
Self-propelled: Yes

**COMBI 53 S B**

Engine: Briggs & Stratton 500 series XMH
Cutting width: 51 cm
Cutting height: 30 mm-67 mm, central
Collector: 65 l
Weight: 26 kg
Self-propelled: Yes

**COMBI 53 S BW**

Engine: STIGA SA 55
Cutting width: 51 cm
Cutting height: 30 mm-90 mm, central
Collector: 60 l
Weight: 36 kg
Self-propelled: Yes

**COMBI 53 S BW B**

Engine: Briggs & Stratton 625 series XVS
Cutting width: 51 cm
Cutting height: 30 mm-90 mm, central
Collector: 60 l
Weight: 36 kg
Self-propelled: Yes

**COMBI 53 SE BW**

Engine: STIGA SA 55 ES
Electric start
Cutting width: 51 cm
Cutting height: 30 mm-90 mm, central
Collector: 60 l
Weight: 40 kg
Self-propelled: Yes



75 years of garden excellence!

We want you and your surroundings to get the most out of the outdoors with the least possible effort. Therefore we combine innovative technology and excellent engineering with a minimal strain on man and environment. The aim is to pass on the earth in good condition.

STIGA[®]

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>