



## 56K (V.92) High Speed USB 2.0 Data/TAM /Voice Modem TFM-560U

The TFM-560U High Speed USB 2.0 Fax Modem delivers fast access to the Internet with more efficient upload and download speeds. The V.92/V.44 standard modem offers the highest possible data transfer rates and reliable fax transmissions. The modem utilizes the latest V.92 standard providing Internet connection features such as Quick Connect, Modem-on-Hold, and 48Kbps upload rates.

### FEATURES


- Compliant with USB 2.0 and USB 1.1 Specifications
- Compliant with V.92, V.90, V.44 Standards
- Supports V.44 and V.92 Quick Connect, PCM Upstream and Modem On Hold Features
- Up to 56Kbps Data Download Speed and 48Kbps Data Upload Speed
- Hosts Signal Processing for both controller and data -pump
- Supports TAM (Telephone Answering Machine) via Sound Card
- Video Phone ready (Interface to H.324 Video Conferencing Support)
- Compatible with Windows 98SE/ME/2000/XP/2003 Server
- Support ITU-T T.31 Class 1 fax with transfer rate up to 14.4kbps
- USB Bus-Powered method and Low Power consumption
- Includes Data/Fax/Voice Communication Software
- LED Display
- 3-Year Warranty

# 56K (V.92) High Speed USB 2.0 Data/TAM/Voice Modem TFM-560U

## SPECIFICATIONS

Hardware	
Standard	<ul style="list-style-type: none"><li>• USB 2.0</li><li>• USB 1.1</li></ul>
Interface	<ul style="list-style-type: none"><li>• 1 x USB 2.0 /1.1 (Type A), 1 x RJ-11 Port (Phone Line)</li></ul>
Data Mode	<ul style="list-style-type: none"><li>• V.92 &amp; V.90, V.34, V.32(bis), V.22(bis), V.22, V.23, V.21, Bell 212A, Bell 103</li></ul>
Error Correction	<ul style="list-style-type: none"><li>• V.42, LAPM &amp; MNP 2-4</li></ul>
Data Compression	<ul style="list-style-type: none"><li>• V.44, V.42(bis) &amp; MNP5</li></ul>
Fax Mode	<ul style="list-style-type: none"><li>• ITU-T V.17, V.29, V.27ter and V.21 ch2, ITU-T T.31 Class1 Fax</li></ul>
Power Management	<ul style="list-style-type: none"><li>• USB Bus-Powered</li></ul>
Power Consumption (Input 3.3VDC)	<ul style="list-style-type: none"><li>• Idle Mode: 65mW, Operating Mode: 134mW</li></ul>
Dimensions	<ul style="list-style-type: none"><li>• 100 x 35 x 23mm (3.94 x 1.38 x 0.91in.)</li></ul>
Weight	<ul style="list-style-type: none"><li>• 25g (0.88oz.)</li></ul>
Temperature	<ul style="list-style-type: none"><li>• Operating: 0°C~ 40°C (32°F~ 104°F) • Storage: -20°C~ 60°C (-4°F~140°F)</li></ul>
Humidity	<ul style="list-style-type: none"><li>• 10%~90% (non-condensing)</li></ul>
Certifications	<ul style="list-style-type: none"><li>• FCC, CE</li></ul>

## NETWORKING SOLUTIONS



## PACKAGE CONTENTS

- TFM-560U
- Multi-Language QIG
- Driver CD-ROM
- RJ-11 Telephone Cable

## RELATED PRODUCTS

<b>TFM-PCIV92A</b>	56K (V.92) High Speed Internal PCI Data/Fax/Voice Modem
<b>TFM-560X</b>	External 56K (V.90) High Speed Voice/Fax Modem

## ORDERING INFORMATION

### TRENDnet®

20675 Manhattan Place, Torrance, CA 90501 USA  
Tel: 1-310-961-5500  
Fax: 1-310-961-5511  
Web: [www.trendnet.com](http://www.trendnet.com)  
Email: [sales@trendnet.com](mailto:sales@trendnet.com)

To Order Please Call:

**1-888-326-6061**



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>