



54Mbps 802.11g Wireless Access Point TEW-430APB [c1]

TEW-430APB Wireless Access Point is today's link to Wireless Technology. Compliant with the IEEE Wireless Networking Standard 802.11g, it provides Direct Sequence Spread Spectrum (DSSS) operation for transparent bridging and roaming capabilities for wireless nodes. The TEW-430APB also provides WDS bridging functions, allowing users to connect two or more Access Points together, wirelessly. With this Wireless Access Point and Wireless Network Adapters, users can connect to Ethernet/Fast Ethernet LAN at home or office to access network resources with coverage up to 300 meters.

FEATURES

- Operates as Access Point, AP Client or WDS Wireless Bridging/Repeater mode
- Provides Security with 64/128-Bit WEP, WPA/WPA2 and WPA-PSK/WPA2-PSK
- Supports 802.1x Authentication and MAC Address Control for Authorization Access (20 entries)
- Supports Most Operating Systems, such as Windows 95/98/ME/NT/2000/XP, Unix and Mac
- Allow Users to Disable ESSID Broadcast to Increase Wireless Security
- Built-in 10/100Mbps Auto-Sensing Fast Ethernet Port
- Dynamic Data Rate Scaling at 54, 48, 36, 24, 18, 12, 9 and 6 Mbps for 802.11g
- Dynamic Data Rate Scaling at 11, 5.5, 2 and 1 Mbps for 802.11b
- Allow Auto Fallback Data Rate for Optimized Reliability, Throughput and Transmission Range
- 2dBi Detachable Diversity Antenna. Replace with Optional High-Gain Antenna to Extend the Range/Coverage Area.
- Easy Configuration and Maintenance with Web Browser (HTTP)
- Flash Memory for Firmware Upgrade and Save/Restore Settings
- Distance coverage 50 to 100 meters indoor, 100 to 300 meters outdoor depending on the environment
- 3-Year Warranty

NEW IMPLEMENTS

- RoHS compliant
- New Housing
- New Standard GUI
- Add McAfee Bonus
- Chipset > Realtek 8186+8225


54Mbps 802.11g Wireless Access Point TEW-430APB

SPECIFICATIONS

| Hardware | |
|---------------------------|---|
| Standards | • IEEE 802.11g (Wireless LAN) • IEEE 802.3u (Fast Ethernet) |
| Media Connector | • 10/100Mbps, Half/Full Duplex |
| LED Indicators | • Power, LAN & WLAN |
| Power | • 7.5V DC, 1A External Power Adapter |
| Dimensions | • 150 x 110 x 30 mm (5.9 x 4.3 x 1.2 inches) (without antenna) |
| Weight | • 226g (8 oz.) |
| Temperature | • Operating: -0° ~ 40°C (32° ~104°F); Storage: -25° ~ 70°C (-13° ~ 158°F) |
| Humidity | • Max. 90% (non-condensing) |
| Certifications | • CE, FCC |
| Wireless | |
| Frequency Range | • 2.412 ~ 2.484 GHz |
| Modulation | • 802.11b: DSSS • 802.11g: DBPSK/DQPSK/CCK/OFDM |
| Protocol | • CSMA/CA with ACK |
| Data Rate (Auto Fallback) | • 802.11b: 11, 5.5, 2 and 1Mbps • 802.11g: 54, 48, 36, 24, 18, 12, 9 and 6Mbps |
| Operating Mode | • AP, AP Client, WDS Bridge & Repeater Modes |
| Channel | • 1~ 11 Channels (US) 1~13 Channels (EU) |
| Security | • 64/128-Bit WEP (Hex/ASCII), WPA/WPA2 • WPA-PSK/WPA2-PSK • MAC Address Filter, SSID Broadcasting Control |
| Antenna | • 1 x 2dBi Detachable Diversity Antennas with Female Reverse SMA Connector |
| Output Power | • 13 dBm (min) |
| Transmit Power | • 802.11b: 18dBm (typically) • 802.11g: 15dBm (typically) |
| Receiving Sensitivity | • 11Mbps 8% PER @ -78dBm (typical) • 54Mbps 10% PER @ -68dBm (typical) |

NETWORKING SOLUTIONS

54Mbps 802.11g Wireless LAN Access Point (TEW-430APB)



PACKAGE CONTENTS

- TEW-430APB
- Quick Installation Guide
- CD-ROM (User's Guide)
- Power Adapter (5V, 1.2A)

RELATED PRODUCTS

| | |
|-----------|---|
| TEW-421PC | 802.11g 54Mbps Wireless CardBus PC Card |
| TEW-423PI | 802.11g 54Mbps Wireless PCI Adapter |

ORDERING INFORMATION

TRENDnet

3135 Kashiwa Street, Torrance, CA 90505 USA
 Tel: 1-888-777-1550
 Fax: 310-891-1111
 Web: www.trendnet.com
 Email: sales@trendnet.com

To Order Please Call:

1-888-326-6061



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>