



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: PS-615-HG-OEM

Power Strip with Hospital-Grade Plug & Receptacles (TUV tested to UL)



Highlights

- Versatile power distribution strip designed to be installed on any mobile cart, IV pole, etc.
- TUV tested to UL 1363A to supply power to plug-connected components of a movable equipment assembly that is rack-, table- or pedestal-mounted
- 6 hospital-grade receptacles and hospital-grade plug
- 15-ft. cord
- Two 15-amp resettable circuit breakers
- Lifetime product warranty

Description

Tripp Lite's PS-615-HG-OEM Power Strip is designed to be installed on any mobile cart, IV pole, etc. It is TUV tested to UL 1363A to supply power to plug-connected components of a movable equipment assembly that is rack-, table- or pedestal-mounted. Features 6 output receptacles, 15-ft. AC power cord and two built-in resettable circuit breakers that control power to all outlets and protect against overloads. Switchless design prevents accidental shutoff. Optional-use keyhole mounting tabs and flanges.

PLUG/OUTLETS: NEMA 5-15P-HG hospital-grade plug and 6 NEMA 5-15R-HG hospital-grade receptacles

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: All-metal corded multi-outlet strip

Applications

- Mobile carts, IV poles and other UL 1363A usages.

Package Includes

- PS-615-HG-OEM
- User manual with warranty information

Features

- Versatile power distribution strip designed to be installed on any mobile cart, IV pole, etc.
- TUV tested to UL 1363A to supply power to plug-connected components of a movable equipment assembly that is rack-, table- or pedestal-mounted
- 6 x NEMA 5-15R-HG hospital-grade output receptacles
- 15-ft. AC cord with integrated, molded NEMA 5-15P-HG hospital-grade plug
- Rugged all-metal housing withstands years of use without breakage
- 15A electrical capacity with two built-in resettable circuit breakers
- 120V, 50/60Hz
- Optional-use keyhole mounting tabs and flanges
- Switchless design prevents accidental shutoff

Specifications

| SYSTEM OVERVIEW | |
|------------------------------------|--|
| Voltage compatibility | 120VAC |
| Frequency compatibility | 50/60 Hz |
| OUTPUT | |
| Output volt amp capacity (amps) | 15A |
| Outlet quantity / type | 6 x NEMA 5-15R-HG Hospital-Grade |
| Outlet orientation | Single row of 6 |
| Overload protection | 2 x 15amp breaker (1 line, 1 neutral) |
| INPUT | |
| Input connection type | NEMA 5-15P-HG Hospital-Grade |
| Input cord gauge, type | 14 gauge, SJT |
| Input cord length (ft.) | 15 |
| Input cord length (m) | 4.572 |
| Recommended Electrical Service | 15A, 120V |
| LEDS ALARMS & SWITCHES | |
| Switches | No power switch |
| PHYSICAL | |
| Shipping weight (lbs) | 3.55 |
| Shipping Dimensions (HWD/in) | 15 x 6 x 3.55 |
| Unit weight (lbs) | 2.25 |
| Unit Dimensions (HWD/in) | 13.75 x 2.5 x 1.5 |
| Material of construction | Metal |
| Integrated keyhole mounting tabs | Keyhole mounting tabs and flanges enable mounting to a variety of surfaces |
| Receptacle Color | White |
| AC line cord color | White |
| CERTIFICATIONS | |
| Additional International Approvals | TUV tested to UL 1363A |
| WARRANTY | |
| Product Warranty Period | Lifetime |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=3719.

©2009 Tripp Lite. All Rights Reserved.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>