



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: S456-003

### SCSI/Fibre Channel - 3-ft. SCSI U320/U160 LVD/SE cable, Offset VHDCI68M/M w/Thumbscrews

#### Highlights

- Premium double-shielded cable
- Meets the most current SCSI specifications for high-speed devices



#### Description

Moving your network into the next phase of SCSI solutions? Look no further than Tripp Lite's brand of SCSI U320/U160 cables. Supports all legacy transfer rates including Ultra 320 . Multi-platform SCSI III external peripheral cable, offset VHDCI68M/M. This 3ft cable is designed to connect two SCSI III (fast and wide) devices together. "Offset" connector with small footprint on VHDCI allows up to 4 channels to be attached to a single host bus adapter card. Manufactured using double shielded 34 twisted pair high impedance cable. Constructed with low-capacitance, impedance matched, 28 AWG, stranded, tinned copper cable with insulated in polypropylene. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

#### System Requirements

- Any external SCSI device or host controller card requiring VHDCI68M/M interface

#### Package Includes



- 3-ft. SCSI U320/U160 LVD/SE cable, offset VHDCI68M/M w/Thumbscrews

#### Features

- Backwards compatibility with previous SCSI generations
- Supports all SCSI transfer rates through 320/mb/s
- LVD/SE compliant
- Double shielded (foil and braid)
- 34 twisted pair conductors
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

#### Specifications

OVERVIEW	
Intended Application	Connecting Drives
PHYSICAL	

<b>Color</b>	Black
<b>Style</b>	SCSI
<b>Length</b>	3 ft.
<b>CONNECTIONS</b>	
<b>Connector A</b>	 OFFSET VHDCI68 (MALE)
<b>Connector B</b>	 OFFSET VHDCI68 (MALE)

## Related Items

<b>SCSI Cables</b>		
S140-000	SCSI/Fibre Channel - External SCSI U320 LVD/SE Active Terminator HD68M (single-ended)	Qty: [optional]
S244-000	SCSI/Fibre Channel - External SCSI Adapter HD68M to Centronic 50F	Qty: [optional]
S450-006	SCSI/Fibre Channel - 6-ft. SCSI U2/U160/U320 LVD/SE cable HD68M to HD68M w/thumbscrews	Qty: [optional]
S454-006	SCSI/Fibre Channel - 6-ft. SCSI U320/U160 LVD/SE cable, Offset VHDCI68M to HD68M	Qty: [optional]

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=2408](http://www.tripplite.com/en/products/model.cfm?txtModelID=2408).

©2009 Tripp Lite. All Rights Reserved.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>