

Uniden®

OWNER'S MANUAL

TRU3465



tr4
2.4 GHz
DIGITAL SPREAD SPECTRUM



Contents

Introduction / Features	2	Telephone Features	
Controls and Functions	4	3-way conferencing	29
Getting Started		Intercom Feature	30
Read this first	6	Call Transfer Feature	31
Step 1: Checking the package contents	7	Caller ID Features	
Step 2: Setting up the base unit	8	Caller ID	32
Step 3: Installing the handset battery pack	10	When the telephone rings	32
Step 4: Setting Caller ID options	12	Viewing the Caller ID Message list	33
Entering your Area Code	13	Deleting information from the Caller ID list	34
Basics		Using the Caller ID list	36
Making a call	14	Using "Caller ID on call waiting" service	38
Receiving a call	16	Call Waiting Features	39
Adjusting the volume	18	Additional Information	
Redialing a call	19	Changing the digital security code	40
Traveling out-of-range	20	Installing the beltclip	41
Memory Dialing		Headset installation	41
Storing phone numbers and names	21	Note on power sources	42
Making calls with memory dialing	24	Maintenance	43
Editing a stored name and/or phone number	26	Troubleshooting	44
Erasing a stored name and phone number	27	General Information	46
		Index	49

Welcome

Congratulations on your purchase of the TRU 3465 cordless telephone. This phone is designed for reliability, long life and outstanding performance utilizing the latest in 2.4 GHz Spread Spectrum Technology.

Note: Some illustrations in this manual may differ from the actual unit for explanation purposes.

Features

- 2.4 GHz Spread Spectrum Technology
- Secure Digital Transmission
- Caller ID and Call Waiting Caller ID
- Advanced Caller ID with Call Waiting Options
- 50 Number Caller ID Memory
- 30 Number Memory (20 on the handset and 10 on the base)
- 3 Line Backlit Display
- 3 Redial Memories (up to 32 digit)
- Flash and Pause
- Pulse / Tone Dialing
- 7 Day Standby Battery Life
- 6 Hour Talk Time
- Handset Earpiece and Ringer Volume Control
- Base Speakerphone with Keypad
- 3-Way Conference Operation
- Dual Keypad Operation

Digital Spread Spectrum Technology utilizes a “wider frequency band” vs. a “single narrow band” used in standard digital transmissions. The 2.4 GHz frequency range was recently released to commercial communications. The result is a more secure conversation with the clarity of digital sound, extended range, and minimal interference from other cordless phones.


Random Code™ digital security automatically selects one of over 65,000 codes for the handset and base.

These features enhance your phone’s security and also prevent unauthorized calls as a result of your phone being activated by other equipment.


Uniden™ is a registered trademark of Uniden America Corporation.
AutoTalk™ and Random Code™ are trademarks of Uniden America Corporation.

Throughout this manual, terms such as Standby and Talk Mode are used. Below is the terminology explanation:




- **Standby Mode** - The handset is not in use, off of the base and **talk** has not been pressed. A dial tone is not present and the display is blank.
- **Talk Mode** - The handset is not on the base and **talk** has been pressed enabling a dial tone. **Talk** appears on the display.



Controls and Functions



1. Handset Antenna
2. Headset Jack Cover
3. Handset Battery Compartment
4. Handset Earpiece
5. LCD Display
6. Volume Up Key
7. Memory Key
8. Talk Key
9. Volume Down Key
10. Tone/Left Cursor Key
11. Redial/Pause Key
12. Options Key
13. Handset Microphone
14. Flash Key
15. Caller ID Key
16. Right Cursor Key
17. Delete/Intercom Key
18. Select/Channel Key
19. Handset Charging Contacts



- 20. Base Charging Contacts
- 21. Base Speaker
- 22. Tone Key
- 23. Speaker LED
- 24. Status LED
- 25. Power LED
- 26. Intercom Key
- 27. Redial/Pause Key
- 28. Memory Key
- 29. Base Antenna
- 30. Flash Key
- 31. Speaker Key
- 32. Base Speaker Volume Adjust
- 33. Base Microphone
- 34. Base Ringer Switch
- 35. Pulse-Tone Switch
- 36. DC Power Input
- 37. Phone Jack

CONTROLS AND FUNCTIONS [5]

Read This First

This cordless telephone must be set up before use. Follow these steps;

Step 1 (page 7)

Unpack the telephone and accessories.

Step 2 (page 8 to 9)

Next, choose the best location to set up the base unit.



Base unit

Step 3 (page 10 to 11)

Then, insert the battery pack into the handset. You must charge the battery pack for **15 hours before using the phone.**



Handset

Step 4 (page 12 to 13)

Finally, set the Caller ID options and store your area code in the memory to use the Caller ID service.

Note: Skip the area code setting if your calling area requires 10-digit dialing.



Handset

About the digital security code

This cordless telephone uses a digital security code to prevent unauthorized access to your base unit. This security code prevents other cordless handsets from making calls through your base unit.


A random security code will be assigned automatically between your base unit and handset when you charge the battery pack for the first time.

If you want to reset the security code, see page 40.

Checking the Package Contents

Make sure you have received the following items in the package.


If any of these items are missing or damaged, contact the Uniden Parts Department (see below).




• Base unit




• Handset



• AC adapter (AD-312)



• Rechargeable
battery pack
(BT-905)



• Telephone line cord



• Beltclip

- This Owner's Manual
- Quick Reference Guide
- Precautions and Important Safety Instructions
- Registration Card

Uniden Parts Department

(800) 554-3988

Hours: M-F 7:00 AM to 5:00 PM CST.

We can also be reached on the web at www.uniden.com.


Setting Up the Base Unit

Do the following steps.

- Choose the best location
- Connect the base unit
- Choose the dialing mode

Choose the best location


Before choosing a location for your new phone, read the INSTALLATION CONSIDERATIONS included in the PRECAUTIONS AND IMPORTANT SAFETY INSTRUCTIONS brochure. Here are some important guidelines you should consider:



- After installing the battery pack in the handset, you should charge your handset for **15 hours before using the phone**. Once the handset battery pack is fully charged, you may connect the telephone line cord to the base and telephone wall outlet.
- The location should be close to both a phone jack and a continuous power outlet which is not switchable.
- Keep the base and handset away from sources of electrical noise such as motors and fluorescent lighting.
- Be sure there is sufficient space to raise the base antenna to a vertical position.

Connect the base unit

- 1 Connect the telephone line cord to the **TEL LINE** jack and to a telephone outlet.
- 2 Connect the AC adapter to the **DC IN 9V** jack and to a standard 120V AC wall outlet.
- 3 Set the base unit on a desk or tabletop and place the handset on the base unit as shown. Then raise the antenna to a vertical position.



tip If your telephone outlet isn't modular, contact your telephone company for assistance.




Choose the dialing mode

Depending on your dialing system, set the **PULSE-TONE** switch as follows:

If your dialing system is	Set the switch to
Tone	TONE
Pulse	PULSE

If you aren't sure of your dialing system, make a trial call with the **PULSE-TONE** switch set to **TONE**.

If the call connects, leave the switch as is; otherwise, set to **PULSE**.



- Place the power cord so it does not create a trip hazard or where it could become chafed and create a fire or electrical hazard.
- Use only the supplied AD-312 AC adapter. Do not use any other AC adapter.
- Connect the AC adapter to a continuous power supply.
- Place the base unit close to the AC outlet so that you can unplug the AC adapter easily.


Installing the Handset Battery Pack

Charge the battery pack for 15 hours before you start using your phone.

- 1 Press in on the battery cover release and slide the cover down until it comes off.
- 2 Connect the battery pack connector with the correct polarity (black and red wires), then insert the battery pack into the battery compartment.
- 3 Slide the battery cover forward until it snaps into place.
- 4 Place the handset on the base.
- 5 Make sure that the "*status*" LED lights. If the LED doesn't light, check to see that the AC adapter is plugged in and that the handset makes good contact with the base charging contacts.



Use only the Uniden Battery (BT-905) supplied with your phone. Replacement batteries are also available through the Uniden Parts Department (See page 7).




Battery use time (per charge)

From fully charged

- 6 hours continuous use.
- 7 days when the handset is in the standby mode.

When the battery charge becomes low

When the voltage of battery pack in the handset is very low and needs to be charged, the phone is programmed to eliminate functions in order to save power. If the battery charge becomes low, "Low Battery" appears on the LCD. If the phone is in use, the handset beeps. Complete your conversation as quickly as possible and return the handset to the base unit for charging.




Low Battery

Cleaning the charging contacts

To maintain a good charge, it is important to clean the battery contacts on the handset and base unit with a dry cloth or a pencil eraser about once a month.

Do not use any liquids or solvents.



- Even when the battery pack is not being used, it will gradually discharge over a long period of time. For optimum performance, be sure to return the handset to the base unit after a telephone call for charging the battery.
- The built-in memory backup can hold numbers and names stored in the memory for up to 2 minutes, while you replace the battery pack.
- If you must replace the battery pack during a telephone call, complete the replacement of the battery pack within 30 seconds, and you can return to the original call.



You must subscribe to Caller ID on Call Waiting in order to use this feature.

Setting Caller ID Options

There are three Caller ID setup options available; they are AutoTalk, CIDCW (Caller ID on Call Waiting), and Area Code. See page 13 for Area Code setup instructions.

AutoTalk™ allows you to answer the phone without pressing the **(talk)** button. If the phone rings when AutoTalk is on, simply remove the handset from the base and the phone automatically answers the call. Or if the handset is not on the base, press any key to answer the call. If the phone rings when AutoTalk is off, you must press **(talk)** to answer the call.

Caller ID on Call Waiting (CIDCW) performs the same as regular Caller ID on a call waiting number. Call waiting options allow you to handle call waiting calls in seven different ways. (See page 39.)

You must subscribe to CIDCW from your phone company in order to use this feature.

To change your Caller ID options:

1 Press **(options)** . The following screen appears.

```
1▶ Auto Talk: Off
2 CIDCW      : On
3 Area Code:
```

2 Use **(▲)** and **(▼)** or a number key (1-3) to move the pointer to the selection that you would like to change.

Press **(select/channel)** to toggle between "On" and "Off" for "Auto Talk" .

For "CIDCW", choose "On", "Off", or "Off" depending upon the type of service to which you subscribe.

3 After you have made your Caller ID selections, press **(options)** and return the handset to the base.

Entering Your Area Code

If you enter a 3-digit area code number in the Area Code option, your local area code does not appear in Caller ID messages. Do not program this option if your calling area requires 10-digit dialing. When reviewing Caller ID messages, you will see only the local seven digit number. For calls received from outside your local area code, you will see a full 10-digit number.

- 1 When the phone is in the standby mode, press **(options)** .
The Caller ID setting screen appears.

```
1 Auto Talk:Off
2 CIDCW      :On
3 Area Code:
```

- 2 Press **(3)** to select "Area Code" .

```
1 Auto Talk:Off
2 CIDCW      :On
3 Area Code:
```

- 3 Press **(select/channel)** .

```
1 Auto Talk:Off
2 CIDCW      :On
3 Area Code:█
```

- 4 Use the number keypad (**(0)** to **(9)**) to enter the 3-digit area code.

- 5 Press **(select/channel)** . A tone sounds and the displayed area code is entered.

- 6 Press **(options)** to complete the setting. Or return the handset to the base unit to complete the setting. The handset returns to the standby mode.



When the area code has already been stored in memory, the stored area code will be displayed. To change it, use the **(delete/int com)** and number keypad to enter the new area code. Then press **(select/channel)** .
To complete the setting, press **(options)** or return the handset to the base unit.

```
1 Auto Talk:Off
2 CIDCW      :On
3 Area Code:817
```



If your calling area requires 10-digit dialing, do not program this option.



- Press **(delete/int com)** if you enter a wrong number at the step 1. To delete all the numbers that you have entered, press and hold **(delete/int com)** until the display clears.
- You must press a key within 20 seconds or the phone will return to standby.
- Refer to terminology explanation on Page 3, if necessary.

Making a Call

Dialing from Standby Mode

- 1 Enter the phone number and press **(talk)**. "Talk" flashes on the display.

Talk
8178583300

Then current volume setting is displayed.

Talk
<High>

- 2 The number is dialed. After about 5 seconds, the call-time display appears.

Talk 0:00
8178583300

- 3 To hang up, press **(talk)** or place the handset on the base. The call-time will be displayed for about 5 seconds.

Other Operations

To	Do this
To improve the reception	Press (select/channel) during a call.
To adjust the earpiece volume	Press (▲) or (▼) during a call.
To temporarily switch to tone dial (When the base is set to pulse mode)	Press (tone) . The following numbers will be sent as tone dialing.
To enter a pause within the dialing sequence	Press (redial/p) . "F" appears on the display which represents a pause.

Dialing from Talk Mode

1 Press **(talk)**. "Talk" flashes on the display.

Then current volume setting is displayed.

2 Dial the phone number.

Example: Enter 8178583300

3 To hang up, press **(talk)** or place the handset on the base.
The call-time will be displayed for about 5 seconds.


Talk

Talk
<High>

Talk 0:17
8178583300

10:03

From the base



1 Press **(speaker)**.

2 Dial the number on the keypad.

3 When you finish the call, press **(speaker)** to hang up.



The base microphone is located under the phone. Position yourself as near to the base as possible and speak clearly.


Receiving a Call

From the handset

- 1 The phone rings.
- 2 Press **(talk)**. "Talk" and volume setting appear on the display.
- 3 Talk with the caller.
- 4 To hang up, press **(talk)** or place the handset on the base. The call-time will be displayed for about 5 seconds.




Incoming Call



Talk 0:00
<Normal>



Talk 0:02



115:35

AutoTalk when ringing

When the AutoTalk setting is on and there is an incoming call, simply lift the handset from the base unit to answer the phone. See "Setting Caller ID options" on page 12 for more details.

Any key answer when ringing


When the AutoTalk setting is on and the handset is off the base, press any handset key to answer the incoming call.

Call Waiting

Note: You must subscribe to Call Waiting service to use this feature.

When a call is received during a telephone call already in progress, press **(flash)** to switch to the new call. If you also subscribe to Call Waiting on Caller ID, you will see the name and number of the caller in call waiting. (See page 38.)

From the base





- 1 The phone rings. The **status** LED on the base flashes.
- 2 Press **speaker** and begin speaking.
- 3 To hang up, press **speaker** .




The base microphone is located under the phone. Position yourself as near to the base as possible and speak clearly.



Adjusting the Volume


Handset ringer tone and volume

Press  or  in Standby mode to select one of four ringer tone and volume combinations. (Refer to terminology explanation on Page 3 if necessary.)



Earpiece volume


Pressing  or  during a call will change the earpiece volume of the handset. This setting will remain in effect after the telephone call has ended.



When you press  in Loud mode or  in Normal mode, an error tone sounds.


Base ringer switch

This switch turns the base ringer on or off.



Base speaker volume

To control the speaker volume of the base, adjust the volume slide control as desired.




Redialing a Call

The last three phone numbers dialed can be quickly redialed.

Redialing from Standby Mode

- 1 Press **(redial/p)** .
The phone number that was last dialed appears on the display.
- 2 Press **(redial/p)** again.
Each press of **(redial/p)** will display one of the last three numbers dialed.



- 3 Press **(talk)** . "Talk" appears on the display, then the volume setting is displayed.
- 4 Then the selected number is dialed. After about 5 seconds, the call-time display appears.
- 5 To hang up, press **(talk)** or place the handset on the base. The call-time will be displayed for about 5 seconds.




- If the number exceeds 32 digits, only the first 32 digits are retained for redialed.
- Press and hold **(delete/int com)** to delete the displayed redial number.
- Refer to terminology explanation on Page 3, if necessary.



Only the last number dialed can be accessed after **(talk)** has been pressed.

Redial from Talk Mode


1 Press **(talk)**. "Talk" appears on the display.



2 Press **(redial/p)**. The last number dialed will be displayed and redialed.

3 To hang up, press **(talk)** or place the handset on the base. The call-time will be displayed for about 5 seconds.

From the Base



1 To call the last number dialed from the base, press **(speaker)**.

2 Press **(redial/p)**. The last number dialed from the base is redialed.

3 To hang up, press **(speaker)**.

Traveling Out-of-Range


During a call, as you begin to move your handset too far from your base unit, noise increases. If you pass the range limits of the base unit, your call will terminate within 30 seconds.

Storing Phone Numbers and Names

Memory Dialing allows you to dial a number using just a few key strokes. Your TRU 3465 stores up to 20 names/numbers in handset plus 10 numbers in the base.


With the handset

- 1 Press and hold **(memory)** until "Memory Store" is displayed.
- 2 Press **(▲)** and **(▼)** or enter a two-digit number (01 - 20) to select the memory location where you would like to store the number.




```
Memory Store
01
02
```

- 3 Press **(select/channel)**.
The following screen appears and a cursor flashes indicating that the display is ready for the name to be entered.



```
Store Name
█
```

If this screen appears, the selected memory location is already stored. Then you must either change the entry in this location, clear the entry in this location, or select "Go Back" to choose another location.



```
Edit Memory07
Delete Memory07
Go Back
```

- 4 Use **(▲)**, **(▼)**, **(#▶)**, **(*tone▶)**, or **(delete/int com)** to enter the name. The name cannot exceed 13 characters.



In memory dialing operation, you must press a key within 20 seconds or the phone will return to standby. If you return the handset to the base, the phone will return to standby also.



The pause feature is useful for long distance calling, credit card dialing, or sequences that require a pause between digits.

- Use and to scroll through the character menu. It contains upper and lower case letters and various characters.
- Use and to move the cursor to the desired location.
- Use to delete characters as needed.

5 Press .

"Store Number" is displayed. The cursor flashes indicating that the display is ready for the number to be entered.

```
Store Number
█
```

6 Use the number keypad to enter the phone number. The phone number cannot exceed 20 digits.

- Use to enter pause in the dialing sequence. The display shows a "P". Each pause counts as one digit and represents a two second delay of time between the digits.
- Use to delete digits as needed.

```
Store Number
8178583300█
```

7 Press .


The handset beeps and displays the confirmation screen. Memory storage is complete. For example, if you store a name and number into memory location number 07, the display shows "Memory07 Stored". After about 2 seconds, "Memory Store" is displayed.

```
Memory07 Stored
```

```
Memory Store
07 UNIDEN CORP
08
```

8 Press to return to standby mode.

With the Base



- 1 Press **memory** . The **status** LED blinks.
- 2 Dial the number you wish to store.
(The phone number cannot exceed 20 digits.)
- 3 Press **memory** . Enter the memory location number (0-9) on the keypad. The **status** LED goes out. A confirmation tone sounds and the number is stored.



The 10 memory locations are represented by the numbers 0-9 on the keypad. If you store a number in one of these locations, then attempt to store a different number in the same location later, the new number will overwrite the previous one.



The 10 memory locations in the base are independent locations from the handset.



If you press **(select/channel)** before **(talk)**, you can confirm the name and number stored in the selected memory location. To exit this mode, press and hold **(delete/int com)** until the display clears.

Making Calls with Memory Dialing

Memory dialing from Standby Mode


- 1 Press **(memory)**.
The handset displays your programmed memory locations.
- 2 Press **(▲)** and **(▼)** or enter a two-digit number (01 - 20) to select the memory location you would like to dial.
- 3 Press **(talk)**. "Talk" and the volume setting appear on the display. Then the displayed number is dialed.

```
01 UNIDEN CORP
02 JOHN DOE
03#MOM AND DAD
```

```
>Talk<
0123456789012
```

Display a Programmed Number

Use **(#>)** and **(*tone>)** to toggle between the names display and the numbers display.



When the stored phone number has 14 or more digits, "**➔**" is displayed next to the 12th digit. Press **(#>)** to see the extra digits and **(*tone>)** to return.


```
05 012345678901
06#011813554329+
07
```

Memory dialing from Talk Mode


1 Press **(talk)** . "Talk" and the volume setting appear.




2 Press **(memory)** .



3 Enter a two-digit number (01 - 20) to select the memory location of the desired phone number. The selected phone number is displayed. Then the number is dialed.



With the Base



1 Press **(speaker)** .

2 Press **(memory)** . Enter the memory location number (0-9) to dial the number.



- To exit the memory function without dialing, press **(memory)** . The handset returns to standby.
- Whenever you are using a menu screen, you must press a key within 20 seconds or the phone will return to standby.

Editing a Stored Name and/or Phone Number

- 1 Press and hold **(memory)** until "Memory Store" is displayed.
- 2 Press **(▲)** and **(▼)** or enter a two-digit number (01 - 20) to select the memory location you would like to edit.
- 3 Press **(select/channel)** .
The following screen appears with the memory location number that you have selected in the display.
- 4 Press **(▲)** or **(▼)** to select "Edit Memory", then press **(select/channel)** . The following screen appears.
The cursor flashes indicating that the display is ready for the name to be edited. When a name has not been stored, the cursor appears at the beginning of the second line.
- 5 Press **(▲)** , **(▼)** , **(*tone◀)** , **(◀*)** , or **(delete/int com)** to edit the name. (See page 22.)
To edit only the phone number, skip this step.
- 6 Press **(select/channel)** . The following screen appears.
The cursor flashes indicating that the display is ready for the number to be edited.

```
Memory Store
01▶UNIDEN CORP
02 JOHN DOE
```

```
▶Edit Memory01
Delete Memory01
Go Back
```

```
Store Name
UNIDEN CORP█
```

```
Store Number
817858330█
```

7 Use the number keypad, redial/p or delete/int com to edit the phone number. The phone number cannot exceed 20 digits. (See page 22.)
If you don't want to change the phone number, skip this step.

8 Press select/channel . The handset beeps and displays the confirmation screen. The memory storage is complete. For example, if you store a name and number into memory location number 01, the display shows "Memory01 Stored". After about 2 seconds, "Memory Store" is displayed.

```
Memory01 Stored
```

```
Memory Store  
01 UNIDEN CORP  
02 JOHN DOE
```

9 Press memory to return to standby mode.



To edit the numbers that you have stored in the base, simply overwrite the existing number. Refer to "Storing Phone Numbers and Names; With the Base" on page 23.

Erasing a Stored Name and Phone Number

1 Press and hold memory until "Memory Store" is displayed.

```
Memory Store  
01 UNIDEN CORP  
02 JOHN DOE
```

2 Press up and down or enter a two-digit number (01 - 20) to select the memory location you would like to edit.

3 Press select/channel . The following screen appears with the memory location number that you have selected in the display.

```
Edit Memory02  
Delete Memory02  
Go Back
```

4 Press down to move the pointer down to "Delete Memory" command line.

```
Edit Memory02  
Delete Memory02  
Go Back
```

5 Press (select/channel) . The following confirmation screen appears.

```
Delete Memory02?  
Yes  
No
```

6 Press (▲) to move the pointer to "Yes" .


7 Press (select/channel) or (delete/int com) .
There is a confirmation tone and the entry is deleted.
The following screen appears.

```
Memory02 Deleted
```

8 After a few seconds the display returns to the
"Memory Store" screen.
You may select another number to delete (return to
step 2) or press (memory) to return to standby.

```
Memory Store  
02  
03 MOM AND DAD
```

With the Base



1 Press (memory) .


2 Press (memory) again.

3 Enter the memory location number (0-9) of the number you wish to delete. The **status** LED goes out. A confirmation tone indicates the number has been erased.


3-way Conferencing

The Uniden TRU 3465 permits 3-way conversations between the handset, base and outside line.

When speaking on the handset




- 1 Press **speaker** on the base to join the 3-way conversation.
- 2 To hang up, press **speaker** on the base. The handset will still be connected to the call.



- Pressing the **speaker** key on the base while dialing with the handset will set the 3-way conversation mode, and dialing is not affected.
- During a 3-way conversation, you can only dial from the handset.

When speaking on the base



- 1 Press **talk** on the handset to join the 3-way conversation.
- 2 To hang up, return the handset to the base, or press **talk** on the handset. The base will still be connected to the call.



If the page is not answered within one minute, the paging sounds stops automatically.

Intercom Feature

Intercom from the base to handset

- 1 Press **(intercom)** on the base. The handset beeps. (If no answer, press **(intercom)** again to disconnect.)
- 2 Press **(delete/int com)** or **(talk)** on the handset to answer. "Inter-com" appears on the display.
- 3 To turn off the intercom, press **(talk)** on the handset or **(speaker)** on the base.

Intercom from the handset to base

- 1 Press **(delete/int com)** on the handset. (If no answer, press **(delete/int com)** again to disconnect.)
- 2 At the base, press **(intercom)** or **(speaker)** to answer. Speak into the base microphone.
- 3 To turn off the intercom, press **(talk)** on the handset or **(speaker)** on the base.

Call Transfer Feature

To Transfer from the Handset to the Base

- 1 Press **(delete/int com)** on the handset. The caller is put on hold and the intercom tone sounds on the base.
- 2 Press **(intercom)** or **(speaker)** on the base. The intercom mode is activated, but the caller is still on hold.
- 3 To transfer the call to the base, press **(talk)** on the handset. To cancel the transfer, press **(speaker)** on the base.

To Transfer from the Base to the Handset

- 1 Press **(intercom)** on the base. The caller is put on hold and the intercom tone sounds on the handset.
- 2 Press **(delete/int com)** or **(talk)** on the handset. The intercom mode is activated, but the caller is still on hold.
- 3 To transfer the call to the handset, press **(speaker)** on the base. To cancel the transfer, press **(talk)** on the handset.



- If you answer a call before the Caller ID message is received (Example: before the second ring), the Caller ID message will not appear.
- When the call is received via a telephone company that does not offer Caller ID service, the caller's phone number and name do not appear. (This includes international calls.)
- When the call is via a private branch exchange (PBX), the caller's phone number and name may not appear.

Caller ID


You must subscribe to Caller ID service to use this feature.

When the telephone rings, the Caller ID feature allows you to view the caller's name and phone number on the display before you answer the phone. The handset displays the phone number of the incoming call, the name, time, and the number of calls. Additionally, you can dial the displayed number and store the information for memory dialing. Make sure you have turned on the Caller ID/Call Waiting feature (See page 12).

When the Telephone Rings

1 When the Caller ID message is received, the display shows the caller's phone number along with the date and time. The incoming call information is stored in the Caller ID record.

If the Caller ID service includes the caller's name, the caller's name appears on the display (up to 15 letters).



Here are some typical displays;

When the phone number and name data are received

5/11 12:30PM 01
UNIDEN CORP
817-858-3300

When invalid data is received

Incomplete Data

When a private name is received

```
5/11 12:30PM 01
Private Name
817-858-3300
```

When a private number is received

```
5/11 12:30PM 01
UNIDEN CORP
Private Number
```

When an unknown name is received

```
5/11 12:30PM 01
Unknown Name
817-858-3300
```

When an unknown number is received

```
5/11 12:30PM 01
UNIDEN CORP
Unknown Number
```

2 When you pick up the phone, the display changes to "Talk".



Data errors appear as " ■ ■ " .

```
5/11 12:30PM 01
UNI ■ EN CORP
813-8 ■ ■ -3300
```

Viewing the Caller ID Message List

The Caller ID list stores information for up to 50 incoming calls - even unanswered calls.

1 Press **(cid)** . The summary screen appears. The screen shows the number of new messages and total messages.

```
New :01
Total:02
```

2 Press **(v)** to display the latest Caller ID message.

```
5/17 12:30PM 03
UNIDEN CORP
817-858-3300
```

3 Press **(v)** to see the next message. Or press **(u)** to see previous message.

4 Press **(cid)** to return to standby.



- In Caller ID operation, if no key is pressed for more than 20 seconds, an error tone sounds and the telephone returns to the standby mode.
- If a call comes in via a telephone system that does not offer Caller ID service, no information is stored.
- "End" appears when you have reviewed all messages in the Caller ID list. Press **(u)** repeatedly to return to the summary screen.
- Each message can be up to 15 characters for the phone number and the name.



If you get an incoming call or page, the deleting operation is canceled and the telephone returns to standby so you can answer the call or page.

Deleting Information from the Caller ID List

The TRU 3465 stores up to 50 messages. If the phone receives the 51st message, the oldest one in the list is automatically deleted. Caller ID data can also be deleted manually.

Deleting a Caller ID message

1 Press **(cid)** . Display the message to be deleted from the Caller ID list by pressing **(▲)** or **(▼)** .

```
5/17 12:30PM 03
UNIDEN CORP
817-858-3300
```

2 Press **(delete/int com)** .

```
Delete Message?
▶ Yes
  No
```

3 Press **(▲)** or **(▼)** to select "Yes" or "No" .

4 Press **(select/channel)** or **(delete/int com)** .

When the pointer is at "Yes" :

A tone sounds and the Caller ID message is deleted. The next Caller ID message is then displayed.

When the pointer is at "No" :

The display returns to the Caller ID message.

Deleting all Caller ID names/numbers

1 Press **(cid)** .

```
New :01  
Total:02
```

2 Press **(delete/int com)** .

```
Delete All?  
Yes  
▶No
```

3 Press **(▲)** or **(▼)** to select "Yes" or "No" .

4 Press **(select/channel)** or **(delete/int com)** .

When the pointer is at "Yes" :

A tone sounds and all stored Caller ID messages are deleted.

```
Total:00
```

When the pointer is at "No" :

The display returns to the summary screen.

```
New :01  
Total:02
```



While using the "Delete All?" screen if no key is pressed for more than 20 seconds, an error tone sounds and the telephone returns to standby.



- You cannot make a call from the Caller ID list if your TRU 3465 is connected to private branch exchange (PBX).
- When a long distance call has been set, "1" appears in the display.

Using the Caller ID List

Calling a party from the Caller ID list

You can place a call from the Caller ID list. The TRU 3465 stores up to 50 messages.

- 1 Press **(cid)** . Select the phone number that you want to dial by pressing **(▲)** or **(▼)** .
- 2 Press **(talk)** . The displayed phone number dials automatically.

```
5/17 12:30PM 03  
UNIDEN CORP  
817-858-3300
```

```
Talk  
8178583300
```

Long Distance calls and Area Code setting/cancellation

Pressing **(1)** while the incoming call information is displayed (in step 1) will set or cancel a long distance call. Pressing **(3)** will set or cancel an area code setting.

Dial edit

You can edit the phone number of Caller ID data when you press **(select/channel)** after the step 1.

Storing Caller ID messages in Memory dialing

Messages shown in the Caller ID list can be stored in memory dialing. Using the incoming call information (i.e., Caller ID list), the phone number of the party on the Caller ID list can be stored in memory dialing.

- 1 Press **(cid)** .
Select the phone number to be stored from the Caller ID list by pressing **(▲)** or **(▼)** .
- 2 Press **(memory)** .
- 3 Press **(▲)** and **(▼)** or enter a two-digit number (01 - 20) to select the memory location to be stored.
- 4 Press **(select/channel)** .
A tone will sound. The number is stored in memory, and the display returns to the Caller ID list.



If a message has already been stored in the selected memory number location, a confirmation screen is displayed. Press **(▲)** to select "Yes". Press **(select/channel)** to overwrite. The display returns to the Caller ID list.

```
5/17 12:30PM 03  
UNIDEN CORP  
817-858-3300
```

```
Select Location  
01 UNIDEN CORP  
02 JONE DOE
```

```
5/17 12:30PM 03  
UNIDEN CORP  
817-858-3300
```

```
Replace Memory?  
Yes  
No
```




- You can not store a Caller ID message if no phone number appears in the message.
- If there is an incoming call or page, memory storage is canceled and the telephone is set to receive the incoming call or page.

Using “Caller ID on Call Waiting” Service

“Caller ID” and “Call waiting” are separate services. CIDCW (Caller ID on Call Waiting) performs the same as regular Caller ID on a call waiting number. You must subscribe to the “Caller ID on call waiting (CIDCW) services” before you can use the following features. The “Call waiting” service can also be used independently. Please contact your local telephone company for details.

- 1 When a new incoming call arrives during your current telephone call, the phone number and the name of the caller are displayed.



```
Talk 10:30
UNIDEN CORP
817-858-3300
```

- 2 Press **(flash)** .
You will be able to talk with the second caller. The first caller will be put on hold.
- 3 To return to the first caller, press **(flash)** again.




When CIDCW is set to “Off” in the Caller ID setup menu (See page 12), you can press the **(options)** key after receiving a call waiting call and view a list of ways to handle the new call. Choose an option using the **(▲)** and **(▼)** keys and press **(select/channel)** to activate.

Call Waiting Features

Your TRU 3465 gives you new options for call waiting. At the touch of a button, you can ask the caller to hold, send them to your voice mail service, or conference them into your current call. You may be required to subscribe to call waiting and call waiting options to use these features. Not all features are available in all areas. Check with your local telephone company for details.

- 1 When you receive a call waiting call, press **(options)** for a list of options.
- 2 Press the **(▲)** or **(▼)** key to select an option.



- 3 Press **(select/channel)**.
A confirmation screen will appear.

Your TRU 3465 is pre-programmed with seven call waiting options. You may select to ask the calling party to **hold**, send them a **busy** message, **forward** them to your voice mail, or conference them into the current call. You may also select to **answer and drop** the first caller or, at any time, choose to **drop the first** or **drop the last caller**.

Check with your local telephone company for a full list of options.



You can also answer a call waiting call immediately by pressing the **(flash)** key, the first caller will be placed on hold. To return to the original caller, press **(flash)** again.




If the handset battery pack is completely discharged or the battery pack is removed, the digital security code will be lost. If this happens, a new security code is set automatically next time the battery pack is charged.

Changing the Digital Security Code

The digital security code is an identification code used to connect the handset and the base unit. Normally, setting the code is not necessary. The first time you charge your handset, the security code is automatically set. (See page 6.)

In the rare situation that you suspect another cordless telephone is using the same security code, you can change the code.




- 1 Remove the handset from the base unit.
Press **intercom** on the base.
- 2 While the handset is emitting the paging sound, replace the handset to the base unit. The paging tone stops.
Leave the handset on the base for more than 3 seconds. A random, new security code is set.

Installing the Beltclip


To attach the beltclip

Insert the beltclip into the holes on each side of the handset. Press down until it clicks.




To remove the beltclip

Pull both sides of the beltclip to release the tabs from the holes.



Headset Installation

Your phone may be used with an optional headset, the Uniden HS910. To use this feature, insert headset plug into the headset jack. Your phone is ready for hands-free conversations. (Headsets may be purchased by calling the Uniden Parts Department or visiting the website. See Page 7.)



Note on Power Sources

Battery replacement and handling

When the operating time becomes short, even after a battery is recharged, please replace the battery. With normal usage, your battery should last about one year.

Please contact your place of purchase or the Uniden Parts Department for a replacement battery. (See Page 7.)

Power Failure

During the period that the power is off, you will not be able to make or receive calls with the telephone.

RECYCLING NICKEL-CADMIUM BATTERIES

NICKEL-CADMIUM BATTERIES MUST BE DISPOSED OF PROPERLY.



Nickel-cadmium cells are used in the battery pack. Please take your used nickel-cadmium battery packs to a store that recycles nickel-cadmium batteries.

Caution

- Use the specified battery pack.
- Do not remove the battery from the handset to charge it.
- Never throw the battery into a fire, disassemble it, or heat it.
- Do not remove or damage the battery casing.

Maintenance

When slightly dirty

Wipe with a soft, dry cloth.

When very dirty

Wipe with a soft cloth that has been dampened with diluted, neutral detergent. Dry with a dry cloth.

When the charging terminals become dirty

Wipe with a dry cloth or a pencil eraser, if necessary.

Caution

Do not use paint thinner, benzene, alcohol, or other chemical products. Doing so may discolor the surface of the telephone and damage the finish.

Troubleshooting

If your phone is not performing to your expectations, please try these simple steps first.

Symptom	Suggestion
The status LED won't light when the handset is placed in the base unit.	<ul style="list-style-type: none">• Make sure the AC adapter is plugged into the base unit and wall outlet.• Make sure the handset is properly seated in the base unit.• Make sure the charging contacts on the handset and base unit are clean.
The audio sounds weak and/or scratchy.	<ul style="list-style-type: none">• Press <i>(select/channel)</i> during a call to help eliminate background noise.• Make sure that the base unit antenna is in a vertical position.• Move the handset and or base unit to a different location away from metal objects or appliances and try again.• Make sure that you are not too far from the base.
Can't make or receive calls.	<ul style="list-style-type: none">• Check both ends of the base unit telephone line cord.• Make sure the AC adapter is plugged into the base unit and wall outlet.• Disconnect the AC adapter for a few minutes, then reconnect it.• Reset the digital security code (See page 40).• Make sure <i>(talk)</i> is pressed.
The handset doesn't ring or receive a page.	<ul style="list-style-type: none">• The battery pack may be weak. Charge the battery on the base unit for more than 15 hours.• The handset may be too far away from the base unit.• Place the base unit away from appliances or metal objects.• Reset the digital security code (See page 40).

Symptom	Suggestion
Severe noise interference	<ul style="list-style-type: none"> • Keep the handset away from microwave ovens, computers, remote control toys, wireless microphones, alarm systems, intercoms, room monitors, fluorescent lights, and electrical appliances. • Move to another location or turn off the source of interference.
The Caller ID/CIDCW does not display.	<ul style="list-style-type: none"> • The handset was picked up before the second ring. • The call was placed through a switch board. • Call your local telephone company to verify your Caller ID service is current. • Make sure that the CIDCW option is set to "On" or "Off" .

General Information

The TRU 3465 complies with FCC Parts 15 and 68.

Operating Temperature: -10°C to +50°C (+14°F to +122°F)

AC Adapter Information

AC Adapter part number: AD-312
Input Voltage: 120V AC 60Hz
Output Voltage: 9V DC 350 mA

Battery Information

Battery part number: BT-905
Capacity: 600 mAH, 3.6V
Battery Use Time (per charge)
From fully charged:
Talk Mode duration 6 hours
Standby Mode duration 7 days



If the handset is left off of the base, the actual Talk Mode duration will be reduced respective to the amount of time the handset is off the base.

Recharge your phone on a regular basis about once a week by placing the handset on the base for 15 hours. When the operating time becomes short, even after the battery is recharged, please replace the battery. With normal usage, the battery should last about one year.

Replacement batteries may be purchased at your local Uniden dealer or by contacting the Uniden Parts Department (800) 554-3988. Hours are from 7:00 a.m. to 5:00 p.m. Central Time, Monday through Friday. We can also be reached on the web at www.uniden.com

Specifications, features, and availability of optional accessories are all subject to change without prior notice.

At Uniden, we'll take care of you!

If you need any assistance with this product, please call our Customer Hotline at

1-800-297-1023

PLEASE DO NOT RETURN THIS PRODUCT TO THE PLACE OF PURCHASE.

Our Uniden representatives will be happy to help you with any matters regarding the operation of this unit, available accessories, or any other related matters.

Thank you for purchasing a Uniden product.

Hours: M-F 7:00 AM to 7:00 PM CST.

Memo

Index

0 - 9

3-way conferencing29

A

Adjusting the volume18

Area Code 13

Auto Talk 12

B

Base ringer switch18

Base speaker volume 18

Battery pack

 Preparing and charging . . .10

 Replacement and handling .42

C

Caller ID

 Caller ID service32

 Calling 36

 Call Waiting38

 Deleting34

 Advanced Call Waiting Features . 39

 Setting 12

 Storing 37

 Using36

 Viewing33

Connection9

D

Dialing mode 9

Digital security code6, 40

E, F, G

Earpiece volume18

H

Headset installation41

I, J, K, L

Installing the beltclip41

Intercom 30

M, N, O

Maintenance43

Making a call14

Memory dialing

 Editing a stored name

 and phone number 26

 Erasing a stored name

 and phone number27

 Making calls

 with memory dialing24

 Storing phone

 numbers and names21

P, Q

Package contents7

R

Receiving a call16

Redialing a call19

Ringer volume18

S

Setting up the Base unit8

Setting up the Handset10

T, U, V, W, X, Y, Z

Troubleshooting44

Transferring a call 31

THANK YOU FOR PURCHASING A UNIDEN CORDLESS PHONE

A World Without Wires | **Uniden**[®]

Covered under one or more of the following U.S. patents:

4,511,761	4,523,058	4,595,795	4,797,916	5,381,460	5,426,690
5,434,905	5,491,745	5,533,010	5,574,727	5,650,790	5,660,269
5,661,780	5,663,981	5,671,248	5,717,312	5,754,407	5,768,345
5,787,356	5,838,721	5,864,619	5,893,034	5,912,968	5,915,227
5,929,598	5,930,720	5,960,358	5,987,330		

© 2000 Uniden America Corporation, Fort Worth, TX
All rights reserved.

Printed in China
UCZZ01714BZ

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>