


Advanced Signal Cla

- depending on the model



Air Tube

leferees Kit

Download from Www.Somanuals.com. All Manuals Search And Down

EM-064CQ

EM-064CQ EM-064C0

M-060CQ HM-060CQ


RK-060CQ RK-060CQ RK-060CQ

EM-064CQ

RK-060CQ

HM-060CC


* Also available in Quad Pack " Please note CH 22 + 23 are used for te ommand applications, voice communications are not permitted on these channels and transmission is prohibite



Nore Feature

receiving s

0 External Speaker Jack Mounting - Remote or in dash TX Indicator • • Scanning Receiver Function 60 Extra RX CH 40 Extra RX C Channels Frequency Search 400-512MHz (450-512MF Memory Scan Function • Scanning – Channel • canning Group (with Priority Watch) Scanning Open Mobile Mobile/ Mobile Din Size Din Size Jser Programmable SELCALL Built In VOX Circuitry Built-in Roger Beep Calling Toes



Backlit Keypac Close Call RF Capture Technology Frequency Searching Max. Search Spee 140 Steps/sec 140 Steps/se 150 Steps/se Power Source AA Alkaline or Ni AC Adapter, 2 NiN C Adaptor, DC Cor atteries (not include Rechargeable Batteries Cigarette Lighter Cord Keypad Lock 0 • Pre-Programmed Service Searche 0 0 DCS/CTCSS Rapid Decode 6000 Dynamica Allocated Channels More Features See website See website See website

GLOSSARY

Instant Channels

on these channels

• A S C Tech nology: Advanced Signal Clarity Technology ensures optimum sound clarity 5: Monitor any un-encrypted APCO 25 phase C4FM and CQPSK system, including Motorola systems, using 3600 or 9600 bps control channels. ry Save: Automatically saves and

* Please note CH 22 + 23 are used for telemetry and telecommand applications, voice com

conserves power when not in use. Auto Search and Store: Search a given band of frequencies and store the active channels into specific channel locations • Auto Squelch: Automatically blocks the unwanted low hissing noise allowing only strong incoming signals. • Band: A designated group of frequencies. • Bank: A bank of memories or channels that

aids sorting and faster scanning. gine: Allows the unit to scan UHF CB channels, AM CB channels and user programmable channels at the same time. Dual watch, open scan and group

the channels and bands. Lockout: Disables your transmitter while activity is detected on the channel. Channels: The number of transmission frequencies available to transmit or

scan give seamless communication across

receive messages. Uses precision matched antennas to deliver superior range and enhance battery efficiencies compared to standard

UHF systems. Data Skip: Allows the scanner to skip unwanted data transmissions and

reduces birdies. h (DCS): Allows you to choose from 104 alternative digital codes that can be sent with your transmission. The digital code is recognized by the selected receivers enabling them to receive the transmission. Receivers that do not recognize the digital code remain silent therefore blocking out unwanted conversations.

• DIN Size: The correct size for all in-dash vehicle installations. itry: Allows you to listen to your UHF and Scanner Channels without having to switch between Scanner and UHF mode. ual Watch: Allows you to monitor the priority channel for activity every two seconds while monitoring another UHF or AM CB channel at the same time. cv Skip: Allows you to skip frequencies in Band Search, Service Search and Close Call Search if the frequency is not a preferred one. S): Allows vou to only hear transmissions using the same code on the same channel, effectively blocking out unwanted conversations. able: Allows you to select the channel you want to set as your priority channel. • Key Touch Tone: Alerts you with a tone after a key is pushed. Keypad Lock: Allows keys to be frozen. • LCD: Liquid Crystal Display.

 Long Life Super Switch: Select between high, medium and low RF output power to extend your battery power supply. Access: Allows you to go directly to a channel without stepping through other channels. nel Scan: Allows vou to scan all channels saved in memory. Monitor: Listen to weak signals normally muted by the automatic squelch unit. Backup: Keeps a backup in the memory of previously programmed frequencies and settings once power is turned off. Trunking: Lets you share system

channels across multiple sites allowing you to efficiently use the scanners memory and more easily select sites to monitor. gency Channel 16: At the touch of a button you have access to emergency channel 16 or channel 9. en Scan: Scans all channels and locks on active channels.

rity Channel Scan: Allows you to monitor the priority channel while scanning

other channels. ty Watch: One Channel per bank can be designated as a priority channel. Once activated, the scanner will regularly monitor the selected channel and automatically return upon sensing activity. v: Allows the unit to operate via a local repeater station, if available, which transmits your signal over a wider area. Up to an extra 30-100km depending on location, height and availability of local repeater station. ad: Allows you to mount the front control of the radio in a convenient location whilst fixing the body of the unit in a separate location. ater: A high power transceiver mounted on high ground to give maximum coverage, limited to 21 Watts EIRP, which retransmits the original signal to give extended range. • Roger Beep: Confirmation tone indicating

the completion of your transmission. Search: To scan between designated upper and lower frequency limits for activity.

ey Features	UBCD996T	UBCD396T	
canner Frequency	25-512 MHz, 764-776 MHz 794-806 MHz, 806-956 MHz 1240-1300 MHz	25-512 MHz, 764-776 MHz 794-806 MHz, 806-956 MHz 1240-1300 MHz	
hannels	6000	6000	
ands	14	14	
esktop / In-Car	•		
runk Tracker IV	•	•	
PCO 25	•	•	
acklit LCD	Dual Colour	•	
acklit Keypad	Dual Colour	•	
lulti-Site Trunking	•		
PS Support	•		
lose Call RF Capture Technology	•	•	
requency Searching	•	•	
lax. Search Speed	140 Steps / sec	110 Steps / sec	
ower Source	AC Adaptor, DC Cord, Cigarette Lighter Cord	AC Adapter, 3 NiMH Rechargeable Batteries	
eypad Lock	•	•	
re-Programmed Service Searches	•	•	
lpha Tagging	•	•	
CS/CTCSS Rapid Decode	•	•	
000 Allocated Channels	0	•	

See website

Antenna	•		Telescopic & window mount	Telescopic & window mount	
AC Adaptor		•	0	0	•
DC Power Cord			0	•	
Cigarette Lighter Charger - Coiled	Optional (CL-72)	Optional (CL-72)	•	•	
Mounting bracket			0	•	
Belt Clip	•	•			•
NiMH Rechargeable Batteries		•			•
Remote PC to Scanner Cable				•	•
Din-E Sleeve				•	
		1	1		I

All specifications are subject to change without notice.



UHF & 27MHz CB Radios UHF Handheld Radios Scanning Receivers **Marine Transceivers**

2006

Uniden

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com