Call around the world for free with the USRobotics USB Internet Mini Phone. Designed to work seamlessly with the powerful Skype Internet voice application, the Mini Phone simply plugs into a USB 1.1 or 2.0 port to provide easy voice communications to any Skype user worldwide. Integrated HiFi Voice technology delivers excellent call quality, providing life-like conversations.

USRobotics°

Call the world for free!



Free Calls to Anywhere	Now you can call anywhere for FREE! Simply install Skype software, install the USRobotics USB Internet Mini Phone and dial/connect to any other Skype user in the world.
Compatible with Skype	 Makes Internet calling as simple and comfortable as standard telephone calling
Excellent Voice Quality	 HiFi Voice technology for exceptional call clarity Integrated echo cancellation and noise reduction technology delivers lifelike conversation quality Full-duplex operation eliminates call clipping
Easy to Install and Use	 Simple to install – Supports Plug-and-Play Answer, hang up, and dial calls with the touch of a button Portable – Easy to carry around, perfect for traveling Classic hand-set styling for comfortable use, even on long calls
Broad Compatibility	 Supports Windows 2000 & XP operating systems Compatible with USB 1.1 and USB 2.0 ports











Install Skype



Talk

Make Free calls worldwide using Stype.

USR9602, USR819602 & USR809602 **USB Internet Mini Phone**



Install Phone





SPECIFICATION AND STANDARDS

General

- HiFi Voice technology
- Plug-and-Play
- Echo cancellation and noise reduction technology
- Supports full-duplex communication
- Supports USB 1.1 and 2.0 ports
- USB Powered (no external power supply needed)
- USB Port:
 - Mini-USB type B female on handset
 - Mini-USB type A-to-USB type A cable, 2.5 m
 - Universal Serial Bus Specification, Revision 1.1
 - USB HID spec., Revision 1.1

Environmental

- Operating/Non-operating Humidity: 20~80% / 5~95% (non-condensing)
- Operating/Non-operating Temperature: 0~50°/ -20~70°C

Power

- Voltage $4.5 \sim 5.5 \text{V}$
- Current rating
 - Standby: <50mA
 - Operation : < 300mA @ full scale 1KHz tone
 - Ringing : < 450 mA

Dimensions/Weight

- USB Internet Mini Phone
 - $-5.9 \times 1.75 \times .8 \text{ in } / 15 \times 4.45 \times 2.03 \text{ cm}$
 - -0.44 lb / .2 kg
- Package
 - 7.5 x 6.88 x 1.88 in. / 19.05 x 17.48 x 4.78 cm
 - 1.04 lb / 0.47 kg

Package Contents

- USRobotics USB Internet Mini Phone & USB Cable
- Quick Installation Guide
- CD-ROM with User Manual & Skype software

Handset Functionality

- Control Skype contact list, history scrolling, utility activations, and tabs switching
- LED Indicator: Off handset idle, Blinking Incoming Skype call, Slow Blinking - Handset microphone is muted
- Echo cancellation, noise reduction
- Dial Skype contacts (Speed Dial)
- Dial Skype-Out numbers using phone keypad
- One button call pick-up, hang-up, mute and hold
- Speaker volume adjustment
- Buzzer/Ring tone selection

Languages

- Retail Box: English, French, Italian, German, Spanish, Turkish, Dutch
- Installation Guide: English, French, Italian, German, Spanish, Turkish, Dutch
- CD ROM User Guide: Arabic, Czech, Dutch, English, French, German, Italian, Hungarian, Polish, Russian, Spanish, Swedish, Turkish

Minimum System Requirements

- 400 MHz Pentium® II IBM® compatible PC with 128 MB RAM and 5 MB free hard disk space (or higher)
- Available USB port or a USB hub with external power supply
- Windows XP/2000
- CD-ROM drive
- Internet Connection (Broadband recommended)
- Skype software (on included CD ROM)

Warranty

• Two-year limited manufacturer warranty from date of purchase

















Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com