



Owner's Handbook

read & save these important instructions

manual del propietario

lea y guarde estas instrucciones importantes

mode d'emploi

lire et conserver ces instructions importantes



HELLO, I'M
Breesi

nursery air circulator

Hola, me llamo Breesi, circulador de aire para salas de cuna.

Bonjour, je suis le Breesi, ventilateur de chambre de bébé.

Welcome to Vornadobaby

Thank you for choosing to put a Vornadobaby product in your nursery. Our goal is to provide healthy, comfortable air - through every season. Vornado has been doing this for quite a while now. We've brought all our experience in air health and comfort, and tailored it exclusively for your nursery.

A THIRD
generation
NAME

Vornado®



vornadobaby™

Vornado began in 1945, continues to revolutionize airflow today and is now tailored for the nursery.

Contents

Important Instructions.....	4
Safety.....	6
Breesi Controls.....	7
Plug In & Placement.....	8
How To Use.....	10
Keeping Breesi Clean.....	11
Tips.....	13
Troubleshoot.....	14
Warranty.....	15

Español p. 17
Français p. 30

IMPORTANT INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USING.

Please visually inspect all internal and external components before connecting to electric current. If any damage is found, DO NOT USE THIS UNIT and contact Vornado Air LLC at 1-800-234-0604.

This appliance has a polarized plug. (One blade is wider than the other.) To reduce the risk of electrical shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

WARNING – To reduce the risk of fire or electrical shock, do not use this product with any solid state speed control device. To reduce the risk of fire or electric shock and injury to persons, do not use in a window.

This product employs overload protection (fuse). A blown fuse indicates an overload or short-circuit situation. If the fuse blows, unplug the product from the outlet. Replace the fuse as per the user servicing instructions (follow product marking for

proper fuse rating) and check the product. If the replacement fuse blows, a short-circuit may be present and the product should be discarded or returned to an authorized service facility for examination and/or repair.

When using electrical appliances, basic precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

- Read all instructions before using this circulator.
- **Do** use common sense when using this product and/or any electrical appliance.
- **Do** unplug your circulator before cleaning.
- **Do** clean your Vornado Air Circulator regularly. Refer to the CLEANING instructions provided. Never clean the air circulator in any manner other than as instructed in this manual.
- **Do Not** use gasoline, thinners, solvents, ammonias or other chemicals for cleaning.
- **Do Not** immerse this product in water or allow water to drip into the motor housing.
- **Do Not** use near furnaces, fireplaces, stoves or other high-temperature heat sources.
- Always unplug when not in use or when leaving the dwelling or premises for extended periods of time.
- **Do Not** carry this product by the cord, or use the cord as a handle.
- **Do Not** operate any circulator with a damaged cord or plug or after the circulator malfunctions, has been dropped


- or damaged in any manner. Discard circulator, or return to authorized service facility for examination and/or repair.
- **Do Not** attempt to repair or replace parts.
 - **Do Not** use outdoors.
 - **Do Not** use this product on wet surfaces.
 - **Do Not** use this product in a bathtub or shower.
 - **Do Not** run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Do not route cord under furniture or appliances. Arrange cord away from traffic area and where it will not be tripped over.
 - To disconnect circulator, turn controls to off, then remove plug from outlet.
 - **Do Not** position this product too close to draperies because they may be drawn into the rear grill, cutting off airflow.
 - Use this circulator only as described in this manual. Any other use not recommended by the manufacturer may cause fire, electric shock, or injury to persons.
 - Operate this circulator only in its upright position.
 - **Do Not** use this circulator on a circuit that has a variable speed device operating, such as a blender or a variable speed fan.

User Servicing Instructions

Grasp plug and remove from the receptacle or other outlet device. Do not unplug by pulling on cord. Open fuse cover (A.) by sliding access cover on top of attachment plug towards blades. Remove fuse carefully (B.) by gently prying out the ends of the fuse from the receptacle.

Risk of fire. Replace fuse only with 2.5 Amp, 125 Volt fuse. Contact Vornado customer service for replacement fuse. Phone: 1-800-234-0604, email: support@vornadobaby.com

Install replacement fuse (C.) by first placing the end of the fuse into the fuse receptacle which is opposite of the blades of the plug, then carefully push in the other end. Only push against the metal end of the fuse, not the glass center portion. Close the fuse access cover (D.) by sliding the cover back into the plug until it is completely closed, latches and is flush with the face of the plug. Risk of fire. Do not replace attachment plug. Contains a safety device (fuse, AFCI, LCDI) that should not be removed. Discard product if the attachment plug is damaged.



READ AND SAVE THESE INSTRUCTIONS

Safety

Plug It In Safely! Your Breesi has a 6 ft. power cord, covered for additional safety. Vornado recommends placing product as close to an outlet as possible and securing the remaining cord.



Child Locking Switch

Keep Breesi Off when not in use.



No Exposure to Mechanical Parts

360° of protection.



Finger Friendly Design

Resists curious fingers.



Covered Power Cord Storage

Safely store power cord inside base of Breesi.



No Pinch Points or Sharp Edges

To help protect a tumbling toddler.

Breesi Controls



① Power (⏻)

② Fan (🌀 - ● High, ● Low)

③ Control Lock (🔒)


Plug In & Placement

Power Cord Storage

For your convenience and safety the Power Cord Storage keeps the power cord neat and out of harms way.

1. Lift the Power Cord Storage flap to locate plug, then unwind the power cord stored inside.


Safety Tip: Power cords increase strangulation risks. Secure as much excess cord as possible inside the Power Cord Storage.



Set Up

1. Position your Breesi so the vortex beam of air is directed across the room, unobstructed.
2. Plug power cord into standard wall outlet.

Safety Tip: It is best to position the Breesi close to the power outlet and store excess power cord inside the Power Cord Storage.




How To Use

Breesi features a child-resistant switch, keeping the fan in parents' desired setting.

Lockable Controls

1. Push down and slide the Control Lock to power On and adjust fan speeds.




Operation

1. Select a desired Fan speed. Push and slide the Control Lock to High speed (●●●) or Low speed (●●).



2. Adjust the airflow direction by pivoting the Breesi head.



3. Push down and slide the Control Lock to the (⏻) position to power Breesi Off.




Note: When selecting speed, make sure the switch is fully engaged into the High speed, Low speed or Off setting.


Keeping Breesi Clean

Cleaning the Grill

1. Power Breesi Off and unplug.
2. Using a Phillips Head screwdriver, remove the screw located at the 6 o'clock position in the front of the grill.



3. Twist Grill counterclockwise to unlock and pull out.



4. Dust or vacuum the Grill and Blade.


Note: Do not use gasoline, thinners, solvents or other chemicals for cleaning. Do not wash in dishwasher.

Always unplug Breesi before starting any part of the cleaning process.

Download from [Www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

Keeping Breesi Clean


5. Reinstall Grill. Replace Grill onto Breesi and twist clockwise until the Grill aligns with the screw hole. Replace screw.




Cleaning the Blade

It is possible to remove the blade should something accidentally get wrapped around the motor shaft.

1. First, remove the nut from the shaft. Turn the nut clockwise to loosen. Pull the Blade straight out from the shaft.



2. When replacing, be certain the flat side of the shaft aligns directly with the corresponding flat side on the Blade's socket. Push the Blade all the way on the shaft. Do not use a hammer as this could result in bearing damage. Reinstall nut counter-clockwise until secure.



Tips

- During the off-season or after extended periods of non-use, you may choose to store your Breesi. To ensure long life of the product, it is recommended to store your Breesi by following these instructions:
 - Unplug power cord and wrap cord neatly inside the Power Cord Storage.
 - Thoroughly clean your Breesi. Use the brush attachment on your household vacuum cleaner to vacuum any accumulated dust on Breesi or wipe down the entire surface with a soft cloth. You may also use a can of compressed air for debris.
 - Always set Power to Off and unplug Breesi before cleaning.
 - Cover, or place Breesi back into retail carton if available. This will prevent Breesi from accumulating dust over time.
 - Store Breesi in a cool and dry location.
- The motor is permanently lubricated and requires no oiling. Do not use gasoline, thinners, solvents or other chemicals for cleaning.
- Your Breesi has no user serviceable parts. Do not disassemble Breesi. This will void your warranty. If service is required, return your Breesi to Vornado (see WARRANTY for instructions).

Troubleshoot

Unit fails to power on.	Unit is not plugged in. Plug Power Cord into electrical outlet.
	Ensure unit fan speed setting is fully engaged.
	Plug fuse has blown. Replace fuse (See USER SERVICING INSTRUCTIONS on page 5).
	Unit is damaged or in need of repair. Cease usage and unplug. Contact Consumer Service for assistance.
	The outlet is worn or damaged. Try another outlet or contact a qualified electrician.
Airflow is weak or slow.	Unit set to a low speed setting. Adjust to a higher speed setting.
	Airflow is blocked. Remove obstruction.
	Adjust direction of airflow towards the user.
	When selecting speed, make sure the switch is fully engaged into the High speed or Low speed setting.



Happy Parent Guarantee

Call Toll Free

800.234.0604

www.vornadobaby.com

support@vornadobaby.com

If you're not satisfied with this product, let us know. We'll go the extra mile to ensure you're a happy Vornadobaby parent!

Vornado Air LLC ("Vornado") warrants to the original consumer or purchaser this Vornadobaby® Breesi Nursery Air Circulator ("Product") is free from defects in material or workmanship for a period of five (5) years from the date of purchase. If any such defect is discovered within the warranty period, Vornado, at its discretion, will repair or replace the Product at no cost.

For warranty or repair service:

Call 1-800-234-0604 or email support@vornadobaby.com to obtain a Return Authorization ("RA") form. Please have or include your Product's model number and serial number, as well as your name, address, city, state, zip code and phone number when contacting Vornado for warranty service.

After receiving the RA form, ship your Product to:

Vornado Air LLC Attn: Warranty & Repair 415 East 13th Street Andover, KS 67002 For your convenience, please have your model number and serial number when contacting Vornado with service inquiries. To assure proper handling, packages must be clearly marked with the RA number. Packages not clearly marked with the RA number may be refused at the receiving dock. Please allow 1-2 weeks for repair and return of your Product after the Product is received.

Product registration available online at www.vornadobaby.com

Repairs not covered by the warranty or outside the warranty period will require a fee to cover the cost of materials, labor, handling and shipping. This warranty does not apply to defects resulting from abuse of the Product, modification, alteration, repair or service of the Product by anyone other than Vornado, mishandling, improper maintenance, commercial use of the Product, damages which occur in shipment or are attributed to acts of God. REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER. VORNADO SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THIS PRODUCT. EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, or allow limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may have other rights that vary from state to state.



Designed, engineered and supported in Andover, KS

© 2015 Vornado Air LLC Andover, KS 67002 U.S. Patent Pending. Specifications subject to change without notice. Vornado® and Vornadobaby® are trademarks owned by Vornado Air LLC.



Speak your mind www.vornadobaby.com/reviews
Hable con franqueza www.vornadobaby.com/reviews
Évaluer ce produit en ligne www.vornadobaby.com/reviews

Vornado Air, LLC
415 East 13th Street, Andover, Kansas 67002
800.234.0604
www.vornadobaby.com
support@vornadobaby.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>