



L Series 30" Built-In Single Ovens


The Wolf dual convection system delivers unsurpassed flexibility and control. Intuitive and easy to command from the rotating control panel. Brilliant halogen lights illuminate the beautiful blue interior. Choose the framed or unframed door style in classic stainless steel. Our exclusive premium finishes, platinum and carbon stainless, are available in unframed only. The 30" built-in single oven pairs nicely with the Wolf microwave, which is identical in width.



Model SO30F/S shown—framed door style with classic stainless steel finish. Also shown, Model CT30E/S electric cooktop and Model CTWH30 cooktop wall hood.

Features

- Framed and unframed door styles in classic stainless steel finish—unframed door style also available in platinum and carbon finishes
- Dual convection logic control system
- Ten cooking modes—bake, roast, broil, convection bake, convection roast, convection broil, convection, bake stone (accessory required), dehydrate (accessory required) and proof
- Rotating glass touch control panel
- Cobalt blue porcelain oven interior
- Three removable racks with full-extension bottom rack and removable six-level rack guide
- Large viewing triple-pane window
- Dual interior halogen lighting
- Hidden bake element and recessed broil element
- Temperature probe and receptacle
- Self-clean, delayed start and Sabbath feature
- Door hinge with hydraulic damper assures smooth opening and closing of the door



Classic

Platinum

Carbon

Model Options

Model Options	SO30F/S	SO30U/S	SO30U/P	SO30U/B
Door Style	Framed	Unframed	Unframed	Unframed
Stainless Steel Finish	Classic	Classic	Platinum	Carbon

Accessories

- Bake stone accessory, includes stone, rack and peel
- Two-piece broiler pan and temperature probe
- Set of three 30" oven racks
- Dehydration racks with door stop

Accessories are available through your Wolf dealer. To obtain local dealer information, visit the Showroom Locator section of our website, wolfappliance.com.



Model SO30F
Framed Door Style



Model SO30U
Unframed Door Style



This appliance is certified by Star-K to meet strict religious regulations in conjunction with specific instructions found on www.star-k.org.




Rotating Glass Touch Control Panel



30" L Series Built-In Single Oven

Overall Dimensions



Unit dimensions may vary by ±1/8".


Dimensions in parentheses are in millimeters unless otherwise specified.

Specifications


Overall Width	29 7/8"
Overall Height	27 1/2"
Overall Depth	24"
Oven Door Clearance	20 3/4"
Overall Oven Interior Capacity	4.5 cu ft
Oven Interior Dimensions	25" W x 16 1/2" H x 19" D
Recommended Cabinet Width	33"
Minimum Cabinet Width	30"
Minimum Cabinet Depth	24"
Minimum Base Support	250 lbs
Opening Width	28 1/2"
Opening Height	27 3/16"
Electrical Requirements	240/208 V AC 60 Hz, 30 amp circuit
Conduit	4' flexible 4-wire
Electrical Rating	5.1 kW at 240 V 3.8 kW at 208 V
Total Amps	21
Shipping Weight	273 lbs

Installation Specifications

Wall Application



Undercounter Installation



Installation Notes

Complete installation specifications can be found on our website, wolfappliance.com.

IMPORTANT NOTE: Unless you are using cabinets deeper than 24", it is recommended that the electrical supply be placed in an adjacent cabinet within reach of the conduit. Choose the location shown in the illustrations that best suits your installation.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>