

# D210 Series

## Digital Cordless Phone with answering machine





- Conversations can be complicated cordless phones don't have to be
- Stylishly simple, value-for-money digital cordless phone with answering machine

## **Key Features**

- 50 number Phone Book
- 14-Segment backlit LCD
- Handsfree
- Caller ID (Type I/II)
- Intercom
- Call transfer
- Conference call
- Auto answer
- 5 Ringer tone / 5 melodies
- Clock / Alarm
- Talk Time: 10 hours
- Standby Time:170 hours

### **Answering machine**

- Answering machine with voice prompts + time/day stamp
- Remote access to messages
- Pre-recorded outgoing messages
- 11 minutes recording time
- Call screening
- Memo message

Codes & part numbers Sales Model	S/T	Description	EAN
S11UNB2DA1AA	SCUX5008A	Dect + TAM D211 (Single)	UK 5031753003791
S11UND2DA1AA	SCUX5009A	Dect + TAM D211 (Single)	FR 5031753003807
S11UNC2DD1AA	SCUX5010A	Dect + TAM D211 (Single)	DE 5031753003814
S11UND2DE1AA	SCUX5011A	Dect + TAM D211 (Single)	ES 5031753003821
S11UND2DB1AA	SCUX5012A	Dect + TAM D211 (Single)	IT 5031753003838
311UND2DD1AA	SCUX5013A	Dect + TAM D211 (Single)	PT 5031753003845
11UNC2DC1AA	SCUX5014A	Dect + TAM D211 (Single)	NL 5031753003852
311UNE2DB1AA	SCUX5015A	Dect + TAM D211 (Single)	PL 5031753003869
11UNF2DA1AA	SCUX5016A	Dect + TAM D211 (Single)	TK 5031753003876
311UNE2DA1AA	SCUX5017A	Dect + TAM D211 (Single)	RU 5031753003883
S12UNB2DA1AA	SCUX5018A	Dect + TAM D212 (Twin) UI	5031753003890
312UND2DA1AA	SCUX5019A	Dect + TAM D212 (Twin) FF	5031753003906
12UNC2DD1AA	SCUX5020A	Dect + TAM D212 (Twin) DE	5031753003913
12UND2DE1AA	SCUX5021A	Dect + TAM D212 (Twin) ES	5 5031753003920
12UND2DB1AA	SCUX5022A	Dect + TAM D212 (Twin) IT	503175300393
12UND2DD1AA	SCUX5023A	Dect + TAM D212 (Twin) P1	5031753003944
12UNC2DC1AA	SCUX5024A	Dect + TAM D212 (Twin) NI	5031753003951
312UNE2DB1AA	SCUX5025A	Dect + TAM D212 (Twin) PL	5031753003968
S12UNF2DA1AA	SCUX5026A	Dect + TAM D212 (Twin) Tk	5031753003975
S12UNE2DA1AA	SCUX5027A	Dect + TAM D212 (Twin) RU	J 5031753003982

Sales Model	S/T	Description	EAN
S13UNB2DA1AA	SCUX5040A	Dect + TAM D213 (Triple) UK	5031753004125
S13UND2DA1AA	SCUX5041A	Dect + TAM D213 (Triple) FR	5031753004132
S13UNC2DD1AA	SCUX5042A	Dect + TAM D213 (Triple) DE	5031753004149
S13UND2DE1AA	SCUX5043A	Dect + TAM D213 (Triple) ES	5031753004156
13UND2DB1AA	SCUX5044A	Dect + TAM D213 (Triple) IT	5031753004163
13UND2DD1AA	SCUX5045A	Dect + TAM D213 (Triple) PT	5031753004170
13UNC2DC1AA	SCUX5046A	Dect + TAM D213 (Triple) NL	5031753004187
13UNE2DB1AA	SCUX5047A	Dect + TAM D213 (Triple) PL	5031753004194
13UNF2DA1AA	SCUX5048A	Dect + TAM D213 (Triple) TK	5031753004200
313UNE2DA1AA	SCUX5049A	Dect + TAM D213 (Triple) RU	5031753004217

#### **Specification Sheet**





Registration		HANDSET indication	
Number of registrations for		LCD specification	14seg x 12 + 16icon
HANDSET to BASE	5	MENU languages	12
Number of registrations for		Clock	yes
BASE to HANDSET	4	Handset Name	yes
GAP		HANDSET OTHER	
GAP compatible	yes	Out-of-range warning tone	ves (ON/OFF)
Dialing		Low battery warning tone	yes (ON/OFF)
Tone/Pulse Dial	yes	Talk Time	10h
Pre-Dialing (On-hook Dialing)	ves	Standby Time	170h
Flash	ves (SHORT/LONG)	Battery Charge Time	16h to 20h
Redial memory	10	Range (indoor/outdoor [m])	50 / 300
Maximum Redial dial length	32	LCD back Light	ves
Mix Dial	ves	Alarm clock include snooze option	yes
Chain dial	ves	BASE OTHER	
CID		Page	yes
Type I /Type II Caller ID	yes	Charging LED	yes
Caller ID memory	40	Answering machine	
Call feature		Recording time	11 minutes
Intercom	ves	Voice Prompts	ves
Call transfer	ves	Remote TAD access (from telephone line)	yes
Conference call	ves	Base TAD key	"Play (Stop)/Forword/
Auto answer	yes (ON/OFF)		Backword/Erase/Ans (ON-
Barring HS from dialing	yes		OFF)/Vol up/Vol down"
Talk		Base Indicator	Twin 7-Segment LED
MUTE	yes	Out Going Messages (OGM)	2
Receiver volume	5	Message time/day stamp	ves
Display talk time	yes	Operation without Voice Prompt	no
Handset Handsfree	ves	Pre-recording Outgoing Messages	ves
SPKR Volume	5 (Handset SPKR)	Maximum Recording time per OGM	3 mins
Phone book		Maximum Recording time per ICM	3 mins
Phone book memory	50	Maximum number of incoming messages	59
Maximum Phone book dial length	20	Ring Delay Selector	2 to 9 or TS
Import fom CID memory to Phone book	ves	Memo Message	ves
Name Character Length	12	Call screening (from base or handset)	ves
Ringer	••••••	Accessory	
Ringer tone (Handset)	5	User Manual	yes
Ringer Melody (Handset)	5	Handset Battery	AAA 550mA NiMH x 2
Ringer Volume (Handset)	Mute + 5steps	AC Adaptor ACV230 50Hz/DC6V 400mA	1
Base Ringer	yes	TEL CORD	EURO STANDARD
Ringer tone (Base)	5	Colour	•••••••••••••••••••••••••••••••••••••••
Ringer Volume (Base)	Mute + 5steps	Brushed satin silver	
•••••	•••••••••••	•••••	•••••••••••••••••••••••••••••••••••••••





	D211 (Single CID+TAD)	D212 (Twin CID+TAD)	D213 (Triple CID+TAD)
Weight of gift box	520g	1020g	1500g
Dimensions of gift box (Depth x Width x Height mm)	123 x 143 x 164	149 x 151 x 184	146 x 190 x 184
Number of gift boxes per overpack	5	5	5
Weight of overpack	2601g	5101g	9000g
Dimensions of overpack (D x W x H mm)	162 x 632 x 198	171 x 767 x 219	209 x 752 x 215
No of overpacks per pallet	105	120	100
Dimensions of pallet (D $\times$ W $\times$ H mm)	800 x 1200 x 725	800 x 1200 x 995	800 x 1200 x 980

For more information please contact your local Motorola Authorised Dealer or Distributor



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com