

6 Head Hi-Fi Stereo Video Recorder



HiFiStereo

- Turbo Drive
- Smart Picture
- ShowView / VideoPlus +
- Automatic Longplay Recording
- NTSC Playback
- Turbo Timer
- Follow TV
- Front A/V Connectors

Black



PHILIPS

6 Head Hi-Fi Stereo Video Recorder



Product information

Reception - Installation

- Tuner: Hyperband, UHF, VHF
- Tuning - Presets: PLL, CH entry, 99 presets
- Tuning - Install Features: Auto Search, Auto Install
- TV Related Functions: 16:9 (pin 8), Direct Record, Follow TV
- Time/Date Download: PDC (Time/Date), Text (Time)

User Interface

- Record Speed: Long Play, Standard Play
- Record Speed Selection: Auto LP, Per Menu
- Picture Improvement System: Digital Studio Picture Control, Smart Picture
- Audio Recording Level: Automatic
- Special Features: Auto Standby, Channel Name Display

On Tape Standard

- Additional Playback Standard: NTSC Playback on PAL TV

Remote Control Unit

- Remote Control - Type Number: RT306/101
- Remote Control - Codes: VCR1, TV Commands

Connectors Rear

- EXT1: Black, Euro CVBS in/out
- EXT2: Black, Euro CVBS in, Euro Decoder
- Rear Audio Connector: Cinch stereo out
- Terrestrial Antenna In/Out: 75 Ohms (IEC type)

Connectors Front

- Front A/V Connectors: Cinch CVBS in, Cinch Stereo in

Tape Deck

- Number of Video / FM Audio / Flying Erase Heads: 4 / 2 / 0
- Play: +1
- Still Features: Perfect
- Index Related Functions: Next/Prev. index search
- Head Cleaning: Automatic
- Tape Length Recognition: Automatic
- Tape Counter: Linear Relative (h.m.s), Tape Position Indicator, Time Left (h.m)
- Winding / Rewinding Time (E180): 70 sec.

Programming

- Number of Events: 8/year
- Special Timer Programming: Turbo Timer
- Record Link: SCART 2

General

- Voltage: 198 - 264 V
- Frequency: 50Hz
- Standby Power Cons.: <3 W
- Backup Presets: 1yr
- Backup Clock - Calendar - Timer Event: 1mn
- Set Size - W x D x H in mm: 435 x 226 x 92
- Packaging - W x D x H in mm: 501 x 307 x 180
- Equipment Supplied: Aerial Cable, Batteries for RC

Product Highlights

• SMART Picture

Smart Picture puts you in control and gives you the chance to adjust the picture quality to your personal taste. You can adapt the picture rendition to the quality of tape used or the tape content itself. You can, for instance, filter out the noise of a poor rental tape or increase the details on a high quality recording.

• New Turbo Drive deck

The new Turbo Drive deck offers:

Speed

70-second ultra fast rewind speed.

Reliability

To guarantee an optimum reliability, the heads are automatically cleaned each time a cassette is inserted or ejected.

Intelligence

The Tape Position Indicator, in wind and re-wind situations, displays the accurate position of the tape on the screen and indicates progress by means of a moving/blinking arrow. At any time, you can follow the tape movement on the screen.

• Turbo Timer

„Turbo Timer“ is a real time-saver for programming a timer for the next 24 hours: No need to switch the TV „on“

- All necessary information visible on the VCR display
- 1 minute accuracy
- Minimum of steps
- All steps are carried out using the remote control avoiding the need for bending down to the VCR.

• Record Link

„Record link“ is the answer if you want to record a programme from your satellite receiver or any other external device when you are not at home. To prepare for a recording only the timer of the satellite receiver needs to be programmed. The VCR will automatically detect the activation of the satellite receiver via the Scart cable connection and will start recording simultaneously. If the receiver gets deactivated again, the recording will also stop.

	VR752/58	VR752/39	VR752/16
TV Systems Off Air	PAL B/G, PAL D/K, SECAM B/G, SECAM D/K	PAL B/G, SECAM B/G, SECAM L/L'	PAL B/G
Sound Systems	German Stereo, Mono, NICAM	German Stereo, Mono, NICAM	German Stereo, Mono, NICAM
OSD Menu Languages	Czech, English, Hungarian, Polish, Russian Cyrillic	Dutch, French, German	Dutch, English, French, German, Italian, Spanish, Swedish
Record / Playback Standard	MESECAM, PAL	MESECAM, PAL, SECAM	PAL
Record Control & Transmitter Identification	PDC, VPS	PDC, VPS	PDC, VPS
Programming System	Showview, Manual Timer	Showview, Manual Timer	Showview, Manual Timer

Subject to modification without notice

ShowView and Video+ are registered Trademarks of Gemstar Development Cooperation.

www.philips.com
www.videoc.ce.philips.com



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>