

PURE|AV®



HDTV ANTENNA

Model no. AV48001

User Manual

Introduction

HDTV Antenna

Thank you for choosing the PureAV HDTV Antenna. The HDTV Antenna is designed to deliver sharp, clear, high-definition signal reception. It is specially designed for receiving over-the-air digital broadcasts*, and will also provide exceptional analog reception. Before installing, please read this User Manual carefully.

*Compatibility: The HDTV Antenna is specially designed for TVs with a built-in HDTV tuner or with set-top HDTV receivers.

Contents

HDTV ANTENNA



HDTV Antenna



(1) Coaxial Cable




(2) Wall-Mount
Screws



Desk
Bracket



Mounting
Bracket




9V 200mA

AC Adapter

Installation

- Step 1.** Remove all contents from package.
- Step 2.** Attach “L-shaped” end of coaxial cable to the HDTV Antenna, and connect the other end of the coaxial cable to your HDTV/HDTV receiver.
- Step 3.** Adjust HDTV Antenna for maximum reception. Please refer to your television’s owner’s manual for channel-setup information.




For optimal reception:


1. Do not place the HDTV Antenna near potential sources of interference (e.g., large metal objects, microwaves, A/C units, etc.).
2. Place the HDTV Antenna near windows and pointed toward broadcast towers. Please visit www.antennaweb.org for broadcast-tower locations.

Optional Wall-Mount Installation

- Step 1.** Check location for best HDTV reception.
- Step 2.** Mark position on wall
- Step 3.** Drill 30mm into wall using 6mm drill bit. Clean hole.
- Step 4.** Push drywall anchor into hole. (Drywall anchor not included.)



- Step 5.** Place screws into anchor until 10mm is still visible.



- Step 6.** Attach wall-mount bracket and hook the standing unit of the HDTV Antenna.



Features:

- Wideband reception
- 20 dB gain flat
- Band-stop filter against GSM noise
- Excellent reception for digital terrestrial
- Sensitive electronic circuit for minimum noise
- Direct power supply (Does not require power insertion)
- Flat design for desktop or wall-mounting installation
- Indoor use

Specifications:

Model: AV48001	HDTV Antenna
Frequency Range	174~230MHz & 470~862MHz
Amplifier Gain	174~230MHz & 470~862MHz 20 \pm 3 dB
Frequency Flatness	\pm 2 dB
Directional Characters	20 dB
Antenna Output Connector Type	F-(f) Connector
Power Consumption	40mA
Power Adapter	9V 200mA
Dimensions (L x W x H)	5.90 x 2.49 x 4.92 in.
Weight	Approx. 0.750 lbs.

BELKIN 1-YEAR LIMITED WARRANTY

Belkin International, Inc. ("Belkin") warrants to the original purchaser of this Belkin product that the product shall be free of defects in design, assembly, material, or workmanship.

Belkin warrants this product against defects in materials and workmanship for a period of ONE (1) YEAR from the date of original purchase.

BELKIN[®]

www.belkin.com

Belkin Tech Support

US: 866-280-1337

UK: 0845 607 77 87

Australia: 1800 235 546

New Zealand: 0800 235 546

Singapore: 65 64857620

Europe: www.belkin.com/support

Belkin International, Inc.

Los Angeles, CA 90220, USA

310-898-1100

310-898-1111 fax

Belkin Ltd.

Rushden, United Kingdom

+44 (0) 1933 35 2000

+44 (0) 1933 31 2000 fax

Belkin Ltd.

Tuggerah, Australia

+61 (0)2 4350 4600

+61 (0)2 4350 4700 fax

Belkin B.V.

Schiphol-Rijk, The Netherlands

+31 (0) 20 654 7300

+31 (0) 20 654 7349 fax

© 2009 Belkin International, Inc. All rights reserved.
All trade names are registered trademarks of
respective manufacturers listed.



8820-00066
AV48001

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>