



Allied Telesis


4 PORT KEYBOARD/VIDEO/MOUSE SWITCH

CONNECT 4 COMPUTERS TO A SINGLE MONITOR,
MOUSE AND KEYBOARD

corega PC4KVM is a 4 port KVM Switch , it can automatic switching among computers within 5 sec, and has Hotkey Combination Function Supporting. It also has power on detection function- Automatically switching to the first power on port.

- Easy installation with no user configuration required
- Silent operation
- Supports Microsoft Intelimouse
- Colour coded ports (Keyboard, Video, Mouse)
- Compatible with all operating systems
- Auto-scan -keeps an eye on multiple computers at the same time
- Small and lightweight for convenient positioning
- LED lights to show on-line computer
- No power supply required -power drawn from existing computers
- Hot Plug-able
- Keyboard settings stored between computers
- Manual or keyboard computer selection
- "Easy-grip" cable fixings



OFFICE



INTERNET



SCHOOL



GAMES



4 PORT KEYBOARD/VIDEO/MOUSE SWITCH

CONNECT 4 COMPUTERS TO A SINGLE MONITOR, MOUSE AND KEYBOARD

Technical Specifications

• Interface Ports

-To 'computer':

- 4 x Keyboard PS/2 style (6-pin mini-DIN male)
- 4 x Video VGA/SVGA/Multisync(HDB-15 male)
- 4 x Mouse PS/2 style (6-pin mini-DIN male)

-To 'console':

- 1 x Keyboard PS/2 (6-pin mini-DIN female)
- 1 x Video VGA/SVGA/Multisync(HDB-15 female)
- 1 x Mouse PS/2 style (6-pin mini-DIN female)

• LED Indicators lights

- 4 x CPU -indicates monitored computer

• Operating System Compatibility

- MS-DOS 6.2, Windows 3.1, Windows 95/98, Windows NT 3.5 upward, Windows 2000, Windows ME, Windows XP, FreeBSD, Linux

• Shock and Vibration

- Shock: 100g at 10ms (estimated)
- Vibration: 0.5g, 10-500Hz, 3 axis (estimated)
- Seismic: 10g, 5-200Hz, 15s (estimated)

• Video Support

- VGA, SVGA or Multisync(up to 2048x 1536)

• Dimensions

- 200mm (W) x 80mm (D) x 25mm (H)

• Weight

- KVM weight 510g (cable excluded)
- Shipping Package Weight 1.1Kg

• Temperature

- Operating Temperature: 5 to 40°C (Please leave 50mm clearance on all sides to provide airflow)
- Storage Temperature:-20 to 60°C

• Humidity

- Operating:0-80% humidity, non-condensing
- Storage:0-80% humidity, non-condensing

• Operating Altitude

- 50 to 3,000 Metres

• Power Consumption

- DC 5V, 80mA,4W

• Port Selection

- Push Button for manual Hot Key
- Auto-scan -5 second interval

• MTBF

- 100,000 hours (estimated)

• Agency Approvals

- CE Class B

• Packing Content

- 1 x KVM switch
- 4 x KVM cables (Computer)
- 1 x KVM cable (Console)
- 1 x installation guide

Ordering Information

PC4KVM

4 PORT KEYBOARD/VIDEO/MOUSE SWITCH

EU

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>