


REFRIGERATOR INSTRUCTION MANUAL

Model Numbers:

18EYC/EYW

498YC/YW/YB/YSS





18EYC/EYW

498YC/YW/YB/YSS

CAUTION:

BEFORE USE, PLEASE READ AND FOLLOW ALL SAFETY RULES AND OPERATING INSTRUCTIONS.

Avanti Products, A Division of The Mackle Co., Inc. P.O. Box 520604-Miami, Florida 33152 www.avantiproducts.com

Warranty Information

Thank you for purchasing this fine Avanti product. Please fill out this card and return it within 100 days of purchase and receive these important benefits:

Confirm your warranty:

Your prompt product registration confirms your right to the protection available under the terms and conditions of your Avanti warranty.

Protect your product:

We will keep the model number and date of purchase of your new Avanti product on file to help you refer to this information in the event of an insurance claim such as fire or theft.

Promote better products:

We value your input. Your response will help us develop products designed to best meet your future needs.

		here)———————————————————————————————————
Name		Model # Serial #
Address		Date Purchased Store/Dealer Name
City	State Zip	Occupation
A • •		As Your Primary Residence, Do You
<u>· </u>	Purchase An Additional	☐ Own ☐ Rent Your Age:
Warranty: ☐ Extended ☐ Food Loss ☐ None Reason For Choosing This Avanti		☐ under 18 ☐ 18-25 ☐ 26-30 ☐ 31-35 ☐ 36-50 ☐ over 50 Marital Status:
Product: Please indicate the most important factors that influenced your decision to purchase this product.		☐ Married ☐ Single Is This Product Used In The:
		☐ Home ☐ Business How Did You Learn About This
☐ Price	uct Features	Product:
	ti Reputation	☐ Advertising ☐ Product Features
	luct Quality	☐ In Store Demo ☐ Personal Demo
☐ Sale	sperson Recommendation	☐ Other
☐ Frier	nd/Relative Recommendation	Comments
☐ Warr	ranty	
Othe	er	

HELP US HELP YOU...

Read this guide carefully.

It is intended to help you operate and maintain your new refrigerator properly.

Keep it handy to answer your questions. If you don't understand something or you need more help, please call:

Avanti Customer Service 800-220-5570

Keep proof of original purchase date (such as your sales slip) with this guide to establish the warranty period.

CAUTION:

THIS REFRIGERATOR
IS NOT DESIGNED FOR
THE STORAGE OF
MEDICINE OR OTHER
MEDICAL PRODUCTS.

Write down the model and serial numbers.

You'll find them on a plate located on the rear wall outside the refrigerator.

Please write these numbers here:

Date of Purchase

Model Number

Serial Number

Use these numbers in any correspondence or service calls concerning your refrigerator. If you received a damaged refrigerator,

immediately contact the dealer (or builder) that sold you the refrigerator.

Save time and money .Before you call for service, check the Trouble-shooting Guide. It lists causes of minor operating problems that you can correct yourself.


IF YOU NEED SERVICE

We're proud of our service and want you to be pleased. If for some reason you are not happy with the service you receive, here are some steps to follow for further help.
FIRST, contact the people who serviced your appliance. Explain why you are not pleased. In most cases, this will solve the problem.

NEXT, if you are still not pleased, write all the details, including your telephone number, and send to:


Customer Service Avanti Products 10880 NW 30 Street Miami, FL 33172

PARTS AND FEATURES



18EYC/EYW

- ① Ice Cube Tray
- ② Temperature Control Knob
- ③ Drip Tray
- 4 Removable Shelf
- ⑤ Freezer Compartment
- 6 Dairy Rack
- ⑦ Bottle Rack ⑧ Adjustable Legs



498YC/YW/YB/YSS

- ① Freezer Door
- 2 Ice Cube Tray
- ③ Freezer Compartment
- 4 Drip Tray
- ® Removable Shelves
- © Leveling Legs

 © Bottle Racks
- 8 Temperature Control Knob
- 9 Recessed Handle

Table of Contents

Warranty Information and Registration Card	1
Help Us Help You	2
Parts and Features	3
Important Safety Instructions	5
Installation Instructions	5
Before Using Your Refrigerator	5
Installation of Your Refrigerator	
Electrical Connection	6
Reversing the Door Swing of Your Refrigerator	
Model 18EYC/EYW	7
Model 498YC/YW/YB/YSS	8
Operating Your Refrigerator	9
Temperature Control	9
Defrosting Your Refrigerator	9
The Freezer Compartment	10
Using Your Ice Cube Trays	
Care and Maintenance	
Vacation Time	
Moving Your Refrigerator	
Troubleshooting Guide	
Service for Your Refrigerator	13
Your Avanti Products Warranty	14
18EYC/EYW Parts Breakdown	15
18EYC/EYW Parts List	16
498YC/YW/YB/YSS Parts Breakdown	17
498YC/YW/YB/YSS Parts List	18
Wiring Diagrams	19

Important Safety Instructions

▲ WARNING **⊬**

To reduce the risk of fire, electric shock, or injury when using your refrigerator, follow these basic precautions:

- Read all instructions before using the refrigerator.
- DANGER OR WARNING: Risk of child entrapment.
- Before you throw away old refrigerator or freezer:
 Take off the doors. Leave the shelves in place so that children may not easily climb inside.
- Never allow children to operate, play with, or crawl inside the refrigerator.
- Never clean refrigerator parts with flammable fluids. The furnes can create a fire hazard or explosion.
- Do not store or use gasoline or any other flammable vapors and liquids in the vicinity of this or any other refrigerator. The fumes can create a fire hazard or explosion.

-Save these instructions-

Installation Instructions

Before Using Your Refrigerator

- · Remove the exterior and interior packing.
- Check to be sure you have all of the parts listed below:
 - 1 Ice Tray
 - 1 Removable Shelf (Model 18)
 - 3 Removable shelves (Model 498)
 - 1 Drip Tray
 - 1 Instruction Manual

If any parts are missing, please contact (800)220-5570

- Before connecting the appliance to the power source, let it stand upright for approximately two hours. This will reduce the possibility of a malfunction in the cooling system from handling during transportation.
- Cleaning the interior surface with lukewarm water using a soft cloth.

Installation of Your Refrigerator

- Place your appliance on a floor that is strong enough to support the appliance when it is fully loaded. To level your appliance, adjust the legs at the front of the appliance.
- Allow 4 inches of space between the back and sides of the appliance, which allows the proper air circulation to cool the compressor.
- Locate the appliance away from direct sunlight and sources of heat or

water(stove, heater, radiator, sink, pool, etc.). Direct sunlight may affect the acrylic coating and heat sources may increase electrical consumption. All electrical appliances should be kept away from water to prevent possibility of electrical shock. Avoid humid places and extreme cold ambient temperature, as this will affect the cooling efficiency of your appliance.

- Avoid locating the appliance in moist areas. Too much moisture in the air will cause frost to form quickly on the evaporator requiring more frequent defrosting of the refrigerator.
- Plug the appliance into an exclusive properly installed grounded wall
 outlet. Do not under any circumstances cut or remove the third
 (ground) prong from the power cord. Any questions concerning
 power and or grounding should be directed toward a certified
 electrician or an authorized Avanti Products service center.

Electrical Connection

Warning

Improper use of the grounded plug can result in the risk of electrical shock. If the power cord is damaged have it replaced by an authorized Avanti products service center.

This appliance should be properly grounded for your safety. The power cord of this appliance is equipped with a three-prong plug which mates with standard three prong wall outlets to minimize the possibility of electrical shock.

Do not under any circumstances cut or remove the third grounded prong from the power cord supplied.

Use of extension cords is not recommended.

This appliance requires a standard 115/120 volt, 60Hz electrical outlet with three-prong ground. The cord should be secured behind the appliance and not left exposed or dangling to prevent accidental injury.

CONTRACTOR OF THE

REVERSING THE DOOR SWING OF YOUR REFRIGERATOR

This refrigerator has the capability of either opening the door from the left or right side. This unit is delivered to you with the door opening from the left side. Should you desire to reverse the opening direction, please follow these instructions.

NOTE:

All parts removed must be saved to do the reinstallation of the door.

Reversal and Installation of the Refrigerator Door (18EYC/EYW)

- · Remove the upper hinge cap (1).
- Using a sharp object, pry out the two plug buttons(10).
- Remove the two Phillips screws(2) that connect the upper hinge(3) on the right side of the cabinet top.
- Carefully lift the door and place it on a padded surface to prevent it from scratching. Remove the plug(9) and transfer it to the uncovered hole at the right side. Be sure to press the button firmly into the hole.
- Remove the two bolts(7) that hold the lower hinge(4) on the right side.
- Remove the screw-type leveling front leg(8) and transfer it to the right side as shown in the figure below.
- Secure the lower left hinge(4) previously removed in step 5. Before
 placing this lower hinge, remove the bolt-pin(5) and screw-type short
 leg(6) and reverse the direction of the hinge.
- Insert the bolt-pin(5) and short leg(6) into the lower door hinge(4) in the new position. Set the door into it's new place making sure the pin enters the bushing at the lower frame section(hole).
- Secure the upper hinge(3) previously removed in step 3 on the left side. Make sure the pin enters the bushing at the upper frame section(hole).
- Loosely secure the lower left hinge(4) and do not tighten the bolts until the door is in the closed position and leveled.
 Insert the plug buttons(10) on the uncovered holes(right side).
- Replace the upper hinge cap(1).




Figure 1

- 1 Door Hinge Cap
- ② Door hinge Screws
- ③ Upper Door Hinge
- 4 Lower Door Hinge
- ⑤ Bolt Pin
- 6 Short Leg
- ① Door Hinge Bolts
- 8 Leveling Front Leg
- Hinge Plug(Door Frame)
- Plugs

► Reversal And Installation Of The Refrigerator Door(498YC/YW/YB/YSS)

- Remove the two screws(1)that hold the lower hinge(2)(right side)to the frame. Also, remove the screw-type leveling front leg(3).
- Remove the left front leg(4) and transfer it to the right side.
- Lift the door and place it on a padded surface to prevent scratching it.
 Make sure to remove the spring(5) located inside the upper right hole of the door and the upper right side pin(6).
- Remove the plug button(7) from the upper left hole of the door and transfer it to the uncovered hole at the right side. Be sure to press the button firmly into the hole.
- Insert the upper pin(6) previously removed from the right side (step 3) and transfer it to the other hole at the left side of the top frame.
- Insert the spring(5)previously removed(step 3)inside the upper left side hole of the door.
- Set the door to its place making sure the pin(6)enters the bushing at the lower upper frame section(hole).
- While holding the door in the closed position, secure the lower left hinge(2)previously removed(step 1). Before placing this lower hinge, remove the upper bolt-pin(8) and reverse the direction of the hinge.
- Insert the bolt-pin(8) and do not tighten until the top of the door is leveled with the counter top.
- Insert the two screws(1)previously removed(step 1)and tighten them.




FIGURE 1(Position prior to door reversal)




FIGURE 2(Position after door reversal)

- (1) Door Hinge Screws
- ② Lower Door Hinge
- ③ Front Leveling Legs
- 4 Left Front Leg
- ⑤ Door Frame Spring
- 6 Door Frame Pin
- ⑦ Hinge Plug(Door Frame)Left Side
- ® Door Hinge Bolt

OPERATING YOUR REFRIGERATOR

Temperature Control

- Your refrigerator has only one control for regulating the temperature in the fresh food and the freezer compartments. The temperature control is located on the upper right hand side of the fresh food section.
- The first time you turn the unit on, set the temperature control to 3 or the mid-position.
- The range of the temperature control is from position "1" the warmest to "7" the coldest on Model 18EYC/EYW and from position "1" the warmest to "8" the coldest on Model 498YC/YW/YB/YSS. After 24 to 48 hours, adjust the temperature control to the setting that best suits your needs. The setting of "4" should be correct for home or office refrigerator use.
- To turn the refrigerator off, turn the temperature control to "0" for 18EYC/EYW or "OFF" for 498YC/YW/YB/YSS.

VOTE:

- Turning the temperature control to "0/OFF" position stops the cooling cycle but does not shut off the power to the refrigerator.
- If the unit is unplugged, lost power, or turned off; you must wait 3 to 5 minutes before restarting the unit. If you attempt to restart before this time delay, the refrigerator will not start.
- Large amounts of food will lower the cooling efficiency of the appliance.
- Water Collection Tray(See Page 16/18)can be used to improve the cooling in the refrigerator or the freezing compartment.
- To increase the cooling in the refrigerator compartment, remove the collection tray.
- To increase the cooling in the freezer compartment, leave in the collection tray.

Defrosting Your Refrigerator

- When? For the most efficient operation and minimum energy consumption, defrost the freezer compartment when the frost on the freezer walls is excessive or 1/4 inch thick.
- How?

CAUTION:

Do not use boiling water because it may damage the plastic parts. In addition, never use a sharp or metallic instrument to remove frost as it may damage the cooling coils and will void the warranty. We recommend using the plastic scraper provide with your unit.

- Remove the frozen food from the freezer and place it in a cooler to protect the food.
- Turn the thermostat knob to "0/OFF". The compressor will stop running.
- During the defrost, the ice melts into the water collection tray. The water must be removed from the water collection tray.

- Dry the water collection tray and place it back under the freezer compartment.
- Clean the interior of the refrigerator(See "Cleaning"Pg.10)and reset the thermostat to desired setting. Return food to the refrigerator.

HELPFUL HINT:

Defrosting usually takes a few hours. Leaving the door open will help speed the process. Also, pouring warm water(not boiling)on the ice/frost will help speed melting. If you must use a scraper-please use caution-it is very easy to damage the freezer compartment and void your warranty.

> The Freezer Compartment

- This compartment is designed for production of ice cubes and short term storage(3-4days at most)of some commercially frozen foods.
- The temperature in this compartment does not get cold enough to freezer food safely for long periods of time and works best when the food is already frozen.
- By design, this freezer compartment is not a true freezer, and may not keep ice cream frozen, or freeze items other than ice cubes.
- A colder setting may be used for these items, but other items in the refrigerator may also be affected.
- The freezer door is susceptible to breakage if excessive ice is allowed to build around the evaporator. Be sure to defrost the unit whenever ice reaches 1/4 inch thick. Please note that the freezer door damage is not covered under your warranty.

Using Your Ice Cube Tray

- The ice cube tray need to be set on the floor of the freezer to freeze properly.
- To eject the ice cubes from the tray, place over the ice bucket and twist slightly.

CARE AND MAINTENANCE

Cleaning Your Refrigerator

- Upon installation of your new appliance, it is recommended that it be cleaned thoroughly.
- Turn the temperature control to "0/OFF", unplug the refrigerator, and remove the food, shelves, and trays.
- Wash the inside with a damp warm cloth containing a water and baking soda solution. The solution should be about 2 tablespoons of baking soda to a quart of water.
- Wash the shelves and trays with a mild detergent solution.
- Be sure to keep the door gasket(seal)clean to keep the unit running efficiently.
- The outside of the refrigerator should be cleaned with mild detergent and warm water.

- Dry the interior and exterior with a soft cloth.
- It is recommended that the unit be cleaned each time it is defrosted to help keep the unit odor free and running efficiently.

Helpful Hint:

To help prevent odors, leave an open box of baking soda inside the refrigerator on the shelf.

Vacation Time

- · Remove all the food.
- Unplug the refrigerator.
- Clean the refrigerator.
- Leave the door open slightly to avoid possible formation of condensation, mold, or odors.
- Use extreme caution in the case of children. The unit should not be accessible to child's play.
- In the case of long term storage, the unit should be sealed with tape, or have the door removed.

Moving Your Refrigerator

- Remove all the food.
 Securely tape down all loose items inside your refrigerator.
- Turn the leveling screws up to the base to avoid damage.
- Tape the doors shut.
- Be sure the refrigerator stays in the upright position during transportation.

TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE CAUSE			
Refrigerator does not operate.	Not plugged in. The circuit breaker tripped or blown fuse. The refrigerator temperature control is set at "0/OFF".			
Compressor turns on and off frequently.	The room temperature is hotter than normal. A large amount of food has been added to the refrigerator. The door is opened too often. The door is not closed completely. The temperature control is not set correctly. The door gasket does not seal properly. The refrigerator does not have the correct clearances.			
Vibrations.	Check to assure that the refrigerator is level.			
The refrigerator seems to make too much noise.	The rattling noise may come from the flow of the refrigerant, which is normal. As each cycle ends, you may hear gurgling sounds caused by the flow of refrigerant in your refrigerator. Contraction and expansion of the inside walls may cause popping and crackling noises. The refrigerator is not level.			
The door will not close properly.	The refrigerator is not level. The doors were reversed and not properly installed. The gasket is dirty. The shelves, bins, or baskets are out of position.			

SERVICE FOR YOUR REFRIGERATOR

We are proud of our customer service organization and the network of professional service technicians that provide service on your Avanti appliances. With the purchase of your Avanti appliance, you can have the confidence that if you ever need additional information or assistance, the Avanti Products Customer Service team will be here for you. Just call us toll-free.

AVANTI PRODUCTS CUSTOMER SERVICES

Product Information 800-323-5029	Whatever your questions are about our products, help is available.			
Part Orders 800-220-5570	You may order parts and accessories that will be delivered directly to your home.			
	You may order these items by personal check, money order, Master Card, or Visa.			
In-Home Repair Service 800-220-5570	An Avanti Products authorized service center will provide expert repair service, scheduled at a time that is convenient for you. Our trained Servicers know your appliance inside and out.			

YOUR Avanti Products WARRANTY

Staple your sales receipt here. Proof of original purchase date is needed to obtain service under warranty.

WHAT IS COVERED LIMITED ONE-YEAR WARRANTY

For one year from the date of purchase by the original owner, Avanti Products will, at its option, repair or replace any part of the appliance which proves to be defective in material or workmanship under normal use. During this period Avanti Products will provided all parts and labor necessary to correct such defects free of charge, so long as the appliance has been installed and operated in accordance with the written instructions in this manual. In rental or commercial use, the warranty period is 90 days. All Avanti Appliances of 3.5 cubic feet capacity or less must be brought/sent to the appliance service shop for repair.

LIMITED SECOND THROUGH FIFTH YEAR WARRANTY


For the second through the fifth year from date of original purchase, Avanti Products will provide a replacement compressor free of charge due to a failure. You are responsible for the service labor and freight charges. In rental or commercial use, the limited compressor warranty is one year and nine months. Cost to move the appliance to the Servicer's shop and back to the user's home, as may be required, are the user's responsibility.

WHAT IS NOT COVERED

- Content losses of food due to spoilage.
- Incidental or consequential damages.
- Parts and labor costs for the following will not be considered as warranty.
- Evaporator doors, door springs, and/or frames.
- Inner door panels, door shelves, door rails, and/or door supports.
- Chest freezer lid liners.
- Vegetable crispers.
- Light bulbs and/or plastic housing.
- Plastic cabinet liners.
- Punctured evaporator that voids the warranty on the complete sealed system.

- Repairs performed by unauthorized services.
- Service calls that do not involve defects in material or workmanship such as customer education, door reversal, or proper installation.
- Service calls that are related to external problems, such as abuse, misuse, inadequate electrical power, accidents, fire, floods, or acts of God.
- Replacement of house fuses or resetting circuit breakers.
- Failure of the product if it is used for other than its intended purpose.
- This warranty does not apply outside the continental USA.


18EYC/EYW PARTS BREAKDOWN



MODEL 18EYC/EYW

PARTS LIST	DESCRIPTION		
NO.	DESCRIPTION		
1	Door Decal		
2			
3	Door Gasket		
4	Door Liner		
5	Lower Door Shelf Bar		
6	Upper Door Shelf Bar		
7	Dryer		
3	Evaporator Assembly		
9	Suction Tube Sleeve		
10	Mount Washer		
<u> 11 </u>	Thermostat Bulb Clamp		
12	Compressor		
13	Compressor Bolt		
14	Compressor Earth Plate		
15	Compressor Bolt Washer		
16	Compressor Cord Clamp		
17	PTC Relay		
18	Relay Cover		
19	Relay Cover Retainer		
20	Load Wire Clamp		
21	Compressor Cord Clamp		
22	Rubber Grommet		
23	Compressor Base		
24	Load Dryer Clamp		
25			
<u>25 </u>	Door Hinge Cover		
26 27	Upper Door Hinge		
28	Evaporator Door Hinge Spring		
	Evaporator Door Hinge		
29	Evaporator Door		
30	Lower Door Hinge		
31	Door Hinge Bolt		
32	Adjustable Foot		
33	Power Supply cord		
34	Foot		
35	Drip Tray		
36	Thermostat		
37	Thermostat Mounting Plate		
38	Load Knob Clamp		
39	Thermostat Box		
40	Temperature Control Knob		
41	Self Tapping Screw		
42	Shelf		
43	Ice Cube Tray		
rJ	l ice cube may		

498YC/YW/YB/YSS PARTS BREAKDOWN




MODEL 498YC/YW/YB/YSS


NO	DESCRIPTION
NO.	DESCRIPTION
1	Door
2	Door Decal
3	Adjustable Grommet
4	Spring
5	Door Upper Axis
6	Door Gasket
7	Door Liner
8	Self Tapping Screw #1
9	Shelf Bar
10	Adjustable Shelf Bar
11	Axis Cover Grommet
12	Sensor Cover
13	Evaporator Assembly
14	Drier
15	Compressor
16	Compressor Base
17	Base Foot
18	Self Tapping Screw #2
19	Power Cord Upper Clamp
20	Power Cord Lower Clamp
21	Drier Clamp
21 22 23	Cabinet
23	Power Cord
24	Foot
24 25	Adjustable Foot
26	Lower Door Hinge
27	Lower Door Hinge Axis
21	Shelf #1
28	
29	Shelf #2
30	Ice Tray
31	Drip Tray
32	Evaporator Door Left Support
33	Plug
34	Evaporator Door
35	Thermostat Box
36	Thermostat
37	Clamp
38	Control Knob
39	Compressor Bolt
39A	Compressor Bolt Washer
40	Rubber Grommet
41	Protector Cover
42	PTC relay
43	Cord Clamp B
44	Cord Clamp A
45	Earth Plate
46	Terminal Screw
47	Door Slot Plug

18EYC/EYW WIRING DIAGRAM


CIRCUIT DIAGRAM



COOLING SYSTEM



498YC/YW/YB/YSS WIRING DIAGRAM



Warranty Information

Thank you for purchasing this fine Avanti product. Please fill out this card and return it within 100 days of purchase and receive these important benefits:

Confirm your warranty:

Your prompt product registration confirms your right to the protection available under the terms and conditions of your Avanti warranty.

Protect your product:

We will keep the model number and date of purchase of your new Avanti product on file to help you refer to this information in the event of an insurance claim such as fire or theft.

☐Salesperson Recommendation

□Warranty □Other__

☐Friend/Relative Recommendation

We va	petter products: llue your input. Y needs.	our responses v	vill help us de	velop proc	lucts designed to best m	neet your
		(de	tach here)			
		,	Registration C			
Name			Model #		Serial #	-
Address	. , ", ",		Date Purcha	ısed	Store/Dealer Name	-
City	State	Zip	Occupation	 		_
Area Code Phone Number			As Your Primary Residence, Do You: □Own □Rent			
Did You Purc □Extended	hase An Additio □Food Loss	nal Warranty: □None	Your Age:	□40 0E	□ 26 20	
	hoosing This A		□31-35		□26-30 □over 50	
	e the most import		Marital Stat			
that influenced your decision to purchase			☐Married ☐Single			
this product.		Is This Product Used In The:				
□Price			□Home		□Business	
□ Product Features			How Did You Learn About This Product:			
□Avanti Reputation			□Advertising □Product Features			
□Product Quality			□In Store Demo □Personal Demo			

□Other_

Comments_

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com