

BANNER

DUO-TOUCH™ SG Two-Hand-Control

- Dependable switching with no physical pressure required
- Eliminate hand, wrist and arm stress
- Ergonomically designed for use with repetitive operations
- Type IIIC per EN 574 / ISO 13851 & Category 4 per EN 954-1 / ISO 13849-1
- Ease of installation
- Productivity improvement
- Ideal solution for punch presses and others dangerous machines

DUO-TOUCH™



Prevent repetitive stress injuries!

Download from www.Somanuals.com. All Manuals Search And Download.

- Unique patent-pending photoelectric design, with redundant emitter and receiver

- Ergonomic and rugged housing:
 - IP66
 - Immune to ambient light, EMI and RFI interference
 - High excess gain

- Indicator LEDs

- Connector type M12 quick-disconnect or 2 m cable

- Supplies power to 24 Vdc, 115 Vac and 230 Vac

- Model dependant: 2 or 4 redundant outputs NO + 1 auxiliary NC output

- Available kits:

ATK-VP6: 24 Vdc, 2 N.O.

ATGMK-VP6: 24 Vdc, 115 Vac, 4 N.O. + 1 N.C.

ATHMK-VP6: 24 Vdc, 230 Vac, 4 N.O. + 1 N.C.

Kits are available with 2 m cables or connector type M12 quick-disconnect (by adding suffix Q5 to the kit model number)



BANNER Engineering Corp.:

Sensors and equipment for industrial control and automation:

- Photoelectric sensors
- Ultrasonic sensors
- Cables
- Machine safety products
- Laser measurement products
- Inspection products



Banner Engineering Corp.
 9714 10th Avenue North
 Minneapolis, Minnesota 55441 USA
 Phone: +1 763 544 3164
 Fax: +1 763 544 3213
 sensors@bannerengineering.com
 www.bannerengineering.com

A008 06/02
 OnlyWeb

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>