

# Lil' Bubbler™

## Quick Reference Guide



## About This Guide

The Lil' Bubbler Quick Reference Guide (QRG) only contains the product's connection, mounting, and operation information.

## Disclaimer

- This Quick Reference Guide DOES NOT replace the product's User Manual, which you can download from the CHAUVET® website: [www.chauvetlighting.com](http://www.chauvetlighting.com).
- Read ALL the disclaimers and safety notes in this document as well as those in the product's User Manual before installing, operating, or maintaining this product.

## Safety Notes

These Safety Notes include important safety information about installation, usage, and maintenance.



- Always connect this product to a grounded circuit to avoid the risk of electrocution.
- Always disconnect from the power source before cleaning this product.
- Never disconnect this product from power cord by pulling or tugging on the cord.
- If mounting this product overhead, always secure it to a fastening device using a safety cable.
- Do not mount this product on a flammable surface.
- Do not drink the bubble fluid. If you do, call your local emergency service (911) for help.
- Do not add perfume, alcohol, gasoline, or other flammables to the fluid.
- Do not obstruct the bubble wands or allow children to play with the machine or any moving part.



- Make sure the voltage of the outlet to which you are connecting is within the range stated on the decal or rear panel of the product.
- This product is for indoor use only! (IP20) To prevent risk of fire or shock, do not expose this product to rain or moisture.
- Always install this product in a location with adequate ventilation, at least 20 in (50 cm) from adjacent surfaces.
- Do not obstruct the bubble wands or leave machine unattended.
- Never carry this product from the power cord.
- Do not overfill; spillage may occur. Always mount on a flat, level surface.
- Do not leave unused fluid in the reservoir for an extended period. The fluid may thicken in the reservoir.
- In the event of a serious operating problem, stop using the unit immediately.
- Never try to repair this product. Repairs performed by unauthorized technicians can lead to damage or malfunction. Please contact the nearest authorized technical assistance center.

## What Is Included

- Lil' Bubbler
- Fluid Tank
- Warranty Card
- Quick Reference Guide

## AC Power

This product has a voltage-specific power supply that can work with an input voltage of 120 VAC, 60 Hz (U.S.) or 230 VAC, 50 Hz (UK).

### Product Overview



**Dimensions:** 10.8 x 6.5 x 6.7 in (274 x 165 x 170 mm)

**Weight:** 3.7 lbs (1.65 kg)

## Set Up

Place unit on a flat, level surface or use the mounting brackets provided. Ensure that the bubbles are not shooting directly in anyone's face or above heavy traffic areas, as bubble fluid leaves a slippery surface.

The bubble machine must not have more than a 5° angle of inclination. Do not tilt the bubble machine or the fluid will spill.

## Fuse Replacement

1. Disconnect this product from the power outlet.
2. With a Phillips #2 head screwdriver, unscrew the fuse holder cap from the housing.
3. Remove the blown fuse and replace with a good fuse of the same type and rating (F1A, 250 V).
4. Screw the fuse holder cap back into place and reconnect power.

## Operation

1. Place the Lil' Bubbler™ on a level surface and remove the thumbscrew on the front of the unit for fluid tank access. Lift the cover.
2. Fill the tank with bubble fluid.  
**Note: CHAUVET® bubble fluid (BJU) is specially formulated for use with CHAUVET bubble machines.**
3. Lower the cover and re-tighten screw.
4. Plug into a suitable wall outlet.
5. Turn on the bubbler.

**Note: Do not leave unused fluid in the reservoir for an extended period. The fluid may thicken.**

## Contact Us

### World Headquarters

CHAUVET®

#### General Information

Address: 5200 NW 108th Avenue  
Sunrise, FL 33351  
Voice: (954) 929-1115  
Fax: (954) 929-5560  
Toll free: (800) 762-1084

#### Technical Support

Voice: (954) 929-1115 (Press 4)  
Fax: (954) 756-8015  
Email: [tech@chauvetlighting.com](mailto:tech@chauvetlighting.com)

#### World Wide Web

[www.chauvetlighting.com](http://www.chauvetlighting.com)

### United Kingdom and Ireland

CHAUVET® Europe Ltd.

#### General Information

Address: Unit 1C  
Brookhill Road Industrial Estate  
Pinxton, Nottingham, UK  
NG16 6NT  
Voice: +44 (0)1773 511115  
Fax: +44 (0)1773 511110

#### Technical Support

Email: [uktech@chauvetlighting.com](mailto:uktech@chauvetlighting.com)

#### World Wide Web

[www.chauvetlighting.co.uk](http://www.chauvetlighting.co.uk)

Outside the U.S., United Kingdom, or Ireland, contact your distributor of record (see the CHAUVET® website). Follow their instructions to request support or to return a product.

Lil' Bubbler™ QRG – Rev. 2

© Copyright 2012 CHAUVET®

All rights reserved

Printed in the P. R. C.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>