



DIGITAL SIGNAGE



FLAT PANEL MOUNTS FOR:

- Retail
- Supermarkets
- Transportation
- Restaurants
- Entertainment Venues
- Public Spaces

Our Mounts. Your Vision.

DIGITAL SIGNAGE PRODUCT SELECTION

ORDERING OPTIONS

VESA (-V)

Mounts ending in "V" include a fixed interface with multiple VESA hole mounting patterns.

Universal (-U)

Mounts ending in "U" include an adjustable interface to adapt to random hole patterns.

Custom (-XXXX)

Mounts ending in a 4-digit number (i.e. 2540) include an interface custom-designed for a given display.



INNOVATIVE DESIGNS

Chief is fully staffed to handle a variety of projects ranging in complexity. Dedicated technical and design resources work with you to create the perfect solution, while maintaining schedules and budget expectations. Chief clients enjoy a full range of options, from a state-of-the-art standard product mix, to a completely custom solution.


- Largest line of mounting solutions worldwide, including custom and universal interfaces, and UL Listed designs
- Hundreds of patent-protected features within modular components that can be integrated into a custom solution
- Custom Design and Technical Team that will generate a completely unique project solution
- A full line of accessories to support any project and maximize form and function

Custom product options also available!

Small LCD TVs & Monitors



FSBV VESA Interface Bracket



FIXED WALL MOUNT

FSRV™


Fixed Wall Mount
W: 45 lbs (20.4 kg)
D: .75" (19 mm)
C: ■



Medium LCD TVs & Monitors



MSBV VESA Interface Bracket



MSRV™


Fixed Wall Mount
W: 100 lbs (45.4 kg)
D: 1.56" (40 mm)
C: ■



Large LCD & Plasma TVs



MSBU Universal Interface Bracket





MSRU™


Fixed Wall Mount
W: 125 lbs (56.7 kg)
D: 2.25" (57 mm)
C: ■



Extra-Large LCD & Plasma TVs



PSBU Universal Interface Bracket



PSTU™

Fixed Wall Mount
W: 200 lbs (90.7 kg)
D: 2.31" (59 mm)
C: ■



To specify color options, add S (silver) or B (Black) to the model number.

UNTS



TILT WALL MOUNTS



SWING ARM MOUNTS



CEILING MOUNTS

FTRV™

Tilt Wall Mount
W: 45 lbs (20.4 kg)
D: 1.94" (50 mm)
T: +5/-15°
C: ■



FWDV™

Dual Swing Arm Wall Mount
W: 40 lbs (18.1 kg)
D: 2.17" (55 mm)
E: 15.94" (405 mm)
C: ■ ■



Note: Desk and height-adjustable options are also available for this model

FHSV™

Single Ceiling Mount
W: 40 lbs (18.1 kg)
T: +/-15°
C: ■



FHP18 (not pictured)
Ceiling Mount w/ 1-1/2" NPT
Adjustable Column allows 22-38" of adjustment


MTRV™

Tilt Wall Mount
W: 100 lbs (45.4 kg)
D: 1.81" (46 mm)
T: 0-15°
C: ■



JWDV™

Dual Swing Arm Wall Mount
W: 75 lbs (34 kg)
D: 3" (76 mm)
E: 20.38" (518 mm)
C: ■ ■



JHSV™

Single Ceiling Mount
W: 100 lbs (45.4 kg)
T: +/-15°
C: ■ ■



MTRU™

Tilt Wall Mount
W: 125 lbs (56.7 kg)
D: 2.5" (64 mm)
T: 0-15°
C: ■



MWC™ (not pictured)
Tilt Wall Mount with CPU Storage

MWRU™

Dual Swing Arm Wall Mount
W: 125 lbs (56.7 kg)
D: 4.38" (111 mm)
E: 24.88" (632 mm)
C: ■ ■



MCSU™

Single Ceiling Mount
W: 125 lbs (56.7 kg)
T: +5/-20°
C: ■



PLPU™

Pull-N-Tilt™
Wall Mount (with fingertip adjustment)
W: 200 lbs (90.7 kg)
D: 2.31" (59 mm)
T: 0-15°
C: ■



PWC™ (not pictured)
Tilt Wall Mount with CPU Storage

PDRU™

Dual Swing Arm Wall Mount
W: 200 lbs (90.7 kg)
D: 3.88" (99 mm)
E: 24.8" (630mm)
C: ■ ■



PNRU™ (not pictured)
Dual Swing Arm Mount

PCSU™

Single Ceiling Mount
W: 175 lbs (79.4 kg)
T: +5/-20°
C: ■



PCMU™ (not pictured)
Angled Column Ceiling Mount
For greater stability up to 200 lbs (90.7 kg)



IN-WALL ACCESSORIES




ACCESSORIES

PAC510™
 Retrofit Pre-Install Box
 (Shown with PSTU™ Fixed Wall Mount, surge protector and conduit)



PAC400™
 90° Rotation Adapter
 For Extra-Large Flat Panels
 (42-63)



MAC400™ (not pictured)
 90° Rotation Adapter
 For Large Flat Panels (30-50)

PAC515™
 New Construction Pre-Install Box



PAC520™ (not pictured)
 Multiple Option New
 Construction Pre-Install Box

PAC251™
 CPU/DVD/VCR Universal Adapter
 For Extra-Large Flat Panels
 (42-63)




MAC251™ (not pictured)
 CPU/DVD/VCR Universal Adapter
 For Large Flat Panels (30-50)

PAC500™
 In-Wall Accessory
 For use with MWRU and PNRU
 Dual Swing Arm Wall Mounts
 (Shown with PNRU)
 W: 200 lbs (90.7 kg)
 C: ■ ■



PAC300™
 Side Speaker Adapter
 Adds 20 lbs (9.1 kg) to installation
 C: ■ ■



MAC500™
 In-Wall Accessory
 For use with JWDV Dual Swing
 Arm Wall Mount
 (Shown with JWDV)
 W: 75 lbs (34 kg)
 C: ■ ■



PAC301™
 Center Channel
 Speaker Adapter
 Adds 10 lbs (4.5 kg) to installation
 C: ■ ■



TPS™
 Fixed Truss & Pole Mount
 W: 150 (68 kg)
 C: ■



TPM™ (not pictured)
 Tilt-Adjustable Pole Mount

PAC102™
 Shelf for Pole Installations



PAC103™
 Shelf for Wall Installations (not pictured)
 Accessory Shelf Strap

SPECIFICATIONS KEY:

W: Weight Capacity D: Depth from Wall E: Extension T: Tilt S: Swivel (left/right) H: Height Adjustment C: Color



AUTOMATED MOUNTS



ENCLOSURES

CM1W18™

Automated Swing Arm

W: 170 lbs (77.1 kg)

D: 4.25" (108 mm)

E: 18" (457 mm)

C: ■



DGC™

Outdoor Enclosures

W: 75 lbs (34 kg)

C: ■



DGP™

Indoor Partial Enclosures (not pictured)

C: ■ ■


CM2L40™

Automated Pop-Up Lift

W: 190 lbs (86.2 kg)

H: 40" (102 cm)

C: ■



DFK™

Decorative Frames Kits

Available in 4 colors



CARTS & STANDS

CM3T45™

Automated Swivel Table Stand

W: 125 lbs (56.7 kg)

S: +/-45°

C: ■ ■



MFCU™

Mobile Cart

For Large Flat Panels (30-50" +)

(Shown with PAC710™ Accessory Shelf)

W: 125 lbs (56.7 kg)

T: +/-15°

H: 24" (610 mm)

C: ■ ■



Optional Travel Case



PFCU™ (not pictured)

Mobile Cart

For Extra-Large Flat Panels (42-63")

SL150™

Automated Projector Lift

W: 35 lbs (16 kg)

H: 8.25" (210 mm)

C: ■



MF1U™

Display Stand

For Large Flat Panels (30-50" +)

(Shown with PAC710™ Accessory Shelf)

W: 125 lbs (56.7 kg)

T: +/-15°

H: 36" (914 mm)

C: ■ ■



PF1U™ (not pictured)

Display Stand

For Extra-Large Flat Panels (42-63")

specialty products

SPECIFICATIONS KEY:

W: Weight Capacity

D: Depth from Wall

E: Extension

T: Tilt

S: Swivel (Left/Right)

H: Height Adjustment

C: Color

RPA Elite Projector Mount

Custom option shown



Q-Lock™ Integrated Locking Lever

Provides enhanced security with an integrated key and lock system.

*Optional – order RPMA/B/C with A, B or C to designate key option



MicroZone™ Micro Adjustment

For fast and precise projector registration, including flush-mount installations.



Centris™ Technology Fingertip Adjustment

Enables effortless, fingertip positioning

ALSO AVAILABLE

RPA™ Projector Mount

- Independent Roll, Pitch and Yaw
- Integrated Cable Management
- Quick Projector Connect/Disconnect
- All-Points™ Security System



PROJECTOR MOUNTS


Model	Type	Max Weight	Color(s)
RPM*	Custom	50 lbs (22.7 kg)	■
RPM-U*	Universal	50 lbs (22.7 kg)	■ ■ ■
RPA	Custom	50 lbs (22.7 kg)	■
RPA-U	Universal	50 lbs (22.7 kg)	■ ■ ■

*For Q-Lock™ integrated security, order RPMA, RPMB or RPMC with A, B or C designating the key option.



ACCESSORIES

Model	Description	Color(s)
CMS™-0XX	1-1/2" NPT Fixed Extension Column	■ ■ ■
CMS™-0XX0XX	1-1/2" NPT Adjustable Extension Column	■ ■ ■
CMS115™	Ceiling Plate	■ ■ ■
CMS440™	Lightweight Suspended Ceiling Kit	■
CMS445™	Ceiling Tile Replacement Kit	■
CMA470™	Plenum Enclosure	■



FOR A COMPLETE LIST OF ACCESSORIES, VISIT WWW.CHIEFMFG.COM



end-user focused

faster installation

superior service

proven quality

CHIEF MANUFACTURING

■ A DIVISION OF MILESTONE AV TECHNOLOGIES ■ www.chiefmfg.com

USA/INTERNATIONAL

■ P 800.582.6480/952.894.6280 ■ F 877.894.6918/952.894.6918 ■ chief@chiefmfg.com

CHIEF MOUNTS CANADA

■ P 877.345.4329 ■ F 888.377.5314 ■ info@chiefmounts.ca

MILESTONE EUROPE B.V.

■ P 31 (0)40 2668620 ■ F 31 (0)40 2668615 ■ europe@milestone.com

MILESTONE ASIA PACIFIC LTD

■ P 86 755 8996 9226 ■ F 86 755 8996 9217 ■ asia.chief@milestone.com

©2008 Milestone AV Technologies. Printed in the USA. 700015B 5/08. Chief is a registered trademark of Milestone. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>