



IP Phone Service Administration and Subscription

Cisco Unified CallManager administrators maintain the list of services to which users can subscribe. These sections provide details about administering Cisco Unified IP Phone Services using Cisco Unified CallManager Administration.

- [Overview](#)
- [Adding a Phone Service](#)
- [Defining IP Phone Service Parameters in Cisco Unified CallManager Administration](#)
- [User Service Subscription](#)

Overview

Administrators must use Cisco Unified CallManager Administration to add and administer Cisco Unified IP Phone services. To access phone service administration, open Cisco Unified CallManager Administration and choose **Feature > Cisco Unified IP Phone Services**:

- Phone services can have any number of parameters associated with them.
- You can specify phone service parameters as optional or required, depending on how the phone service application defines them.
- Users can subscribe to any service configured in their cluster, using their User Options web pages.
- Service subscriptions currently occur on a device basis.

A URL constitutes the core of each service. When a service is chosen from the menu, the URL gets requested via HTTP, and a server somewhere provides the content. The Service URL field shows this URL entry. For the services to be available, the phones in the Cisco Unified CallManager cluster must have network connectivity to the server.

Example

```
http://<servername>/ccmuser/sample/sample.asp
```

Where

<servername> designates a fully qualified domain name or an IP address.

Adding a Phone Service

To access phone service administration, open Cisco Unified CallManager Administration and choose **Feature > Cisco Unified IP Phone Services:**

The Cisco Unified Services Configuration page in Cisco Unified CallManager Administration contains the following fields:

Table 6-1 *Adding a Cisco Unified IP Phone Service*

Field	Description
Service Name	Enter the name of the service as it will display on the menu of available services in the Cisco Unified IP Phone User Options application. Enter up to 32 characters for the service name.
Service Description	Enter a description of the content that the service provides.

Table 6-1 Adding a Cisco Unified IP Phone Service (continued)

Field	Description
Service URL	<p>Enter the URL of the server where the Cisco Unified IP Phone Services application is located. Make sure that this server remains independent of the servers in your Cisco Unified CallManager cluster. Do not specify a Cisco Unified CallManager server or any server that is associated with Cisco Unified CallManager (such as a TFTP server or directory database publisher server).</p> <p>For the services to be available, the phones in the Cisco Unified CallManager cluster must have network connectivity to the server.</p> <p>When defining the service URL, you can embed a special #DEVICENAME# substitution tag within the URL. This tag provides a convenient method for IP phones to pass their device name to a web application server. For example, if a service URL was defined in Cisco Unified CallManager Admin as: <code>http://myserver/myscript?name=#DEVICENAME#</code>, when a phone actually makes the HTTP request for the service, the requested URL will appear as: <code>http://myserver/myscript?name=SEP000123456789</code></p>
Character Set	<p>If you are using a language other than English for Service Name and Description, choose the character set for that language. Text that is input by the user displays incorrectly if the wrong character set is chosen.</p>

**Tip**

- You can insert, update, or delete a service definition.
- After a service is inserted, you can insert, update, or delete service parameter definitions.
- When you delete a Cisco Unified IP Phone subscription, Cisco Unified CallManager removes all service information, user subscriptions, and user subscription data from the database.
- The **Update Subscriptions** button rebuilds all user subscriptions if the service has been modified after subscriptions exist.

Defining IP Phone Service Parameters in Cisco Unified CallManager Administration

Each service can have a list of parameters. You can use these parameters, which are appended to the URL when they are sent to the server, to personalize a service for an individual user. Examples of parameters include stock ticker symbols, city names, or user IDs. The service provider defines the semantics of a parameter.

The Cisco Unified IP Phone Service Parameter Configuration page in Cisco Unified CallManager Administration contains the following fields:

Table 6-2 *Defining Cisco Unified IP Phone Service Parameters*

Field	Description
Parameter Name	Enter the exact query string parameter to use when you build the subscription URL; for example, symbol.
Parameter Display Name	Enter a descriptive parameter name to display to the user in the Cisco Unified IP Phone User Options application; for example, Ticker Symbol.
Default Value	Enter the default value for the parameter. This value displays to the user when a service is being subscribed to for the first time; for example, CSCCO.
Parameter Description	Enter a description of the parameter. The user can access the text that is entered here while the user is subscribing to the service. The parameter description should provide information or examples to help users input the correct value for the parameter.
Parameter is Required	If the user must enter data for this parameter before the subscription can be saved, check the Parameter is Required check box.
Parameter is a Password (mask contents)	You can mask entries in the Cisco Unified IP Phone User Options application, so asterisks display rather than the actual user entry. You may want to do this for parameters such as passwords that you do not want others to be able to view. To mask a parameter entry, check the Parameter is a Password (mask contents) check box in the Configure Cisco Unified IP Phone Service Parameter window in Cisco Unified CallManager Administration.

**Tip**

If you change the service URL, remove a Cisco Unified IP Phone service parameter, or change the Parameter Name of a phone service parameter for a phone service to which users are already subscribed, be sure to click **Update Subscriptions** to update all currently subscribed users with the changes. If you do not do so, users must resubscribe to the service to rebuild the URL correctly.

User Service Subscription

End users can configure service subscriptions using the Unified CMUser web site. After users log in and choose a device, a list of services that are assigned to the phone displays. The user can then configure these services, adding additional ones or removing un-used services. These password-protected windows are authenticated via the LDAP directory.

Users can personalize their services using the User Options pages to:

- Customize the name of the service.
- Enter any available service parameters.
- Review the description of each parameter.

After all the required fields are set, the user clicks **Subscribe** to add the services. A custom URL gets built and stored in the database for this subscription. The service then appears on the device services list.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>