

FEATURED MODEL

157-155-ST BLANCOTERRA™ Remote single lever with pulldown spray in Stainless

ADDITIONAL MODELS

157-155-CR Polished Chrome
157-155-ORB Oil Rubbed Bronze

FEATURES

- Solid brass body and all metal pulldown handspray
- Ceramic disc cartridge
- Color coded hot & cold supply lines
- Reversible mounting hardware adapts to thick or thin mounting surfaces
- 2.2 G.P.M. flow rate
- Installation in a 1-3/8" hole, remote lever in 1-3/8" hole

CODE/STANDARDS COMPLIANCE

ASME A112.18.1-2005
 IAPMO Listed

WARRANTY

Blanco America's Kitchen faucets in Chrome and Stainless feature a **LIMITED LIFETIME WARRANTY** to be free of all manufacturing defects under normal use. **5-YEAR LIMITED LIFETIME WARRANTY** on Oil Rubbed Bronze. See our complete warranty for details.

While Blanco America endeavors to provide accurate information, all dimensions are nominal, cannot be guaranteed, and are subject to change or cancellation. Blanco America assumes no responsibility for use of superseded or voided specifications.

PRODUCT SPECIFICATION

Kitchen faucet to include remote single lever handle with solid brass body, ceramic disc cartridge and all metal pulldown spray. Faucet dimensions to be as follows: Reach: 8-1/2"; Spout Height: 8-9/16". Hot and cold supply lines to be color coded. Reversible mounting hardware to adapt to thick or thin mounting surfaces. Kitchen faucet to be BLANCOTERRA™ Remote Single Lever with pulldown spray, Model 157-155-_____ in _____ finish.


- Stainless 157-155-ST
- Polished Chrome 157-155-CR
- Oil Rubbed Bronze 157-155-ORB



MODEL 157-155

NOMINAL DIMENSIONS

| MODEL | REACH | SPOUT HEIGHT | FAUCET HEIGHT |
|---------|-------|--------------|---------------|
| 157-155 | 8-1/2 | 8-9/16 | 15-15/16 |



See next page for exploded parts drawing and parts list.


JOB INFORMATION

Job Name: _____
 Contact: _____
 Date Specified: _____
 Specifier: _____
 Contractor: _____

BLANCO AMERICA
800.451.5782
www.blancoamerica.com

BLANCOTERRA™ REMOTE SINGLE LEVER

MODEL 157-155



| NUM. | PART # | DESCRIPTION |
|------|--------|----------------------|
| 1 | 01221 | PULL DOWN SPRAYER |
| 2 | 01276 | CARTRIDGE |
| 3 | 15108 | WASHER |
| 4 | 19748 | CAP, O'RING, SCREW |
| 5 | 19750 | TRADITIONAL LEVER |
| 6 | 19860 | EXT CONTROL VALVE |
| 7 | 19861 | TRAD HANDLE ESC |
| 8 | 19879 | EXT CONTROL SHANK |
| 9 | 20083 | 1-1/4"-NUT, THICK |
| 10 | 20087 | FLEX HOSE |
| 11 | 20088 | PULL DOWN KITCH HOSE |
| 12 | 20089 | WEIGHT |
| 13 | 20190 | FLEX HOSE |
| 14 | 20206 | UPPER NUT |
| 15 | 20207 | CARTRIDGE NUT |
| 16 | 91121 | SPOUT SWIVEL WASHER |
| 17 | 91347 | O'RING |
| 18 | 91648 | PULL DOWN SPRAY SEAT |
| 19 | 91794 | O'RING |
| 20 | 91925 | SPOUT SWIVEL BEARING |

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>