

## Overview

### What's New


- Intel® Mobile Pentium® III 1.0 GHz and 900 MHz processors

### At A Glance

- Intel Mobile Pentium III processor up to 1.0 GHz processors with Intel SpeedStep™ Technology in standard configurations
- Intel Celeron® 700 MHz processors
- Up to 15-inch TFT SXGA+ display
- All-in-One 3-spindle design
- Up to three batteries internal
- As little as 5.65 lb/2.56 kg and 1.6 in/4 cm thin
- 8-MB Video SDRAM
- User removable hard drive
- Integrated Mini PCI modem /NIC Combo
- Dual Install Microsoft® Windows® 2000/Windows NT® 4.0 or Windows 98
- Full-size keyboard
- Common docking solutions across the Armada™ E and M Series
- Industry-leading PC lifecycle solutions
- Protected by a one-year, worldwide limited warranty — Certain restrictions and exclusions apply. Consult the Compaq Customer Support Center for details.

### What's Special

- All in one 3-spindle design with integrated MultiBay and DualBay
- 5.65 lb/2.56 kg light
- 1.6 in/4 cm thin
- Common docking solutions across the Armada E and M Series
- Industry-leading PC lifecycle solutions
- 3 battery support



- |  |  |
|--|--|
| 1. Color display                             | 14. MultiBay (CD-ROM Drive/DVD-ROM Drive/CD-RW Drive secondary hard drive/ MultiBay Battery) |
| 2. Microphone                                | 15. Primary Hard Drive (under the Unit)  |
| 3. Lid Switch                                | 16. Dual Bay (Diskette Drive or second Primary Battery)                                      |
| 4. TV/Video out (NTSC/PAL)                   | 17. Touch Pad  |
| 5. Infrared Transceiver                      | 18. Stereo Speakers  |
| 6. Integrated RJ-11, 56K v.90 mini PCI modem | 19. Primary Battery  |
| 7. RJ-45 Ethernet Port on select models      | 20. Easy Access Internet Buttons   |
| 8. Cable Lock Connector                      | 21. Power Switch   |
| 9. Microphone-in/Headphone-out ports         | 22. Status LEDs  |
| 10. PC Card Slots (2)                        | 23. Suspend Button   |
| 11. Battery Power Light                      | 24. Display Latch  |
| 12. AC Power Light/Standby                   |  |
| 13. Volume control/mute                      |  |

**COMPAQ**

## Standard Features

<b>Processor and Panel</b> <i>One of the following:</i>	<p>15-inch color TFT SXGA+ with 1400 x 1050 resolution (up to 16.8M colors internal)</p> <p>1.0 GHz on Intel Mobile Pentium III processor</p> <p>850 MHz on Intel Mobile Pentium III processor</p> <p>14.1-inch color TFT XGA with 1024 x 768 resolution (up to 16.7M colors internal)</p> <p>900 MHz on Intel Mobile Pentium III processor</p> <p>800 MHz on Intel Mobile Pentium III processor</p> <p>700 MHz on Intel Mobile Pentium III processor</p> <p>700 MHz on Intel Mobile Celeron processor</p> <p>600 MHz on Intel Mobile Celeron processor</p> <p>13.3-inch color TFT XGA with 1024 x 768 resolution (up to 16.7M colors internal)</p> <p>800 MHz on Intel Mobile Pentium III processor</p> <p>700 MHz on Intel Mobile Pentium III processor</p> <p>700 MHz on Intel Mobile Celeron processor</p> <p>600 MHz on Intel Mobile Celeron processor</p> <p>12.1-inch color TFT/SVGA with 800x600 resolutions (up to 16.7M colors internal)</p> <p>700 MHz on Intel Mobile Pentium III processor</p> <p>600 MHz on Intel Mobile Pentium III processor</p> <p><b>NOTE:</b> Mobile Pentium III processors, 600MHz and above, feature Intel SpeedStep technology.</p> <p><b>NOTE:</b> Mobile Pentium III processors feature 256-KB integrated cache and Mobile Celeron Processors feature 128KB integrated cache.</p> <p><b>NOTE:</b> Configurations vary by region</p>
<b>Memory</b>	<p>Standard 128-MB or 64-MB 100 MHz SDRAM</p> <p>Maximum 512-MB 100 MHz SDRAM</p> <p><b>NOTE:</b> Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB memory modules to ensure compatibility.</p>
<b>Integrated Communications</b>	<p>User Upgradable – Type II Mini PCI</p> <p>Compaq Global Mini PCI 56K (V.90) Modem or</p> <p>Compaq 56K (V.90) Modem plus Intel PRO/100+ NIC</p> <p><b>NOTE:</b> Select models of the Armada E500 ship standard with a Compaq Global Mini PCI 56K (V.90) Modem Type II Mini PCI or with a Compaq 56K (V.90) plus Intel PRO/100+ Type II Mini PCI.</p> <p><b>NOTE:</b> Designed only to allow faster downloads from V.90 compliant sources. Maximum achievable download transmission rates currently do not reach 56 KB/s, and will vary with line conditions.</p> <p><b>NOTE:</b> Modem availability is subject to country regulatory approval.</p>
<b>Keyboard</b>	<p>102-key compatible keyboard with isolated, inverted-T cursor control keys, and right-control key, special feature hotkeys for instant access to power conservation, QuickLock/QuickBlank (ex: FN+F6), toggle between internal and external, or simultaneous displays, battery gauge, speaker volume control, brightness and contrast</p>
<b>Easy Access Internet Buttons</b>	<p>The Armada E500 comes with four Easy Access Internet Buttons allowing quick access to your most popular Internet sites, files and applications. The buttons come pre-set; however, they are user-customizable and designed to increase productivity by providing one-touch access.</p>
<b>Pointing Device</b>	<p>Touchpad with integrated pick buttons / "Double Tap" mouse-like buttons</p>
<b>PC Card Slots</b>	<p>Two Type II/One Type III PC Card Slot(s) which support both 32-bit Card Bus (Full support in Windows 9.x and Windows 2000) and 16-bit PC Cards; zoomed video support in bottom slot</p>

## Standard Features

<b>Storage</b>	Diskette Drives	1.44 MB	
	Optical Drives	CD-RW Drive	
	<i>One of the following:</i>	8X DVD-ROM Drive 24X CD-ROM Drive	
	Hard Drives		
	<i>One of the following:</i>	30-GB SMART 20-GB SMART 12-GB SMART 10-GB SMART 6-GB SMART 5-GB SMART	
	<hr/>		
	<b>Multimedia</b>	Compaq <i>Premiere Sound™</i> for enhanced stereo audio Integrated 16-bit Sound Blaster Pro-compatible stereo audio Integrated stereo speakers and microphone Software/hardware volume control Headphone-out Microphone-in Software MPEG1 support CD-RW Drive ( <i>on select models</i> ) 8X DVD-ROM Drive with DVD movie playback software ( <i>on select models</i> ) 24X CD-ROM Drive ( <i>on select models</i> ) RCA Composite TV-out port 2X AGP graphics 8-MB SDRAM	
<b>Interfaces</b>	PC Card	Two Type II/One Type III	
	Enhanced Parallel EPP/ECP	1	
	Serial Port	1	
	TV out connector NTSL/PAL	1	
	External Monitor	1	
	External Keyboard/ Pointing Device	1 Supports Y-cable in order to attach both Keyboard and Mouse simultaneously	
	Expansion Base	1	
	Headphone/Line-out	1	
	Microphone in	1	
	DC Power	1	
	RJ-11 (modem)	1 (Model dependent)	
	RJ-45 (NIC)	1 (Model dependent)	
	Infrared Port	1 (4 Mb/s support) (IrDA 4 MB compliant. IR performance will vary depending on performance of IR peripherals and application used.)	
	USB	1	
	LED status indicators	7	
<hr/>			
<b>Graphics</b>	ATI Mobility PRO, 64-bit video graphics with 8-MB SDRAM for increased color depth and graphics performance		
<hr/>			
<b>Operating System</b>	Dual Install Windows 2000/Windows NT 4.0 <b>NOTE:</b> On Dual Install systems, the end user must make a one-time selection at initial start up. End users who need to change to another Operating System (OS) other than the one originally selected must obtain a new license for that OS. Microsoft Windows 98		

## Standard Features

<b>Software</b>	<p>Compaq Insight Management Agents          Compaq Intelligent Manageability          Diagnostics for Windows 2000, 9.x or NT          DVD Solution          Compaq Power Management          Compaq Security Management          Online Safety and Comfort Guide          Fax Central for Windows 2000, 98 and NT          Acrobat Reader          Reference Guide</p>
<b>System Recovery</b>	<p>Each unit is shipped with a CD kit for quick recovery (erases hard disk and restores manufacturer installed image) and software recovery (installs only selected standard software).</p>
<b>Intelligent Manageability</b>	<p>Compaq Intelligent Manageability, a key component of PC Lifecycle Solutions, is the broad set of manageability features found on all Compaq <i>Deskpro</i>™ desktops, Armada portables, Professional Workstation, and <i>ProLiant</i>™ server products. These best-in-class features on PC clients comply with industry standards, such as DMI and Wired for Management, while pioneering new ground in client manageability. Compaq introduced the industry's first line of manageable clients in 1995 and has been driving the industry ever since. With Compaq's lifecycle management philosophy, enterprises have all of the pieces for end-to-end management and proven tools for hassle-free management of PCs and significantly lower total cost of ownership.</p> <p>Intelligent Manageability offers solutions in the areas of Initial Configuration and Deployment, Asset Tracking and Security, Software Updating and Management, and Fault Notification and Recovery. For more information, visit our website: <a href="http://www.compaq.com/im">http://www.compaq.com/im</a>. <b>NOTE:</b> This Web site is available in English only.</p>
<b>Security</b>	<p>Configuration Control Hardware          Memory Change Alert          Ownership Tag          Setup Password          Power-On Password          DriveLock          QuickLock          QuickBlank          Enabled for PC SmartCard options</p>
<b>Power Supply</b>	<p>External AC adapter; 6-foot power cord included. Total length including External AC adapter is 12 feet (3.66 Meters)</p>
<b>Battery</b>	<p>The Armada E500 provides over 3 hours of battery life using the standard 9-cell battery. Battery Life using an additional 9-cell battery in the DualBay is over 7 hours. Maximum battery life over 9.5 hours can be achieved using a 9-cell in the Primary Battery Bay and DualBay along with a 6-cell in the MultiBay.</p> <p><b>NOTE:</b> Actual results may vary with product model, configuration, and individual usage. When tested in standard configuration, using eTesting Labs Inc.'s BatteryMark™ Test version 4.0.1, the battery life of the Armada E500 will range up to 3.35 hours. Standard configuration at time of announce includes an Intel Pentium 1GHz processor, 15-inch SXGA+ panel (1050 x 1400 resolution), 128 MB RAM, 30GB HDD, CD-RW, 9-cell (1700mAh) battery, and combination NIC/modem. System parameters were set according to eTesting Labs Inc. recommendations: panel brightness 50%, hard drive, standby and video idle time 3 minutes, and Intel SpeedStep battery optimized mode. The same configuration achieved up to 7.3 hours with addition of a 9-cell battery and up to 9.93 hours with further addition of a third battery (6-cell) in the MultiBay.</p> <p><b>NOTE:</b> This test was performed without independent verification by eTesting Labs Inc. eTesting Labs Inc. makes no representations or warranties as to the result of the test. BatteryMark is a trademark of Ziff Davis Publishing Holdings Inc., and affiliate of eTesting Labs Inc., in the U.S. and other countries.</p>

---

## Standard Features


---

<b>Power Conservation</b>	<p>Intel SpeedStep Technology allows a Battery Optimized Mode where CPU draws 50 percent of normal power yet affords 70 to 80 percent of maximum PIII processing speed.</p> <p>Hibernation Instant-On via Standby Pop-ups with three presets One custom level of power conservation ACPI compliant</p> <p><b>NOTE:</b> For Pentium III 900MHz and 1GHz units, Compaq provides battery-optimized mode only while running on battery power.</p>
<b>MultiBay Devices</b>	<p>MultiBay devices may be swapped with the system powered on (hot) or in suspend mode (warm) under Windows 98 SE or Windows 2000 (except MultiBay Zip drive or MultiBay secondary hard drive). MultiBay devices can be swapped with system power off under any supported operating system.</p>
<b>DualBay Devices</b>	<p>Supports swapping with power or in suspend mode under Windows 9.x, Windows 2000 and NT4.0 Supports swapping with power or in suspend mode Diskette drive, Primary battery</p>
<b>Service and Support</b>	<p>Compaq Services includes a one-year, worldwide limited warranty, pick-up or carry-in, upgrade to on-site warranty or additional two-year warranty available and toll-free 7 x 24 hardware technical phone support.</p> <p><b>NOTE:</b> Certain restrictions and exclusions apply. Consult the Compaq Customer Support Center for details.</p>

## Standard Features

### Naming Convention

The Etymology of a Model name:



## Standard Features

---

### Models

#### UNITED STATES

---

<b>AE5P31000T5P30WC1298</b> 470011-577	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-622	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-648	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### UNITED STATES (continued)

---

AE5P3900T4P20DC12N2 470011-680	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

AE5P3900T4P20DC1298 470012-608 GEM/NAFTA	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

AE5P3900T4P20DC12N2 470012-611 GEM/NAFTA	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

### UNITED STATES (continued)

---

**AE5C1700T3X10DM6498**  
470010-829

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Modem
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	6-cell Li-Ion

---

**AE5C1700T3X10DM64N2**  
470010-832

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Modem
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

### Standard Features

---

#### CANADA

---

**AE5P31000T5P30WC1298**  
470011-579

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-623

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-649

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

**CANADA (continued)**

<b>AE5P3900T4P20DC12N2</b> 470011-681	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     128 MB SDRAM Maximum     512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem/10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470012-610 GEM/NAFTA	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     128 MB SDRAM Maximum     512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC12N2</b> 470012-613 GEM/NAFTA	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     128 MB SDRAM Maximum     512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### CANADA (continued)

---

<b>AE5C1700T3X10DM6498</b> 470010-935	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

---

<b>AE5C1700T3X10DM64N2</b> 470010-836	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### EUROPE

<b>AE5P31000T5P30WC1298</b> 470011-646	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	No modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30W12N2</b> 470011-647	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	No modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20D1298</b> 470011-711	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	No Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### EUROPE (continued)

<b>AE5P3900T4P20D12N2</b> 470011-712	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	No Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10D6498</b> 470011-065	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	no modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10D64N2</b> 470011-066	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	no modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### EUROPE (continued)

---

<b>AE5C1700T4X10D6498</b> 470010-809	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	no modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10D64N2</b> 470010-821	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	no modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10D6498</b> 470010-838	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	no modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### EUROPE (continued)

---

**AE5C1700T3X10D64N2**  
470010-839

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	no modem
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion



## Standard Features

---

### UNITED KINGDOM

<b>AE5P31000T5P30WC1298</b> 470011-582	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-624	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-650	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### UNITED KINGDOM (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-682	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-747	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-823	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### UNITED KINGDOM (continued)

<b>AE5C1700T4X10DC6498</b> 470010-837	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-914	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-841	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### UNITED KINGDOM (continued)

---

**AE5C1700T3X10DC64N2**  
470010-842

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### GERMANY

**AE5P31000T5P30WC1298**  
470011-583

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-625

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-651

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**GERMANY** (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-683	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-748	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-825	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### GERMANY (continued)

<b>AE5C1700T4X10DC6498</b> 470010-849	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-918	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-843	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### GERMANY (continued)

---

**AE5C1700T3X10DC64N2**  
470010-844

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion



## Standard Features

---

### FRANCE

<b>AE5P31000T5P30WC1298</b> 470011-584	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     128 MB SDRAM Maximum     512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-626	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     128 MB SDRAM Maximum     512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-652	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     128 MB SDRAM Maximum     512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### FRANCE (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-684	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-749	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-827	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**FRANCE** (continued)

---

<b>AE5C1700T4X10DC6498</b> 470010-854	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-919	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-845	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### FRANCE (continued)

---

**AE5C1700T3X10DC64N2**  
470010-846

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### ITALY

---

**AE5P31000T5P30WC1298**  
470011-585

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-627

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-654

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

ITALY (continued)

---

<b>AE5P3900T4P20DC12N2</b> 470011-749	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-751	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-830	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

ITALY (continued)

<b>AE5C1700T4X10DC6498</b> 470010-858	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-920	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-847	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### ITALY (continued)

---

**AE5C1700T3X10DC64N2**  
470010-848

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion



## Standard Features

---

### SPAIN

<b>AE5P31000T5P30WC1298</b> 470011-587	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-628	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-656	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**SPAIN (continued)**

<b>AE5P3900T4P20DC12N2</b> 470011-685	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-753	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-831	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**SPAIN (continued)**

<b>AE5C1700T4X10DC6498</b> 470010-868	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-921	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-850	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### SPAIN (continued)

---

**AE5C1700T3X10DC64N2**  
470010-851

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

### Standard Features

---

#### DENMARK

---

**AE5P31000T5P30WC1298**  
470011-589

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-629

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-658

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### DENMARK (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-686	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-755	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-833	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### DENMARK (continued)

<b>AE5C1700T4X10DC6498</b> 470010-871	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-922	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-852	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### DENMARK (continued)

---

**AE5C1700T3X10DC64N2**  
470010-853

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion



## Standard Features

---

### NORWAY

---

**AE5P31000T5P30WC1298**  
470011-608

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-630

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-659

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### NORWAY (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-687	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-759	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-834	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### NORWAY (continued)

<b>AE5C1700T4X10DC6498</b> 470010-873	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq Premier•Sound
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-923	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq Premier•Sound
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-855	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq Premier•Sound
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### NORWAY (continued)

---

**AE5C1700T3X10DC64N2**  
470010-857

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### SWEDEN/FINLAND

---

<b>AE5P31000T5P30WC1298</b> 470011-609	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-631	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-660	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

### Standard Features

---

**SWEDEN/FINLAND (continued)**

---

<b>AE5P3900T4P20DC12N2</b> 470011-688	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-760	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-835	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

### Standard Features

---

#### SWEDEN/FINLAND (continued)

---

<b>AE5C1700T4X10DC6498</b> 470010-874	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-924	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-860	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### SWEDEN/FINLAND (continued)

---

**AE5C1700T3X10DC64N2**  
470010-861

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion



## Standard Features

---

### PORTUGAL

---

<b>AE5P31000T5P30WC1298</b> 470011-610	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-632	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-661	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### PORTUGAL (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-689	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-779	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-840	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### PORTUGAL (continued)

<b>AE5C1700T4X10DC6498</b> 470010-875	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-925	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-862	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### PORTUGAL (continued)

---

**AE5C1700T3X10DC64N2**  
470010-863

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### BELGIUM – FR/NL

<b>AE5P31000T5P30WC1298</b> 470011-611	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard    128 MB SDRAM Maximum    512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-633	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard    128 MB SDRAM Maximum    512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-662	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard    128 MB SDRAM Maximum    512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### BELGIUM – FR/NL (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-690	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-787	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-856	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

### Standard Features

---

#### BELGIUM – FR/NL (continued)

---

<b>AE5C1700T4X10DC6498</b> 470010-876	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-926	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-916	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### BELGIUM – FR/NL (continued)

---

**AE5C1700T3X10DC64N2**  
470010-917

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion



### Standard Features

---

#### SWISS 1-FR/GR/US

---

AE5P31000T5P30WC12N2 470011-634	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

AE5P3900T4P20DC12N2 470011-691	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

AE5P3800T3X10DC64N2 470010-859	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### SWISS 1-FR/GR/US (continued)

---

**AE5C1700T4X10DC64N2**  
470010-927

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5C1700T3X10DC64N2**  
470010-867

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

### Standard Features

---

#### SWISS 2-FR/GR/IT

---

AE5P31000T5P30WC12N2 470011-635	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

AE5P3900T4P20DC12N2 470011-692	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

AE5P3800T3X10DC64N2 470011-056	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### SWISS 2-FR/GR/IT (continued)

---

<b>AE5C1700T4X10DC64N2</b> 470011-059	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC64N2</b> 470011-060	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### SWISS - FR/GR/GB/IT

<b>AE5P31000T5P30WC1298</b> 470011-747	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-748	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470011-171	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### SWISS - FR/GR/GB/IT (continued)

---

**AE5C1700T4X10DC6498**  
470011-172

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5C1700T3X10DC6498**  
470011-173

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### NETHERLANDS

<b>AE5P31000T5P30WC1298</b> 470011-612	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-636	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-663	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### NETHERLANDS (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-694	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-800	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-864	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

### NETHERLANDS (continued)

---

<b>AE5C1700T4X10DC6498</b> 470010-889	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-928	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-877	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### NETHERLANDS (continued)

---

**AE5C1700T3X10DC64N2**  
470010-878

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

### Standard Features

---

#### HUNGRY

---

**AE5P31000T5P30WC1298**  
470011-613

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-637

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-664

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

### Standard Features

---

**HUNGARY (continued)**

---

<b>AE5P3900T4P20DC12N2</b> 470011-695	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-803	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-865	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

### Standard Features

---

#### HUNGARY (continued)

---

<b>AE5C1700T4X10DC6498</b> 470010-893	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-929	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-879	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### HUNGARY (continued)

---

**AE5C1700T3X10DC64N2**  
470010-880

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### TURKEY

---

**AE5P31000T5P30WC1298**  
470011-614

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-638

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-665

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### TURKEY (continued)

---

<b>AE5P3900T4P20DC12N2</b> 470011-696	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-808	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-866	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

### TURKEY (continued)

---

<b>AE5C1700T4X10DC6498</b> 470010-897	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-930	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-881	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### TURKEY (continued)

---

**AE5C1700T3X10DC64N2**  
470010-882

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

### Standard Features

---

#### CZECH REPUBLIC

---

**AE5P31000T5P30WC1298**  
470011-615

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-639

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-666

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### CZECH REPUBLIC (continued)

---

<b>AE5P3900T4P20DC12N2</b> 470011-697	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-810	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-869	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

### Standard Features

---

#### CZECH REPUBLIC (continued)

---

**AE5C1700T4X10DC6498**  
470010-901

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5C1700T4X10DC64N2**  
470010-931

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5C1700T3X10DC6498**  
470010-885

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	6-cell Li-Ion

---

## Standard Features

---

### CZECH REPUBLIC (continued)

---

**AE5C1700T3X10DC64N2**  
470010-886

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### POLAND/GREEK/ISRAEL

<b>AE5P31000T5P30WC1298</b> 470011-616	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-640	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-667	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### POLAND/GREEK/ISRAEL (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-698	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-811	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-870	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

### POLAND/GREEK/ISRAEL (continued)

<b>AE5C1700T4X10DC6498</b> 470010-905	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq Premier•Sound
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-932	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq Premier•Sound
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-890	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq Premier•Sound
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### POLAND/GREEK/ISRAEL (continued)

---

AE5C1700T3X10DC64N2 470010-892	<b>Display</b>	13.3-inch color TFT XGA	
	<b>Processor</b>	Intel Celeron 700 MHz	
	<b>Cache Memory</b>	128-KB integrated	
	<b>Memory</b>	Standard	64 MB
		Maximum	512 MB
	<b>Pointing Device</b>	Touch-pad	
	<b>Optical Drive</b>	CD-ROM Drive IDE	
	<b>Hard Drive</b>	10-GB SMART	
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo	
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM	
	<b>Audio</b>	Compaq <i>Premier•Sound</i>	
	<b>Software</b>	Windows 2000 / Windows NT 4.0	
	<b>Battery</b>	6-cell Li-Ion	

### Standard Features

---

#### RUSSIAN/SLOVAK/SLEVNIAN

---

<b>AE5P3800T3X10DC6498</b> 470010-813	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470010-872	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC6498</b> 470010-908	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### RUSSIAN/SLOVAK/SLEVNIAN (continued)

---

AE5P31000T5P30WC1298 470011-617	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

AE5P31000T5P30WC12N2 470011-641	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

AE5P3900T4P20DC1298 470011-668	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### RUSSIAN/SLOVAK/SLEVNIAN (continued)

---

<b>AE5P3900T4P20DC12N2</b> 470011-699	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-933	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-894	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### RUSSIAN/SLOVAK/SLEVNIAN (continued)

---

AE5C1700T3X10DC64N2 470010-895	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard      64 MB Maximum      512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### MIDDLE EAST

<b>AE5P31000T5P30WC1298</b> 470011-618	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-642	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-670	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### MIDDLE EAST (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-700	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC6498</b> 470010-816	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T3X10DC64N2</b> 470011-057	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

### MIDDLE EAST (continued)

<b>AE5C1700T4X10DC6498</b> 470010-911	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T4X10DC64N2</b> 470010-934	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-898	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### MIDDLE EAST (continued)

---

**AE5C1700T3X10DC64N2**  
470010-899

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard     64 MB Maximum     512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### Japan- JPN

---

AE5P3900T4P20DC1298  
470011-671

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

AE5P3900T4P20DC12N2  
470011-701

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### Japan- ENG

AE5P3900T4P20DC1298  
470011-672

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

AE5P3900T4P20DC12N2  
470011-702

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### LTNA

**AE5P3900T4P20DC1298**  
470011-673

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC12N2**  
470011-703

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-713  
GEM/NAFTA

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### LTNA (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-714 GEM/NAFTA	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T4X20DC6498</b> 470011-047	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T4X20DC64N2</b> 470011-048	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### LTNA (continued)

---

<b>AE5P3800T4X20DC6498</b> 470010-757 GEM/NAFTA	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T4X20DC64N2</b> 470010-758 GEM/NAFTA	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T2S10DC6498</b> 470010-750	<b>Display</b>	12.1-inch color TFT SVGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### LTNA (continued)

---

<b>AE5P3700T2S10DC64N2</b> 470010-752	<b>Display</b>	12.1-inch color TFT SVGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T2S10DC6498</b> 470010-754 GEM/NAFTA	<b>Display</b>	12.1-inch color TFT SVGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T2S10DC64N2</b> 470010-756 GEM/NAFTA	<b>Display</b>	12.1-inch color TFT SVGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

### BRAZIL

<b>AE5P3900T4P20DC1298</b>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC12N2</b>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3800T4X20DC6498</b>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### BRAZIL (continued)

<b>AE5P3800T4X20DC64N2</b>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T2S10DC6498</b>	<b>Display</b>	12.1-inch color TFT SVGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T2S10DC64N2</b>	<b>Display</b>	12.1-inch color TFT SVGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### APD

<b>AE5P31000T5P30WC1298</b> 470011-619	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-643	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-674	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

### Standard Features

---

#### APD (continued)

---

<b>AE5P3900T4P20DC12N2</b> 470011-704	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T3X10VC6498</b> 470011-049	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	DVD-ROM
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T3X10VC64N2</b> 470011-050	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	DVD-ROM
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### APD (continued)

---

<b>AE5C1700T3X10DC6498</b> 470012-575	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

---

<b>AE5C1700T3X10DC64N2</b> 470012-576	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### AUSTRALIA

---

<b>AE5P31000T5P30WC1298</b> 470011-620	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P31000T5P30WC12N2</b> 470011-644	<b>Display</b>	15.0-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 1.0 GHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-RW Drive IDE
	<b>Hard Drive</b>	30-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3900T4P20DC1298</b> 470011-675	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### AUSTRALIA (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-705	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T3X10VC6498</b> 470011-051	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	DVD-ROM
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T3X10VC64N2</b> 470011-052	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	DVD-ROM
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### AUSTRALIA (continued)

**AE5C1700T3X10DC6498**  
470010-906

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	6-cell Li-Ion

---

**AE5C1700T3X10DC64N2**  
470010-907

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion



## Standard Features

---

### KOREA

---

**AE5P31000T5P30WC1298**  
470011-621

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P31000T5P30WC12N2**  
470011-645

<b>Display</b>	15.0-inch color TFT XGA
<b>Processor</b>	Intel Pentium 1.0 GHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-RW Drive IDE
<b>Hard Drive</b>	30-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC1298**  
470011-676

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### KOREA (continued)

<b>AE5P3900T4P20DC12N2</b> 470011-706	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium 900 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T3X10VC6498</b> 470011-053	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	DVD-ROM
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5P3700T3X10VC64N2</b> 470011-054	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	DVD-ROM
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

### KOREA (continued)

---

**AE5C1700T3X10DC6498**  
470010-909

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq Premier•Sound
<b>Software</b>	Windows 98SE
<b>Battery</b>	6-cell Li-Ion

---

**AE5C1700T3X10DC64N2**  
470010-910

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq Premier•Sound
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	6-cell Li-Ion

---

### Standard Features

---

#### PRC

**AE5P3900T4P20DC1298**  
470011-677

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC12N2**  
470011-708

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3800T3X20DC6498**  
470010-883

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Pentium III 800 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

PRC (continued)

---

<b>AE5P3800T3X20DC64N2</b> 470010-888	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000 / Windows NT 4.0
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5C1700T3X10DC6498</b> 470010-912	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 700 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

### Standard Features

---

#### TAIWAN

---

**AE5P3900T4P20DC1298**  
470011-678

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC12N2**  
470011-709

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3800T3X20DC6498**  
470010-884

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Pentium III 800 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

## Standard Features

---

### TAIWAN (continued)

**AE5P3800T3X20DC64N2**  
470010-891

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Pentium III 800 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5C1700T3X10DC6498**  
470010-913

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### HONG KONG

**AE5P3900T4P20DC1298**  
470011-679

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3900T4P20DC12N2**  
470011-710

<b>Display</b>	14.1-inch color TFT XGA
<b>Processor</b>	Intel Pentium 900 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 128 MB SDRAM Maximum 512 MB SDRAM
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5P3800T3X20DC6498**  
470010-887

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Pentium III 800 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

### HONG KONG (continued)

---

**AE5P3800T3X20DC64N2**  
470010-896

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Pentium III 800 MHz
<b>Cache Memory</b>	256-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	20-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 2000 / Windows NT 4.0
<b>Battery</b>	9-cell Li-Ion

---

**AE5C1700T3X10DC6498**  
470010-915

<b>Display</b>	13.3-inch color TFT XGA
<b>Processor</b>	Intel Celeron 700 MHz
<b>Cache Memory</b>	128-KB integrated
<b>Memory</b>	Standard 64 MB Maximum 512 MB
<b>Pointing Device</b>	Touch-pad
<b>Optical Drive</b>	CD-ROM Drive IDE
<b>Hard Drive</b>	10-GB SMART
<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
<b>Audio</b>	Compaq <i>Premier•Sound</i>
<b>Software</b>	Windows 98SE
<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

### COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS

---

<b>AE5 P3850T5P20V12898</b> 179856-XX1	<b>Display</b>	15-inch color TFT SXGA+
	<b>Processor</b>	Intel Pentium III 850 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	8X DVD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	None
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion
	<hr/>	
<b>AE5 P3850T5P20VC12898</b> 179858-XX1	<b>Display</b>	15-inch color TFT SXGA+
	<b>Processor</b>	Intel Pentium III 850 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	8X DVD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion
	<hr/>	
<b>AE5 P3850T5P20V128N2</b> 179856-XX8	<b>Display</b>	15-inch color TFT SXGA+
	<b>Processor</b>	Intel Pentium III 850 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	8X DVD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	None
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/Windows NT4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 P3850T5P20VC128N2</b> <i>179858-XX8</i>	<b>Display</b>	15-inch color TFT SXGA+
	<b>Processor</b>	Intel Pentium III 850 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	8X DVD-ROM Drive IDE
	<b>Hard Drive</b>	20-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 P3800T4X10D6498</b> <i>179853-xx1</i>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	None
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 P3800T4X10DC6498</b> <i>179855-XX1</i>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 P3800T4X10D64N2</b> <i>179853-XX8</i>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	None
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 P3800T4X10DC64N2</b> <i>179855-XX8</i>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 800 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	10-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 P3700T4X12DC64N2</b> <i>179849-xx8</i>	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	12-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/Windows NT 4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 P3700T4X12D6498</b> 179847-xx1	<b>Display</b>	14.1-inch color TFT XGA	
	<b>Processor</b>	Intel Pentium III 700 MHz	
	<b>Cache Memory</b>	256-KB integrated	
	<b>Memory</b>	Standard	64 MB
		Maximum	512 MB
	<b>Pointing Device</b>	Touch-pad	
	<b>Optical Drive</b>	24X CD-ROM Drive IDE	
	<b>Hard Drive</b>	12-GB SMART	
	<b>Modem</b>	None	
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM	
	<b>Audio</b>	Compaq <i>Premier•Sound</i>	
	<b>Software</b>	Windows 98SE	
	<b>Battery</b>	9-cell Li-Ion	
<b>AE5 P3700T4X12D64N2</b> 179847-xx8	<b>Display</b>	14.1-inch color TFT XGA	
	<b>Processor</b>	Intel Pentium III 700 MHz	
	<b>Cache Memory</b>	256-KB integrated	
	<b>Memory</b>	Standard	64 MB
		Maximum	512 MB
	<b>Pointing Device</b>	Touch-pad	
	<b>Optical Drive</b>	24X CD-ROM Drive IDE	
	<b>Hard Drive</b>	12-GB SMART	
	<b>Modem</b>	None	
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM	
	<b>Audio</b>	Compaq <i>Premier•Sound</i>	
	<b>Software</b>	Windows 2000/Windows NT 4.0 (Dual Install)	
	<b>Battery</b>	9-cell Li-Ion	
<b>AE5 P3700T4X12DC6498</b> 179849-xx1	<b>Display</b>	14.1-inch color TFT XGA	
	<b>Processor</b>	Intel Pentium III 700 MHz	
	<b>Cache Memory</b>	256-KB integrated	
	<b>Memory</b>	Standard	64 MB
		Maximum	512 MB
	<b>Pointing Device</b>	Touch-pad	
	<b>Optical Drive</b>	24X CD-ROM Drive IDE	
	<b>Hard Drive</b>	12-GB SMART	
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo	
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM	
	<b>Audio</b>	Compaq <i>Premier•Sound</i>	
	<b>Software</b>	Windows 98SE	
	<b>Battery</b>	9-cell Li-Ion	

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

AE5 P3700T3X5D6498 212327-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3700T3X5D64N2 212327-XX8	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3700T3X5DM6498 212281-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

AE5 P3700T3X5DM64N2 212281-XX8	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

---

AE5 P3700T3X5DM6498 212281-XX3 (NAFTA)	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

---

AE5 P3700T3X5DM64N2 212281-XX9 (NAFTA)	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

### Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 P3700T3X5DC6498</b> 212282-XX1	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE

---

<b>AE5 P3700T3X5DC64N2</b> 212282-XX8	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 700 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 C1600T4X5D6498</b> 202850-XX1	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	None
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion



## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

AE5 C1600T4X5D64N2 202850-XX8	Display	14.1-inch color TFT XGA	
	Processor	Intel Celeron 600 MHz	
	Cache Memory	128-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	None	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 2000/ Windows NT4.0 (Dual Install)	
	Battery	9-cell Li-Ion	

---

AE5 C1600T4X5DM6498 202852-XX1	Display	14.1-inch color TFT XGA	
	Processor	Intel Celeron 600 MHz	
	Cache Memory	128-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 Modem	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 98SE	
	Battery	9-cell Li-Ion	

---

AE5 C1600T4X5DM64N2 202852-XX8	Display	14.1-inch color TFT XGA	
	Processor	Intel Celeron 600,MHz	
	Cache Memory	128-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 Modem	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 2000/ Windows NT4.0 (Dual Install)	
	Battery	9-cell Li-Ion	

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 C1600T4X5DM6498</b> 202852-XX3 (NAFTA)	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion
	<hr/>	
<b>AE5 C1600T4X5DM64N2</b> 202852-XX9 (NAFTA)	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion
	<hr/>	
<b>AE5 C1600T4X5DC6498</b> 202853-XX1	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 C1600T4X5DC64N2</b> 202853-XX8	<b>Display</b>	14.1-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 C1600T3X5D6498</b> 202803-XX1	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	None
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

---

<b>AE5 C1600T3X5D64N2</b> 202803-XX8	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	None
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 C1600T3X5DM6498</b> 202802-XX1	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion
	<hr/>	
<b>AE5 C1600T3X5DM64N2</b> 202802-XX8	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 2000/ Windows NT4.0 (Dual Install)
	<b>Battery</b>	6-cell Li-Ion
	<hr/>	
<b>AE5 C1600T3X5DM6498</b> 202802-XX3 (NAFTA)	<b>Display</b>	13.3-inch color TFT XGA
	<b>Processor</b>	Intel Celeron 600 MHz
	<b>Cache Memory</b>	128-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 Modem
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98SE
	<b>Battery</b>	6-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

AE5 C1600T3X5DM64N2 202802-XX8 (NAFTA)	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	6-cell Li-Ion

---

AE5 C1600T3X5DC6498 202804-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

---

AE5 C1600T3X5DC64N2 202804-XX8	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	6-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 P3600T2S5DC6498</b> 207063-xx1	<b>Display</b>	12.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 600 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 P3600T2S5DC6498</b> 207063-xx3 NAFTA	<b>Display</b>	12.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 600 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 98
	<b>Battery</b>	9-cell Li-Ion

---

<b>AE5 P3600T2S5DC64N2</b> 207063-xx8	<b>Display</b>	12.1-inch color TFT XGA
	<b>Processor</b>	Intel Pentium III 600 MHz
	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard     64 MB Maximum     512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 200 / Windows NT 4.0 (Dual install)
	<b>Battery</b>	9-cell Li-Ion

## Standard Features

---

**COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS** *(continued)*

---

<b>AE5 P3600T2S5DC64N2</b>	<b>Display</b>	12.1-inch color TFT XGA
<i>207063-xx8</i>	<b>Processor</b>	Intel Pentium III 600 MHz
NAFTA	<b>Cache Memory</b>	256-KB integrated
	<b>Memory</b>	Standard 64 MB Maximum 512 MB
	<b>Pointing Device</b>	Touch-pad
	<b>Optical Drive</b>	24X CD-ROM Drive IDE
	<b>Hard Drive</b>	5-GB SMART
	<b>Modem</b>	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	<b>Graphics</b>	64-bit video graphics with 8-MB SDRAM
	<b>Audio</b>	Compaq <i>Premier•Sound</i>
	<b>Software</b>	Windows 200 / Windows NT 4.0 (Dual install)
	<b>Battery</b>	9-cell Li-Ion

## Options

Memory	256-MB Memory Upgrade	161554-B21
	<b>NOTE:</b> Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB Memory modules to ensure compatibility.	
	128-MB Memory Upgrade	400313-B21
	64-MB Memory Upgrade	400312-B21
	32-MB Memory Upgrade	400311-B21
Monitors	TFT8020 Flat Panel Color 18-inch (Carbon)	159244-xxx
	TFT5010 Flat Panel Color 15-inch (Carbon)	154486-xxx
	S710 17-inch CRT (Carbon)	154499-002
	S510 15-inch CRT (Carbon)	168636-002
MultiBay Hard Drives	30-GB SMART Hard Drive	212791-B25
	20-GB SMART Hard Drive	212790-B25
	10-GB SMART Hard Drive	212789-B25
MultiBay Storage Devices	CD-RW Drive	136186-B25
	8X DVD-ROM Drive	138230-B25
	24X CD-ROM Drive	298452-B25
	2X SuperDisk LS-120	197895-B25
	Zip 250 Drive	217387-B25
	IBM® 1-GB Microdrive	217390-B25
Connectivity	Compaq M420 56K Global Modem PC Card	317900-001
	10/100 TX PC Card UTP Controller	335506-B21
	100BaseTX Ethernet Upgrade	225435-001
	1394 PC Card	177593-B25
	Compaq 56K (V.90) Modem plus Intel PRO/100+ Type II Mini PCI Card (NA)	149373-001
	Compaq 56K (V.90) Modem plus Intel PRO/100+ Type II Mini PCI Card (Int'l)	149373-B31
	Compaq Global Mini PCI 56K (V.90) Modem Type II Mini PCI Card (Int'l)	149374-B31
	For additional compatible PC Cards, view the Compaq PC Card Solutions List on the Compaq Web site at: <a href="http://www.compaq.com/support/techpubs/pcmclia/">http://www.compaq.com/support/techpubs/pcmclia/</a> . <b>NOTE:</b> This website is available in English only.	
	<b>NOTE:</b> Designed only to allow faster downloads from V.90 compliant sources. Maximum achievable download transmission rates currently do not reach 56 KB/s, and will vary with line conditions.	
	<b>NOTE:</b> Modem availability is subject to country regulatory approval	
Wireless Connectivity	Compaq WL100 11 Mb/s Wireless LAN PC Card	146927-001
	Compaq WL400 11 Mb/s Wireless LAN Hardware Access Point	158603-001
	Compaq WL300 Software Access Point 11Mb/s	157209-B21
	<b>NOTE:</b> For more information on Compaq WLAN Wireless LAN solutions visit: <a href="http://www.compaq.com/products/wlan/wl100-specifications.html">http://www.compaq.com/products/wlan/wl100-specifications.html</a> . <b>NOTE:</b> This website is available in English only.	



## Options

<b>Expansion Bases</b>	ArmadaStation EM	383500-xx1
	ArmadaStation EM With Intel NIC	120266-xx1
	ArmadaStation EM With 3Com NIC	120264-xx1
	ArmadaStation Tower Stand	123129-B25
	Convenience Base EM	382500-xx1
	Convenience Base EM With Intel NIC	120971-xx1
	Convenience Base EM With 3Com NIC	120970-xx1
	Convenience Base Monitor Cover	122931-xx1
	Port Replicator EM	382300-xx1
	PCI IBM Token Ring Card	133749-B21
	PCI Cardbus Reader	127397-B25
	<b>NOTE:</b> ArmadaStation Tower Stand is not supported on 15-inch Panel models.	
<b>Power</b>	Primary Battery (9-cell)	146252-B25
	<b>NOTE:</b> For Armada E500, primary battery can also be used as a second battery in the E500 DualBay.	
	<b>Common Armada Power Solutions – Armada E500, Armada M300 and Armada M700</b>	
	MultiBay Battery (6-cell)	387937-B25
	External Battery Charger	135555-xxx
	AC Adapter 50W	120765-xxx
	Auto Power Adapter/ Charger	401043-B25
	Aircraft Power Adapter	386504-B21
	AC Line Cord (10-ft)	217932-xx2
<b>Input Devices</b>	External Enhanced III Keyboard (Carbon)	118003-xx8
	Compaq 2 Button Mouse (Carbon)	103180-B21
	USB 2 Button Mouse (Carbon)	195255-B25
	External 10-Key Numeric Keypad (carbon)	294317-B21
	USB Keyboard (Carbon)	233652-B25
<b>Security</b>	Biometric PC Card	146805-B25
	Security Cable Lock	294316-B21
	Compaq Smart Card PC Card Reader	135646-B25
<b>Useful Accessories</b>	Compaq Armada Headset with microphone	220460-001
	MP1400 Microportable Projector	174626-xx4
	MP1800 Microportable Projector	180226-xx1
	MP2800 Microportable Projector	180228-xx1
	Multimedia Adapter & Remote Kit ( <i>comes with the MP1800</i> )	174963-001
	MP1600 Video Adapter	116298-001
	MP1600 Lamp replacement kit	118052-001
	MP1800/1400 Lamp replacement kit	189789-001
MP2800 Lamp replacement kit	215464-001	

## Options

---

Carrying Cases	Compaq Value Case	294266-B21
	Compaq Workstation Case	294267-B21
	Compaq Global Case	294268-B21
	Compaq Professional Case (nylon)	401366-B21
	Compaq Professional Case (leather)	401367-B21
	Armada M300 and Armada M700 specific	
	Compaq M Series Portfolio Case	167337-B21
	Compaq Ultralight Case	167336-B21

**NOTE:** For additional information visit <http://www.compaq.com/products/notebooks/>

**NOTE:** This website is available in English only.

## Memory

### Compaq Armada E500

#### STANDARD MEMORY

64-MB 100-MHz SDRAM installed in 1 slot

Memory		Slot 1	Slot 2
Standard	64 MB	64 MB	Empty

#### STANDARD MEMORY PLUS OPTIONAL MEMORY

Support for up to 320-MB of SDRAM is available with the installation of an optional memory upgrade.

Memory		Slot 1	Slot 2
Up To	96 MB	64 MB	32 MB
	128 MB	64 MB	64 MB
	192 MB	64 MB	128 MB
	320 MB	64 MB	256 MB

#### OPTIONAL MEMORY

Support for up to 512-MB of SDRAM memory is available with the removal of the standard 64-MB SDRAM memory Upgrade and the installation of optional SDRAM memory Kits.

Memory		Slot 1	Slot 2
Up To	160 MB	128 MB	32 MB
	192 MB	128 MB	64 MB
	256 MB	128 MB	128 MB
	512 MB	256 MB	256 MB


**NOTE:** Because one memory slot is occupied on these products, the 64-MB SDRAM memory (which ships standard) must be removed to reach the maximum memory of 512-MB. This chart does not represent all possible memory configurations.

Following are memory options available from Compaq:

- 256-MB (100-MHz) Memory Upgrade      161554-B21
- 128-MB (100-MHz) Memory Upgrade      400313-B21
- 64-MB (100-MHz) Memory Upgrade      400312-B21
- 32-MB (100-MHz) Memory Upgrade      400311-B21

**NOTE:** Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB memory modules to ensure compatibility.

## Storage



1. MultiBay
2. Primary Hard Drive
3. Dual Bay

### DRIVE SUPPORT

System Drive Support	Quantity Supported	Drive Bay Supported
<b>Removable Media</b>		
1.44-MB Diskette Drive	1	DualBay
CD-RW Drive	1	MultiBay
8X DVD-ROM Drive	1	MultiBay
24X CD-ROM Drive	1	MultiBay
2X SuperDisk LS-120	1	MultiBay
<b>Hard Drives</b>		
30-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
20-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
18-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
12-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
10-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
6-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
5-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay

## Technical Specifications

<b>System Unit</b>	<b>Dimensions (H x W x D)</b>	15 -inch TFT panel display models	12.5 X 10.1 X 1.7 in/31.7 x 25.7 x 4.3 cm
		14.1-inch TFT and lower panel display models	12.4 x 9.99 x 1.6 in/31.5 x 25.3 x 4.1 cm
<b>Weight</b>		15-inch TFT panel display and modem models	6 to 7.2 lbs/2.73 to 3.27kg
		14.1-inch TFT panel display and modem models	5.9 to 7.0 lbs/2.68 to 3.18 kg.
		13.3-inch TFT panel display and modem models	5.7 to 6.8 lbs/2.59 to 3.08 kg.
		12.1-inch TFT panel display and modem models	5.65 to 6.75 lbs/2.56 to 3.06 kg.
<b>Stand-Alone Power Requirements</b>		Nominal Operating Voltage (Li-Ion)	10.8 V
		Average Operating Power	15W average
		Peak Operating Power	30W peak
<b>Power Supply</b>		Rated Input Voltage	90 to 264 VAC (auto-switching)
		Rated Input Current	< 60W
		Rated Frequency	47 to 63 Hz
<b>Temperature</b>		Operating	50° to 95°F/10° to 35°C
		Non-operating	-4° to 140°F /-20° to 60°C
<b>Relative Humidity</b>		Operating	10% to 90% relative humidity, non-condensing
		Non-operating	5% to 95% relative humidity, 101.6°F/38.7°C Maximum wetbulb temperature
<b>Shock</b>		Operating	10 G, 11 ms, half-sine
		Non-operating	60 G, 11 ms, half-sine
<b>Vibration</b>		Operating	0.5 G zero-to-peak, 10 to 500 Hz, 0.25 oct/min sweep rate
		Non-operating	1 G, zero-to-peak, 10 to 500 Hz, 0.5 oct/min sweep rate
<b>Maximum Altitude (unpressurized)</b>		Operating	0 to 10,000 ft/0 to 3,048 m
		Non-operating	0 to 30,000 ft/0 to 9,144 m

## Technical Specifications

<b>15-Inch Color TFT SXGA+ Display</b>	<b>Viewable Dimensions (H x W)</b>	11.97 x 8.98 in/304.1 x 228.1 mm		
	<b>Diagonal Size</b>	15.0 in/380.1 mm		
	<b>Number of Colors</b>	Up to 16.8M		
	<b>Contrast Ratio</b>	150:1		
	<b>Brightness</b>	100 nit min, 120 nit typ		
	<b>Pixel Resolution</b>			
	<b>Pixel Resolution</b>	Pitch	0.2175 x 0.2175 mm	
		Format	1400 x 1050	
		Configuration	RGB stripe	
	<b>Backlight</b>	Edge Lit		
<b>Total Power Consumption</b>	5.25W			

<b>14.1-Inch Color TFT XGA Display</b>	<b>Viewable Dimensions (H x W)</b>	11.22 x 8.46 in/28.5 x 21.5 cm		
	<b>Diagonal Size</b>	14.1 in/35.81 cm		
	<b>Number of Colors</b>	Up to 16.8M		
	<b>Contrast Ratio</b>	150:1		
	<b>Brightness</b>	120nt min, 150nt typ		
	<b>Pixel Resolution</b>			
	<b>Pixel Resolution</b>	Pitch	0.264 x 0.264 mm	
		Format	1024 x 768	
		Configuration	RGB stripe	
	<b>Backlight</b>	Edge Lit		
<b>Total Power Consumption</b>	4.2W			

<b>13.3-Inch Color TFT XGA Display</b>	<b>Viewable Dimensions (H x W)</b>	7.9 x 10.6 in/20.1 x 26.9 cm		
	<b>Diagonal Size</b>	13.3 in/33.8 cm		
	<b>Number of Colors</b>	Up to 16.8M		
	<b>Contrast Ratio</b>	Minimum 100:1		
	<b>Brightness</b>	120nt min, 150nt typ		
	<b>Pixel Resolution</b>			
	<b>Pixel Resolution</b>	Pitch	0.264 x 0.264 mm	
		Format	1024 x 768	
		Configuration	RGB stripe	
	<b>Backlight</b>	Edge Lit		
<b>Total Power Consumption</b>	4.1W			

## Technical Specifications

<b>12.1-Inch Color TFT SVGA Display</b>	<b>Dimensions (H x W)</b>	9.7 x 7.24 in/24.6 x 18.4 cm		
	<b>Diagonal Size</b>	12.1 in/30.7 cm		
	<b>Mounting</b>	Internal Panel Support		
	<b>Number of Colors</b>	Up to 16.8M		
	<b>Contrast Ratio</b>	150:1		
	<b>Brightness</b>	120nt min, 150nt typ		
	<b>Pixel Resolution</b>	<b>Pitch</b>	0.30 x 0.30 mm	
		<b>Format</b>	800 x 600	
		<b>Configuration</b>	RGB Stripe	
	<b>Backlight</b>	Edge Lit		
<b>Total Power Consumption</b>	3.5W			

### Hard Drives

<b>30GB</b>	<b>Capacity</b>	30 GB		
	<b>Height</b>	0.5 in/12.7 mm		
	<b>Width</b>	2.75 inch/69.85 mm		
	<b>Interface</b>	ATA-4		
	<b>Transfer Rate</b>	Synchronous (Maximum DMA)	33.3 MB/s (Mode 2)	
		(MaximumUDMA)	66.6 MB/s (Mode 4)	
	<b>Seek Time</b> (typical reads, including settling)	Single Track	2.5 ms	
		Average	12 ms	
		Max	23 ms	
	<b>Rotational Speed</b>	4200 rpm		
<b>Logical Blocks</b>	~58,605,120			
<b>Operating Temperature</b>	41° to 131°F/5° to 55°C			
<b>NOTE:</b> Compatible with the Armada E500 primary HDD bay and all platforms and docking stations using the 12.7-mm MultiBay.				

<b>20GB</b>	<b>Capacity</b>	20 GB		
	<b>Height</b>	0.374 in/9.5mm		
	<b>Width</b>	2.75 in/70 mm		
	<b>Interface</b>	ATA		
	<b>Transfer Rate</b>	Synchronous (Maximum)	66.6 MB/s(Drive Capability)	
	<b>Security</b>	ATA Security		
	<b>Seek Time</b> (typical reads, including settling)	Single Track	3 ms	
		Average	12 ms	
		Max	23 ms	
	<b>Rotational Speed</b>	4200 rpm		
<b>Logical Blocks</b>	~ 39,070,080			
<b>Operating Temperature</b>	41° to 131°F/5° to 55°C			

## Technical Specifications

### Hard Drives *(continued)*

12GB	<b>Capacity</b>	12 GB	
	<b>Height</b>	0.374 in/9.5 mm	
	<b>Width</b>	2.75 in/70 mm	
	<b>Interface</b>	ATA	
	<b>Transfer Rate</b>	Synchronous (Maximum)	66.6 MB/s(Drive Capability)
	<b>Security</b>	ATA Security	
	<b>Seek Time</b> (typical reads, including settling)	Single Track	3 ms
		Average	12 ms
		Maximum	23 ms
	<b>Rotational Speed</b>	4200 rpm	
	<b>Logical Blocks</b>	~23,579,136	
	<b>Operating Temperature</b>	41° to 131°F/5° to 55°C	

10GB	<b>Capacity</b>	10 GB	
	<b>Height</b>	0.374 in/9.5 mm	
	<b>Width</b>	2.75 in/70 mm	
	<b>Interface</b>	ATA	
	<b>Transfer Rate</b>	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	<b>Security</b>	ATA Security	
	<b>Seek Time</b> (typical reads, including settling)	Single Track	3 ms
		Average	12 ms
		Maximum	23 ms
	<b>Rotational Speed</b>	4200 rpm	
	<b>Logical Blocks</b>	~19,792,896	
	<b>Operating Temperature</b>	41° to 131°F/5° to 55°C	

5GB	<b>Capacity</b>	5 GB	
	<b>Height</b>	0.374 in/9.5 mm	
	<b>Width</b>	2.75 in/70 mm	
	<b>Interface</b>	ATA	
	<b>Transfer Rate</b>	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	<b>Security</b>	ATA Security	
	<b>Seek Time</b> (typical reads, including settling)	Single Track	4 ms
		Average	12 ms
		Maximum	23 ms
	<b>Rotational Speed</b>	4200 rpm	
	<b>Logical Blocks</b>	~9,767,520	
	<b>Operating Temperature</b>	41° to 131°F/5° to 55°C	



## Technical Specifications

<b>Diskette Drive</b>	<b>Diskette Size</b>	3.5 in		
	<b>Activity Indicator</b>	On system		
	<b>Height</b>	0.5in/12.7 mm		
	<b>Bytes per Sector</b>	512		
	<b>Sectors per track</b>	High density	18 (1.44 MB)/15 (1.2 MB)	
		Low density	9	
	<b>Tracks per side</b>	High density	80 (1.44 MB)/80 (1.2 MB)	
		Low density	80	
	<b>Read/Write heads</b>	2		
	<b>Access Times</b>	Track-to track (high/low)	3 ms/6 ms	
		Average (high/low)	94 ms/174 ms	
		Settling time	15 ms	
Latency average		100 ms		
<b>External AC Adapter</b>	<b>Dimensions (H x W x D)</b>	1.10 x 3.70 x 157 in / 2.8 x 9.4 x 4.0 cm		
	<b>Weight</b>	0.43lb/ 0.2 kg		
	<b>Power Supply (Input)</b>	Operating Voltage	90 to 264 VAC RMS	
		Operating Current	1.3 A RMS	
		Operating Frequency Range	47 to 63 Hz AC	
		Maximum Transient	15 kV	
<b>Li-Ion Battery Pack (9-cell)</b>	<b>Dimensions (H x W x D)</b>	0.84 x 3.8 x 5.6 in/2.1 x 9.5 x 14.2 cm		
	<b>Weight</b>	1 lb/0.455 kg		
	<b>Energy</b>	Voltage	10.8 V	
		Amp-hour capacity	4.8 Ah	
		Watt-hour capacity	52 Wh	
	<b>Temperature</b>	Operating	50° to 95°F/10° to 35°C	
Non-operating		-12° to 140°F/-25° to 60°C		
<b>Li-Ion Battery Pack (6-cell)</b>	<b>Dimensions (H x W x D)</b>	0.84 x 3.8 x 5.6 in/2.1 x 9.5 x 14.2 cm		
	<b>Weight</b>	0.7 lb/0.303 kg		
	<b>Energy</b>	Voltage	10.8 V	
		Amp-hour capacity	3.2 Ah	
		Watt-hour capacity	34 Wh	
	<b>Temperature</b>	Operating	50° to 95°F/10° to 35°C	
Non-operating		-12° to 140°F/-25° to 60°C		

## Technical Specifications

<b>Compaq 56K(V.90) plus Intel PRO/100+ Mini PCI</b>	<b>Form Factor</b>	Mini-PCI Type 1B per Specification
	<b>OS Support</b> (with all released Service Packs)	Microsoft Windows 95 (OSR2.x), Windows 98 (Gold, SE) Windows NT 4.0, Windows 2000, DOS Application Support under Windows
	<b>Power Management Support</b>	APM Revision 1.2, ACPI, Compaq Power Management Extensions for Windows NT
	<b>Approvals/Certifications</b>	UL, CSA, NEMKO, CCIB, Industry Canada, FCC Part 68, CTR21, FCC Part 15 Class B, Canadian ICES-003 Class B, C.I.S.P.R.22, Australian ACA, CE Mark, Other Countries
	<b>Modem Device Driver Name</b>	Compaq 56K (V.90) Mini PCI
	<b>Data Mode Capabilities</b>	V.90 (a-law, mu-law) K56flex (a-law, mu-law) V.8bis V.80 V42.bis, MNP5 (Compression) V.42 (LAPM, MNP2-4) (Error Correction) V.34 (file date: 10/96) Optional symbol rates: 2800, 3429 Asymmetric Symbol rates Synchronous primary channel data signaling rates: 3600, 31200 Automatic rate re-negotiation V.32bis V.32 V.23 V.22bis V.22 V.21 Bell 212A Bell 103J
	<b>Fax Mode Capabilities</b>	TIA-578-S (Class 1) T.30, T.4 (Group 3) V.17 V.29 V.27ter V.21 Channel 2
	<b>Command Set</b>	V.250 (Partial) TIA-602 Identification: +GMI, +GMM, +GMR Port control: +IPR, +ICF, +IFC, +IIRR Modulation: +MS, +MR, +MA Error control: +ES, +ER, +EB, +ESR, +ETBM Data compression: +DS, +DR V.251
	<b>Ethernet Features</b>	10 Mbps Ethernet: IEEE 802.3 standard 10Base T 100 Mbps Ethernet: IEEE 802.3u standard 100Base TX Full Duplex at 10 and 100Mbps Auto-Negotiation Wake on LAN from all power managed states, including soft off (S5) Boot on LAN from OFF Lower Power State on Link Loss
	<b>Data Link Layers</b>	IEEE 802.2 LLC SNAP
<b>Software support</b>	Artisoft Lantastic 7.0, 8.0, Dedicated Server 1.1 Banyan 7.x, 8.5x IBM LAN Server Version 1.2, 1.3, 2.0, 4.0 Microsoft NT 3.51, Windows 2000, NT 4.0 Novell® Netware® 3.1x, 4.x, 5.x	
<b>Protocol support</b>	TCP/IP Novell IPX/SPX and Microsoft compatible Novel IPX ODI Microsoft NetBEUI Sun Microsystems PC-NFS Banyan Vines Ethernet IBM DLC	

## Technical Specifications

<b>CD-RW Drive</b>	<b>Center Hole Diameter</b>	0.59 in/0.39 cm		
	<b>Disk Diameter</b>	12 cm/8 cm		
	<b>Disk Thickness</b>	0.047 in/1.2 mm		
	<b>Track Pitch</b>	0.74 $\mu$ m		
	<b>Access Times</b> (typical reads, including settling)	Random	< 150 ms	
		Full-Stroke	< 225 ms	
	<b>Audio Output Level</b>	Line-out	0.7 Vrms	
	<b>Cache Buffer</b>	128 KB/s (minimum)		
	<b>Data Transfer Rate</b> (typical, including settling)	Sustained (16X)	150 KB/s	
		Sustained 4X CD-RW	5,520 KB/s	
		Normal PIO Mode 4 (single burst)	16.6 MB/s	
	<b>Start-up Time</b>	< 15 seconds		
<b>Stop Time</b>	< 6 seconds			

<b>8X DVD-ROM Drive</b>	<b>Center Hole Diameter</b>	0.59 in/0.39 cm		
	<b>Disc Diameter</b>	12 cm/8 cm		
	<b>Disc Thickness</b>	1.2 mm		
	<b>Track Pitch</b>	0.74 $\mu$ m		
	<b>Access Times</b> (typical reads, including settling)	Random (typical)	< 180 ms DVD Media	
		Full-Stroke (typical)	< 300 ms DVD Media	
		Random (typical)	< 120 ms CD Media	
		Full-Stroke (typical)	< 200 ms CD Media	
	<b>Cache Buffer</b>	128 KB/s (minimum)		
	<b>Data Transfer Rate</b> (typical, including settling)	Max 24X CD	3600 KB/s (150 KB/s at 1X CD rate)	
		Max 8X DVD	10,800 KB/s (1352 KB/s at 1X DVD rate)	
		Normal PIO Mode 4 (single burst)	16.6 MB/s	
<b>Start-up Time</b>	< 15 seconds			
<b>Stop Time</b>	< 6 seconds			

## Technical Specifications

24X CD-ROM Drive	<b>Applicable Disk</b>	CD-ROM (Mode 1, 2 and 3), CD-XA ready (Mode 2, Form 1 and 2), CD-I ready (Mode 2, Form 1 and 2), CD-R (read only), CD Plus, Photo CD (Single and Multi-session), CD-Extra, Video CD, CD-WO (fixed packets only), CD-Bridge		
	<b>Center Hole Diameter</b>	0.59 in/15 mm		
	<b>Disk Diameter</b>	12 cm, 8 cm		
	<b>Disk Thickness</b>	1.2 mm		
	<b>Track Pitch</b>	1.6 $\mu$ m		
	<b>Access Times</b> (typical reads, including settling)	Random	< 150 ms	
		Full-Stroke	< 300 ms	
	<b>Audio Output Level</b>	Line-out	0.7 Vrms	
	<b>Cache Buffer</b>	128 KB		
	<b>Data Transfer Rate</b> (typical, including settling)	Sustained (16X)	150 KB/s (sustained 1X)	
		Variable	1500 to 3600 KB/s (10X to 24X)	
		Normal PIO Mode 4 (single burst)	16.66 MB/s	
	<b>Start-up Time</b>	< 8 seconds		
	<b>Stop Time</b>	< 4 seconds		

Compaq PCs use genuine Microsoft® Windows®

<http://www.microsoft.com/piracy/howtotell>

© 2002 Compaq Information Technologies Group, L.P. All rights reserved. Compaq, the Compaq logo, Armada, DeskPro, Premier•Sound, and ProLiant are registered trademarks or trademarks of Compaq Information Technologies Group, L.P. in the U.S. and/or other countries. Microsoft, Windows, and NT are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Intel, Pentium, Celeron, and SpeedStep are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. BatteryMark is a trademark of Ziff Davis Publishing Holdings Inc., and affiliate of eTesting Labs Inc., in the U.S. and other countries. IBM is a registered trademark of IBM Corporation in the U.S. and other countries. All other product names mentioned herein may be trademarks of their respective companies.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for Compaq products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>