

Continental

Refrigerator

FRONT BREATHER WORKTOP REFRIGERATORS



SW48-FB

SW72-FB

Models Available

- SW27-FB
- SW32-FB
- SW36-FB
- SW48-FB
- SW60-FB
- SW72-FB

Utilizing Environmentally Safe, CFC-free R-134a Refrigerant



c



Standard Features

- Unique Field Assembled, Bottom Mounted Ventilation System Designed to Allow Cabinets to be Flush Against a Wall or Built into a Counter to Conserve Space
- Modern, State-of-the Art Styling
- Performance Rated Refrigeration System Utilizing Environmentally Safe R-134a Refrigerant
- Unique Airflow Distribution Keeps Product at Uniformly Constant Temperatures
- Easily Serviceable Back Mounted Compressor
- 2" Non-CFC Polyurethane Foam Insulation
- Spring Loaded, Self Closing Door
- Magnetic Snap-In Gasket
- 3⁵/₈" Casters
- Heavy-Duty, Epoxy-Coated Steel Shelves
- Interior Hanging Thermometer
- Cabinet Construction Consisting of Stainless Steel Front & Top, Aluminum End Panels, Case Back & Interior
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Completely Enclosed, Vented & Removable Case Back
- Automatic, Energy Saving, Non-Electric Condensate Disposal
- 10 ft Cord and Plug Attached


Optional Features & Accessories

- Glass Door Models
- Remote Models-R
- Stainless Steel End Panels-SA Models
- Stainless Steel Interior & Exterior-SS Models
- Electric Condensate
- Additional Shelves
- Single Over Shelf
- Double Over Shelf
- Door Locks

FRONT BREATHER WORKTOP REFRIGERATORS

SPECIFICATIONS

DIMENSIONAL DATA	SW27-FB	SW32-FB	SW36-FB	SW48-FB	SW60-FB	SW72-FB
Net Capacity (cu. ft.)	7.4	9.0	10.3	13.4	17.0	20.6
Width, Overall (in.)	27½	32	36	48	60	72
Depth, Overall (incl. Hdls.) (in.)	30	30	30	30	30	30
Depth, Body Only (Less Door(s))(in.)	27½	27½	27½	27½	27½	27½
Height (incl. 3⅝" casters) (in.)	33⅝	33⅝	33⅝	33⅝	33⅝	33⅝
Shelf Area (sq. ft.)	3.5	3.9	4.6	6.8	8.1	10.2
No. of Shelves	1	1	2	2	2	3
No. of Doors	1	1	2	2	2	3
Interior Depth (in.)	20	20	20	20	20	20
Interior Height (in.)	26¼	26¼	26¼	26¼	26¼	26¼
Interior Width (in.)	24½	28	32	44	56	68
Condensing Unit Size (H.P.)	⅓	⅓	⅓	⅓	¼	¼
Cabinet Electrical	115/60/1	115/60/1	115/60/1	115/60/1	115/60/1	115/60/1
Amps	6.1	6.3	6.3	7.1	7.6	8.6
Fans	2	2	2	3	3	4
Shipping Weight (lbs.)	165	185	225	248	284	318
Shipping Height (in.)	43¼	43¼	43¼	43¼	43¼	43¼
Shipping Length (in.)	35¾	39	43	55	68¼	80¼
Shipping Depth (in.)	37¼	37¼	37¼	37¼	37¼	37¼



A Division of National Refrigeration & A/C Products, Inc.
 539 Dunksferry Road Bensalem, PA 19020
 (800) 523-7138 Fax: (215) 244-9579
www.continentalrefrigerator.com

WKTFB607

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>