



| General                                       | Domestic (60Hz)                 | Export (50Hz)                   |
|---|---------------------------------|---------------------------------|
| Shape   | Free form/ Square               | Free form/ Square               |
| Shell Material                                | Ultralife™ / Geloy®             | Ultralife™ / Geloy®             |
| Height  | 40"                             | 101.6 cm                        |
| Width   | 91 ¾"                           | 233 cm                          |
| Length  | 91 ¾"                           | 233 cm                          |
| Corner Radii                                  | 22"                             | 55.9 cm                         |
| Seating Capacity                              | 7                               | 7                               |
| Water Capacity                                | 375 Gallons                     | 1420 Liters                     |
| Dry Weight                                    | 1100 lbs.                       | 499 kg                          |
| Shipping Weight                               | 1100 lbs.                       | 531 kg                          |
| Full Weight                                   | 4225 lbs.                       | 1917 kg                         |
| Skirt Material                                | Wood or Synthetic               | Wood or Synthetic               |
| Poly Floor                                    | Yes                             | Yes                             |
| <b>Water System</b>                           |                                 |                                 |
| Motor Size –Peak (Continuous) HP              | 3.6 (2.0) HP                    | 3.6 (2.0) HP                    |
| # Pumps/Speed                                 | One – 2 speed,<br>Two – 1 speed | One – 2 speed,<br>Two – 1 speed |
| Plumbing Systems                              | 5                               | 5                               |
| Pump Returns                                  | 6                               | 6                               |
| Typhoon Jets                                  | 1                               | 1                               |
| VCR Jet® - Air Adjustable/Directional         | 2                               | 2                               |
| VCR Jet® - Rotator                            | 6                               | 6                               |
| VCR Jet® - Mini Rotator                       | 22                              | 22                              |
| VCR Jet® - Mini Directional                   | 4                               | 4                               |
| VCR Jet® - Mini Directional in NFJ            | 8                               | 8                               |
| VCR Jet® - Euro Directional                   | 12                              | 12                              |
| VCR Jet® - Euro Rotator                       | 14                              | 14                              |
| Ozone Jet                                     | 1                               | 1                               |
| Heater Return Jet                             | 1                               | 1                               |
| Filters/Coverage                              | 2 / 75 sq. ft.                  | 2 / 6.97 sq. meters             |
| Water Treatment System                        | UltraPure™                      | UltraPure™                      |
| Gate Valves                                   | 6                               | 6                               |
| Diverter Valves                               | 2                               | 2                               |
| Floor Drains                                  | 1                               | 1                               |
| Skimmer                                       | 1                               | 1                               |
| <b>Electrical System</b>                      |                                 |                                 |
| Voltage                                       | 240                             | 240                             |
| Amperage                                      | 50/40                           | 2X16 / 1X32   3X16              |
| Heater  | Fast Flo 2.7,4.0,5.5 kw         | Fast Flo 3.3 kw   2.1, 5.2 kw   |
| Thermostat                                    | Electronic                      | Electronic                      |
| Light   | 2-22 LED                        | 2-22 LED                        |
| Control System                                | MSPA MP-D14                     | MSPA MP-D12-CE                  |
| Upper Control                                 | Scrolling Message               | Scrolling Message               |
| Programmable                                  | Yes                             | Yes                             |
| <b>Special Features</b>                       |                                 |                                 |
| Dynamic Massage Sequencer<br>w/ control panel | 1                               | 1                               |
| NeckFlex® Jet Pillows                         | 2                               | 2                               |
| Headrest Pillows                              | 1                               | 1                               |
| Soft Tile Pillow                              | 3                               | 3                               |
| Fountain                                      | 1                               | 1                               |
| Under water magnetic switch                   | 4 – 2 pump, 2 light             | 4 – 2 pump, 2 light             |
| Cup Holders                                   | 4                               | 4                               |

Note: 1. Subject to change without notice.

# 2005 Lotus Bay Architectural Specification



Note:  
Lotus Bay models built before August 2005  
All pumps are located in the front left corner



**Caution:**  
Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

- Note: 1. Subject to change without notice.  
2. Engineering specs may differ slightly from brochure.  
3. For E-Z lifter installation allow 18" (45.72cm) clearances on the backside of the spa.  
4. Alternative cabinets may add significant weight. Ask your dealer for exact details

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>