

ECHO®

Ask Any Pro!™



POWERFUL
ASK ANY PRO



BLOWERS

Biggest...Baddest...Boldest.

The ECHO PB-755 Power Blower features a big, powerful engine, unmatched airflow, a bold new color and many additional features including an extra flexible tube, a short and easy-to-service hip-mount throttle (PB-755H only), and increased tube rotation for operator mobility.



PB-755H shown – see page 47 for more product information.

Straight back, "L" frame

Top-mount automotive-style air filter

Short hip-mount throttle

65.8 oz. see-through fuel tank

Extra-flexible tube

Wide-angle tube rotation

POWER BLEND^X
XTENDED LIFE OIL
FREE BOTTLE OF
ECHO POWER BLEND[®] XTENDED LIFE[™] OIL
WITH EVERY BLOWER

HANDHELD BLOWER SPECIFICATIONS

Model	Engine Displacement (cc)	Carburetor (w/ Purge Pump)	Pro-Fire [®] Electronic Ignition	Fuel Capacity (fl. oz.)	See-through Fuel Tank	Helper Handle	Average Air Volume (cfm-pipe)*	Average Air Volume (cfm-housing)**	Maximum Air Speed (mph-pipe)*	dB(A)†	Dry Weight (lb)#
PB-251	25.4	Diaphragm	Standard	14.4	Standard	N.A.	390	509	145	65	9.9

* Measured at end of pipe. ** Measured at the housing. † per ANSI B175.2-2002. #With standard pipes.

BACKPACK BLOWER SPECIFICATIONS

Model	Engine Displacement (cc)	Carburetor (w/ Purge Pump)	Pro-Fire [®] Electronic Ignition	Fuel Capacity (fl. oz.)	See-through Fuel Tank	Helper Handle	Average Air Volume (cfm-pipe)*	Average Air Volume (cfm-housing)**	Maximum Air Speed (mph-pipe)*	dB(A)†	Dry Weight (lb)#
PB-265L	25.4	Diaphragm	Standard	21	Standard	Standard	355	458	135	65	13.3
PB-413	44	Diaphragm	Standard	64	Standard	Standard	380	800	175	71	20.7
PB-410	39.7	Diaphragm±	Standard	47.3	Standard	Standard	380	630	175	72	24.2
PB-460LN	44	Diaphragm	Standard	64	Standard	Standard	380	800	175	65	26.4
PB-610	58.2	Diaphragm	Standard	64	Standard	Standard	530	900	185	72	24.1
PB-620	58.2	Diaphragm	Standard	64	Standard	Standard	530	900	185	72	20.9
PB-755SH/T	63.3	Rotary	Standard	68	Standard	N.A.	620	1240	205	74	24.7
PB-755H/T	63.3	Rotary	Standard	65.8	Standard	Standard	625	1260	205	74	26.2

* Measured at end of pipe. ** Measured at the housing. † per ANSI B175.2-2002. #With standard pipes. ±Without purge pump.

PB-265L **NEW!**

Comfortable operation coupled with low noise performance.

- 65 dB(A)*
- Ideal for noise sensitive environments
- 25.4 cc Power Boost Vortex™ engine
- 30% reduction in starting effort
- Posi-loc™ pipe connection system
- Padded backrest and shoulder straps
- Variable speed throttle with cruise control



PB-413

Provides dependable operation and exceptional comfort for long hours of operation.

- 44 cc Power Boost Tornado™ engine
- Easy-to-reach, tube-mounted or hip-mounted (shown) throttle with cruise control
- 64 fl. oz. see-through fuel tank provides for extended run times
- Pleated, automotive-type commercial air filter



* Per ANSI B175.2-2002

BLOWERS



ECHO Quality Backed by an Extensive Warranty



All ECHO Backpack Blowers feature a 5 year* consumer, 2 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

* Visit www.echo-usa.com/5year to learn more.

PB-410

Heavy-duty blower with metal frame construction, metal fan housing and a powerful engine.

- 39.7 cc Power Boost Tornado™ engine
- Variable speed hip-mounted throttle
- Built-in backrest and vibration isolators for greater comfort
- Converts to mister with optional attachment
- Commercial-grade air filter



PB-460LN QUIET 1™

Ultra quiet at only 65 dB(A)* at wide-open throttle with patented sound attenuation technology.

- 44 cc Power Boost Tornado™ engine
- Ideal for noise-sensitive environments
- Variable speed left hip-mounted throttle assembly with cruise control
- Padded backrest and easy-to-adjust shoulder straps
- Super-duty, automotive-type commercial air filter
- Roll cage-type frame is light-weight for durability



* Per ANSI B175.2-2002

PB-610

Designed with the professional in mind, unsurpassed in power and durability.

- 58.2 cc Power Boost Tornado™ engine
- Variable speed left hip-mounted throttle with cruise control
- 64 fl. oz. see-through fuel tank
- Super-duty, automotive-type commercial air filter
- Roll cage-type frame offers engine protection



PB-620

The standard for light-weight and operator ergonomics, delivers commercial-grade power at the pipe.

- 58.2 cc Power Boost Tornado™ engine
- Variable speed tube-mounted throttle with cruise control
- 64 fl. oz. see-through fuel tank
- Pleated, automotive-type commercial air filter
- "L" shaped frame provides light weight while maintaining durability



ECHO-exclusive Posi-loc™ pipes ensure a secure pipe connection at all times.



BLOWERS

PB-755S **NEW!**

ECHO's most powerful blower.

- 63.3 cc Power Boost Tornado™ engine
- Easy-to-reach, tube-mounted throttle with cruise control
- Full, wide angle tube rotation for increased operator mobility
- Extra flexible tube for easy cold weather operation



PB-755

ECHO's most powerful blower coupled with super-duty air-filtration.

- 63.3 cc Power Boost Tornado™ engine
- Easy-to-reach, tube-mounted or hip-mounted throttle with cruise control
- Super-duty, automotive-style filtration
- Short, hip-mount throttle for easy use and simple maintenance (PB-755H)
- Full, wide angle tube rotation for increased operator mobility
- Extra flexible tube for easy cold weather operation




PB-251 **NEW!**

Outstanding low noise performance and light weight.

- "Rotational Control" technology increases comfort
- 25.4 cc Power Boost Vortex™ engine
- 65 dB(A)* for noise sensitive environments
- Positive locking collar keeps tube secure
- 3-Position top handle for a variety of blowing conditions
- Parallel handles aid in directional operation
- Posi-loc™ pipe connection system
- Works with ECHO Mosquito YardShield™



"Rotational Control" design reduces the effort required to keep the blower from rotating in towards the operator's legs (like most handheld models do) and actually delivers a slight pull away from the operator (green section). The effect makes the blower easier to handle and reduces stress on the operator's arm.



* Per ANSI B175.2:2002

BLOWERS



ECHO Quality Backed by an Extensive Warranty



All ECHO Handheld Blowers feature a 5 year* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

*Visit www.echo-usa.com/5year to learn more.



Mosquito YardShield™ Attachment Kit

Attaches to ECHO PB-200, PB-201 or PB-251 Blowers to expel an insect abatement agent which kills mosquitoes on contact and creates a protective barrier.



FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY BLOWER



PBAM-400E
Turns your ECHO PB-410 blower into a high-productivity mister for greenhouse and garden insect control applications. Sprays up to 20'.



Rain Gutter Cleaning Kit
Makes year-round gutter cleaning easier. Tubes are approximately 7' long when assembled.



Blower Tube Helper Handle
Accurately direct your blower velocity to where it's most productive.

BLOWER ACCESSORIES

Compatible ECHO Power Blower Units*	PBAM-1000	PBAM-4600	PBAM-400E	99944100205	99944100215	30100505060	99944100030	99944100001	99944100002	99944100003	99944100010	99944100025	001106	001107	99944100020	21002303461	99944200222	E165000160	900500	99944200300	
			Mister Attachment	Replacement Vacuum Bags	Shoulder Straps	Tube Mount Throttle	Rain Gutter Kit	Blower Handles	Curved Blower Tube**	Posi-loc™ Curved Blower Tube	Static Protection Kit	Mosquito YardShield™ Attachment Kit									
PB-200/201																					
PB-210/211																					
PB-210E																					
PB-2100																					
PB-230LN/231LN																					
PB-2400																					
PB-24LN																					
PB-251																					
PB-260L/261L																					
PB-265L																					
PB-400																					
PB-400E																					
PB-403/413																					
PB-410/411																					
PB-4600																					
PB-46LN																					
PB-46HT																					
PB-460LN/461LN																					
PB-600																					
PB-601																					
PB-610																					
PB-620																					
PB-651																					
PB-751																					
PB-755S																					
PB-755																					
PB-6000																					
PB-60HT																					
PB-1000																					
PB-1010																					
ES-1000																					
ES-2000																					
ES-2100/ES-210																					
ES-2400/ES-230																					
Vacuum Attachments																					
PBAV-300																					
PBAV-1000																					
PBAV-4500																					
PBAV-4600																					

* Not all units listed are currently available from production. ** Not for use with Posi-loc™ tubes.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>