



Dishwashers

FFPD1821M W/B

18" Portable



Product Dimensions

Height	38-1/2"
Width	20-1/2"
Depth	30"

More Easy-To-Use Features

Delay Start

Set your dishwasher to run on your schedule.

Ready-Select® Controls

Easily select options with the touch of a button.

Energy Saver Dry Option

No heat dry option.

Low-Rinse Aid Indicator Light

China / Crystal Cycle

For a truly gentle cleaning action, the China / Crystal Cycle reduces wash pressure by 30% for a thorough cleaning of your most delicate stemware.



ENERGY STAR®

Available in:



White
(W)



Black
(B)

Signature Features

Stainless Steel Interior

Premium stainless steel interior for maximum durability.

Quiet Dishwasher

A quiet performance every time.

SpaceWise® Silverware Basket


There's a place for all of your silverware in our multicompartment, removable basket.

Multiple Cycle Options

Features easy-to-use cleaning cycle options.

Features	
Control Design	Ready-Select®
Digital Display	
Door Latch	
Stay-Put Door Hinge Design	
Low Rinse-Aid Indicator Light	Yes
Interior Design	Standard
Interior Color	Stainless Steel
Wash System	Direct
Wash Levels	4
Sound Package	UltraQuiet™ 3
Filter	Manual Clean
Filter Trap	Removable
Soft Food Disposer	
dB Level	59
Drying System	Static
Cycles	
Number of Cycles	6
Heavy	Yes
Normal	Yes
Light	Yes
Delicate	
Favorite	
China/Crystal	Yes
Rinse Only	
Energy Saver Plus	Yes
Upper Rack Wash Only	
Cycle Indicator Light	
Control Lock	
Options	
Heat/No Heat Dry	Yes
Hi-Temp Wash	
NSF® Certified Sanitize Rinse	
Delay Start	1-3 Hour
Rack System	
Rack Design/Rack Coating	Deluxe/Nylon
Upper Rack -	
Stemware/Champagne Glass Holders	Yes
Fold-Down Tines	
Cup Shelves	
Lower Rack -	
Silverware Basket	Standard
Fold-Down Tines	
Small Items Cover	
Certifications	
ENERGY STAR®	Yes
Specifications	
Water Usage (Gallons)	4.81
Water Pressure (PSI)	20 - 120
Integral Air Gap on Supply	Yes
Casters	4
Power Supply Connection Location	Right
Voltage Rating	120V / 60 Hz / 15A
Connected Load (kW Rating) @ 120 Volts ¹	1.44
Amps @ 120 Volts	8.5
Shipping Weight (Approx.)	139 Lbs.

¹For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



Product Dimensions	
A - Height	38-1/2"
B - Width	20-1/2"
C - Depth	30"
Depth with Door Open 90°	16"

Accessories information available on the web at frigidaire.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>