



Fujitsu P C Corporation




# VGA Adapter Installation Guide


## FMW43VA1

*For use with Stylistic™ LT Pen Tablet PCs*

### I N S T R U C T I O N S



The VGA Adapter allows you to connect an external monitor directly to your pen tablet without using a docking device.






*Note: In order to use an external monitor simultaneously with the flat panel display, you must set it up from either within the BIOS or using the display hotpad. See your system user's guide for more information.*

On one side of the adapter is a plug which fits into the system interface port (see Figure 1). On the opposite side of the adapter is a port for a video connector (see Figure 2).

To install the adapter,

1. If the pen tablet is running, either suspend operation or power down the system.



2. If the external monitor you wish to connect has power applied, power it down.
3. Remove the plastic cover that is located over the system interface port on the bottom edge of the pen tablet. Keep the cover in a safe place for future reinstallation.
4. Plug the VGA Adapter into the system interface port. The plug is keyed so that it will only fit when it is positioned properly (see Figure 3).
5. Insert the video plug into the video connector (see Figure 2).
6. Restart the system and the external monitor.

To remove the adapter,

1. If the pen tablet is running, either suspend operation or power down the system.
2. If the monitor you wish to disconnect has power applied, remove power.
3. Pull the plug from the connector. Replace the plastic cover over the system interface port.
4. Restart your system.

*Note:* When the VGA Adapter is attached to the pen tablet, the tablet cannot be used in the compact desk stand because the connector/cable assembly extends too far from the bottom of the system. The system should be held or laid flat when the VGA Adapter is installed.




Figure 1. System Interface Connector Side




Figure 2. Video Connector Side







Figure 3. Installing the VGA Adapter



5200 Patrick Henry Drive  
Santa Clara, CA 95054

For more information, visit our Web site  
at: [www.fujitsu.com](http://www.fujitsu.com)

For technical support call:


**1-800-8Fujitsu (1-800-838-5487)**

or e-mail us at: [8fujitsu@fujitsu.com](mailto:8fujitsu@fujitsu.com)

Fujitsu and the Fujitsu logo are registered trademarks of Fujitsu, Ltd. Stylistic is a trademark of Fujitsu PC Corporation. All other trademarks mentioned herein are the property of their respective owners. We cannot guarantee the accuracy of the contents of this document. We disclaim liability for errors, omissions or future changes.

© 2001 Fujitsu PC Corporation. All rights reserved.

FPC58-0617-01  
B5FY-1741-01EN-00



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>