



Fujitsu P C Corporation



Screen Protector Installation Guide

FMWSP11 / FPCSP01

INSTRUCTIONS

This screen protector is designed for use on the Stylistic LT C-500 and Stylistic LT P-600 pen tablet display screens.

Notes

- Before installing a new screen protector, remove any screen protector that is already installed. Check to see which corner of the screen protector is not glued to the surface of the display; ordinarily, it will be the bottom left corner. A notch in the corner allows you to slide a firm, pliable implement (such as a credit card) under the screen protector for removal. Do not use a metal implement; it could scratch the screen.
- To ensure good adhesion, clean the screen with a soft cotton cloth dampened with isopropyl alcohol before installing the screen protector. When the alcohol dries, it may leave streaks on the screen. If streaking occurs, buff the screen gently with a clean, dry cloth.

Installation Instructions

Note

An adhesive band secures the screen protector to the protective strip around the entire perimeter except for one corner. Hold it up to a light to see which corner does not have the adhesive strip. (See Figure 1).

1. Peel the protective film from the adhesive side of the screen protector, as shown in Figure 1.




Figure 1. Peeling Protective Film

2. Install the screen protector on the pen tablet display screen. Apply the adhesive side to the screen with the glueless corner in the lower left, as shown in Figure 2.
3. **Apply pressure along the edges of the screen protector with your finger.** (Avoid lifting the screen protector from the screen after installation. The adhesive requires 48 hours to cure properly.)

2

4. Remove the protective film from the top of the screen protector, as shown in Figure 3.
5. Wipe the exposed surface of the screen protector with a clean dry cloth to remove any adhesive left behind by the protective film.




Figure 2. Installing the Screen Protector







Figure 3. Removing the Protective Film



FUJITSU

5200 Patrick Henry Drive
Santa Clara, CA 95054


For more information, visit our Web site
at: www.fujitsu.com

For technical support call:
1-800-8Fujitsu (1-800-838-5487)
or e-mail us at: 8fujitsu@fujitsu.com

Fujitsu and the Fujitsu logo are registered trademarks of Fujitsu, Ltd. Stylistic is a trademark of Fujitsu PC Corporation. All other trademarks mentioned herein are the property of their respective owners. We cannot guarantee the accuracy of the contents of this document. We disclaim liability for errors, omissions or future changes.

© 2001 Fujitsu PC Corporation. All rights reserved.

FPC58-0578-01
B5FY-1621-01EN-00



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>