

- ✓ Produces up to 2624 lbs. (1193 Kgs.)* of ICE per day
- ✓ Constructed from sturdy, corrosion-resistant 300 series stainless steel
- ✓ Only 26 inches tall
- ✓ Available with an air-or water-or remote-cooled condenser



EMF 2306 on a B100 Bin

ICE-O-Matic® is the Best ICE Making Solution for: Hard Water, Food Safety and Tight Spaces

Problem

Tight-Fitting Spaces

Kitchen space utilization

Poor Ice Quality

Ice is too wet and soft

Operating Environments

Built to last?

Dirty Air Filter

Forget to change the air filter?

Solution

Maximum ICE

Maximum ICE production in a minimum amount of space with an ultra-low profile:

- 26 inches tall
- Maximum ICE production in a 48 inch wide cabinet
- Works on all industry dispensers and bins

Dependable ICE

ICE-O-Matic Flake ICE Makers remove excess water by pushing the flaked ICE through an extrusion process. The result is high quality flaked ICE which is ideal for medical, supermarket or restaurant applications.

ICE-O-Matic® Tough



Constructed with a brass evaporator and rugged stainless steel transport system enclosed in polyurethane insulation

Filter-Free Air


No air filter to change

EMF 2306 Series Flake ICE Maker - Modular


Dimensions and Air Flow



Top View



Rear View (Air Cooled)




R.H. Side View

ICE PRODUCTION CHART POUNDS (KILOGRAMS) PER 24 HOURS

EMF 2306

Conds. Unit	Air Temp. °F (°C)	Water Temp. °F (°C)		
		80° (27°)	70° (21°)	50° (10°)
Air Cooled	90° (32°)	1681 (764)	1808 (822)	1986 (903)
	80° (27°)	1791 (814)	1926 (875)	2119 (963)
	70° (21°)	1904 (865)	2047 (930)	2252 (1024)
Water Cooled	90° (32°)	2068 (940)	2224 (1011)	2384 (1084)
	80° (27°)	2117 (962)	2276 (1035)	2504 (1138)
	70° (21°)	2218 (1008)	2385 (1084)	2624 (1193)
Remote Cooled	90° (32°)	1700 (773)	1828 (831)	2047 (931)
	80° (27°)	1870 (850)	2010 (914)	2212 (1005)
	70° (21°)	2009 (913)	2160 (982)	2376 (1080)
	50° (10°)			2424 (1102)
	30° (-1°)			2472 (1124)
	0° (-18°)			2521 (1146)

All specifications and performance data are subject to normal manufacturing variances.



Rear View (Air Cooled)

OPERATING LIMITS


Ambient Temp. Range	50° - 104°F (10° - 40°C) 60Hz
Air & Water	50° - 110°F (10° - 43°C) 50Hz
Remote	-20° - 120°F (-29° - 49°C) 60Hz
	-20° - 110°F (-29° - 43°C) 50 Hz
Water Temp. Range	40° - 80°F (4.5° - 27°C)
Water Pressure Ice Maker	Min. 20 psi (1.4 bar)
Water in	Max. 60 psi (6.9 bar)
Condenser Inlet Water (Water cooled only)	Min. 20 psi (1.4 bar)
	Max. 60 psi (6.9 bar)

ORDERING AND SPECIFICATION INFORMATION

Model No.	Cond. Unit	ICE Production per 24 hrs. at 70° Air/50° Water lbs. (Kgs.)	ICE Production per 24 hrs. at 90° Air/70° Water lbs. (Kgs.)	Water Used-Gals. (Lits.) per 100 lbs. of Ice 90° Air/70° Water		Kilowatts Used per 100 lbs. of ICE 90° Air 70° Water	Btuh	Voltage Characteristics	No. of Wires	Min. Circuit Amp.	Max. Fuse Size	Shipping Weight lbs. (Kgs.)
				ICE Prod. Use	Cond. Use							
EMF2306AS	Air	2252 (1024)	1808 (822)	12.0 (45)	n/a	3.0	18978	208-230/60/1	3	14.9	15	370 (168)
EMF2306WS	Water	2624 (1193)	2224 (1011)	12.0 (45)	182.8 (692)	2.2	21600	208-230/60/1	3	12.8	15	370 (168)
EMF2306RS	Remote	2376 (1080)	1828 (831)	12.0 (45)	n/a	3.1	19194	208-230/60/1	3	15.5	15	370 (168)
ERC -2062	Remote Condenser for 1 model EMF 2306RS (208-230/50-60/1 voltage)											125 (57)
RT-325-404	25 ft. (7.6m) Precharged Tubing Kit for R-404A models											13 (6)
RT-340-404	40 ft. (12m) Precharged Tubing Kit for R-404A models											18 (8)
RT-345-404	45 ft. (13.7m) Precharged Tubing Kit for R-404A models											19 (9)
RT-360-404	60 ft. (18.2m) Precharged Tubing Kit for R-404A models											26 (12)

See Bin specification sheet for information on ICE storage bins

Please note: air-cooled units require 6" (152 mm) clearance for air intake and exhaust.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>