



# MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

## MODEL G9975 2 HP DUST COLLECTOR

### Product Dimensions:

Weight..... 92 lbs.  
Length/Width/Height..... 33-1/2 x 21-1/2 x 78 in.  
Foot Print (Length/Width)..... 33-1/2 x 21-1/2 in.

### Shipping Dimensions:

Type..... Cardboard  
Content..... Machine  
Weight..... 107 lbs.  
Length/Width/Height..... 36 x 23 x 23 in.

### Electrical:

Switch..... Paddle On/Off with Safety Lockout Key  
Switch Voltage..... 220V  
Cord Length..... 10 ft.  
Cord Gauge..... 14 gauge  
Minimum Circuit Size..... 15 amps at 220V, 20 amps at 110V  
Plug Included..... No

### Motors:

#### Main

Type..... TEFC Capacitor Start Induction  
Horsepower..... 2 HP  
Voltage..... 220V  
Prewired..... 220V  
Phase..... Single  
Amps..... 9A  
Speed..... 3450 RPM  
Cycle..... 60 Hz  
Number Of Speeds..... 1  
Power Transfer ..... Direct Drive  
Bearings..... Sealed and Permanently Lubricated

### Main Specifications:

#### Operation

Air Suction Cap..... 1550 CFM  
Maximum Static Pressure..... 12.3 in.  
Main Inlet Size..... 6 in.  
Manifold Included..... Yes  
Manifold Inlets..... 2  
Manifold Inlet Size..... 4 in.  
Machine Collection Cap..... 2  
Maximum Material Collection Cap..... 5.7 cu. ft.  
Upper Bag Filtration..... 30 micron  
Lower Bag Filtration..... 30 micron

**Bag Information**

No Of Upper Bags.....	1
Upper Bag Cap.....	5.7 cu. ft.
Lower Bag Cap.....	5.7 cu. ft.
No Of Lower Bags.....	1
Upper Bags Total Area.....	5.7 cu. ft.
Lower Bags Total Area.....	5.7 cu. ft.
Upper Bag Diameter.....	19-1/2 in.
Upper Bag Length.....	33 in.
Lower Bag Diameter.....	19-1/2 in.
Lower Bag Length.....	33 in.

**Impellar Information**

Impeller Type.....	Curved Fin
Impeller Size.....	12 in.
Impeller Blade Thickness.....	3/32 in.

**Construction**

Upper Bag Material.....	Fabric
Lower Bag Material.....	Fabric
Base Construction.....	Fabricated Sheet Metal with Casters
Frame Construction.....	Formed Steel
Caster Construction.....	Four Plastic
Impeller Construction.....	Balanced Steel
Paint.....	Powder Coated

**Other**

Height With Bags Inflated.....	78 in.
--------------------------------	--------

**Other Specifications:**

Country Of Origin .....	China
Warranty .....	2 Year
Serial Number Location .....	On Name Plate
Assembly Time .....	45 minutes

**Features:**

- Powder Coated Paint
- Quick Release Band Clamp
- Includes Steel Base with Casters

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>