



MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

MODEL G9967 20" PLANER W/ 5 HP SINGLE-PHASE MOTOR

Product Dimensions:

Weight..... 1600 lbs.
Length/Width/Height..... 42-3/8 x 36 x 52 in.
Foot Print (Length/Width)..... 40-1/2 x 30 in.

Shipping Dimensions:

Type..... Wood Crate
Content..... Machine
Weight..... 1755 lbs.
Length/Width/Height..... 40 x 43 x 47 in.

Electrical:

Switch..... Magnetic
Switch Voltage..... 220V
Cord Length..... 4 ft.
Cord Gauge..... 10 gauge
Minimum Circuit Size..... 40 amp
Plug Included..... No
Phase Converter..... G7979

Motors:

Table Lift

Type..... TEFC Capacitor Start Induction
Horsepower..... 1/2 HP
Voltage..... 220V
Prewired..... 220V
Phase..... Single
Amps..... 28A
Speed..... 1725 RPM
Cycle..... 60 Hz
Number Of Speeds..... 1
Power Transfer Chain Drive
Bearings..... Shielded and Lubricated

Feed

Type..... TEFC Capacitor Start Induction
Horsepower..... 1 HP
Voltage..... 220V
Prewired..... 220V
Phase..... Single
Amps..... 28A
Speed..... 1145 RPM
Cycle..... 60 Hz
Number Of Speeds..... 1
Power Transfer Chain Drive
Bearings..... Shielded and Lubricated

Cutterhead

Type.....	TEFC Capacitor Start Induction
Horsepower.....	5 HP
Voltage.....	220V
Prewired.....	220V
Phase.....	Single
Amps.....	28A
Speed.....	3450 RPM
Cycle.....	60 Hz
Number Of Speeds.....	1
Power Transfer	Belt Drive
Bearings.....	Shielded and Lubricated

Main Specifications:

Operation Info

Max. Cut Width.....	20 in.
Max. Cut Height.....	9 in.
Min. Stock Length.....	10 in.
Min. Stock Width.....	1/4 in.
Max. Stock Thickness.....	9 in.
No. Of Cuts Per Inch.....	42 - 84
No. Of Cuts Per Minute.....	20000
Cutterhead Speed.....	5000 RPM
Planing Feed Rate.....	20 - 40 FPM
Max. Cut Depth Planing Full Width.....	3/16 in.
Max. Cut Depth Planing 6 Inch Wide Board.....	5/16 in.

Cutterhead Info

Cutterhead Type.....	4 Knife
Cutterhead Dia.....	4-5/8 in.
No. Of Knives.....	4
Knife Type.....	HSS
Knife Size Length.....	20-1/8 in.
Knife Size Width.....	1-3/16 in.
Knife Size Thickness.....	1/8 in.
Knife Adjustment.....	Gibs and Jack Screws

Table Info

Table Movement.....	1/4 - 9 in.
Table Bed Size Length.....	24 in.
Table Bed Size Width.....	35-1/2 in.
Table Bed Size Thickness.....	5 in.
No. Of Bed Rollers.....	2
Floor To Table Height.....	24 - 33 in.

Construction

Table Construction.....	Precision Ground Cast Iron
Body Construction.....	Cast Iron
Cutterhead Assembly Construction....	One Piece Machined Steel Shaft; 4 Knife Slots; Shielded Ball Bearings
Infeed Roller Construction.....	Segmented Steel
Outfeed Roller Construction.....	Polished Steel
Paint.....	Epoxy

Other

Table Locks.....	One Positive
Measurement Scale.....	Inch and Metric
No. Of Dust Ports.....	1
Dust Port Size.....	5 in.

Other Specifications:

ISO Factory ISO 9001
Country Of Origin Taiwan
Warranty 1 Year
Serial Number Location ID Label on Top of Machine
Assembly Time 15 minutes

Features:

Table Height Display
Micro Adjustment of Table Height
Segmented Chip Breaker
Variable Speed Feed
Convenient Control Panel

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>