

LDE-32DST

32" LCD iDTV
with Built-in Satellite and Terrestrial Tuner



LDE-32DST gives you the highest quality digital audio and advanced video clarity. You can enjoy digital satellite and terrestrial broadcasting all together.



Features & Functions

- Analogue and Digital Terrestrial and Satellite Receptions
- 1 Digital Terrestrial Tuner and 1 Satellite Tuner
- HD Ready TV
- 2 HDMI Ports
- HDMI Port for 480i, 576i, 576p, 720p and 1080i
- Variable Input/Output (Component, SCART, Composite, S-Video)
- PC Picture in Picture (PIP)
- Common Interface Slot
- 7-Day EPG (Electronic Program Guide)
- PC Input
- Advanced Color Enhancement (Flesh-tone Compensation & Color Enhancement)
- Auto Tuning Systems
- Digital Teletext and Subtitle/Analogue Teletext
- VESA Standard Wall Mounting Support

HUMAX
EASY DIGITAL

Specification

Model	LDE-32DST
Type	Digital/Analog LCD TV
Size	32"

Connectivity

CI	1
SCART	2
RGB SCART(among SCARTs)	2
Composite In(V/L/R)	1
S-Video	1 (Share Audio CVBS)
Component(Y/Pb/Pr)	1
HDMI	2
S/PDIF	1 (DTV only)
PC Input	1
PC Audio Input	1
Headphone Output	1

Sound

Headphone Socket	Yes
Amplifier	7W + 7W (Max.)
Surround mode(SRS)	SRS TruSurround XT
Speaker Location(Built-In)	Bottom

PC Mode

Horizontal Frequency	31.468 - 48.363kHz
Vertical Frequency	60Hz
Video Bandwidth	110MHz (WXGA 60Hz)
Resolution	1360x768 (60Hz)

Power

Power Consumption (on)	133W (Sound 1W, AC 220V)
Power Consumption (Standby)	3W (AC220V)

Dimensions

Width x Height x Depth (with stand)	807.4 x 573 x 244.5 mm
Width x Height x Depth (without stand)	807.4 x 533 x 96 mm
Weight	14.0 kg

Picture

Resolution	1366x768
Aspect Ratio	Auto/Regular/ Panoramic/ 14:9 Zoom/ 16:9 Zoom/ 16:9 Zoom Subtitle/ Full
Brightness (cd/m ²)	500cd/m ²
Contrast Ratio	1000:1
Viewing Angle	178i
Color Enhancement	Skin Tone correction, blue and green stretch, Dynamic Contrast, Luma sharpness, Non-linear colorspace
Response Time (ms)	8ms

Features


Integrated Digital Tuner	Yes
Auto Tuning	Yes
Electronic Programme Guide	Yes
Digital Text	Yes
Digital Tuner	1
Analogue Tuner	1
Teletext Type (eg. FASTEXT)	Yes (FASTEXT)
Timer Facility	Yes

Items included

Table Top Stand	Yes
Batteries for Remote	Yes
User Manual	Yes
Power Cable	Yes

Wall mounting

VESA Wall Mount	100/100 (bracket not included)
-----------------	--------------------------------



HUMAX Co., Ltd. Italy

Via Achille Grandi 25, Vimodrone(MI), 20090, Italy Fax: 39 0471 54 37 40 www.humaxdirect.it

HUMAX Electronics Co., Ltd. London

c/o EGL, Godfrey Way, Hounslow, Middlesex, TW4 5SY, U.K.
Tel: 0870 247 8800 Fax: 44 208 744 5511 E-mail: sales-info@humax-digital.co.uk

HUMAX Gulf FZE

P.O. Box 17459 Dubai, U.A.E. Tel: 9714 359 2323 Fax: 9714 351 9393 E-mail: callcenterme@humaxdigital.com

HUMAX-Digital GmbH

Karl-Hermann-Flach-Str.19, 61440 Oberursel/Ts, Germany Infohotline: 01805-778870 (14 Cent/min)



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>