



Compact Fluorescent
Energy Saver Outdoor,
and Bug-A-Way

*Ideal for use in weather-
protected outdoor light
fixtures and postlights*

ENERGY SAVER

Energy saver outdoor lamps

Philips Compact Fluorescent Energy Saving Outdoor and Bug-A-Way Lamps provide energy savings and reduce operating costs without sacrificing quality of light compared to incandescent equivalents.

Provides an incandescent-like light

- Outdoor—translucent cover reduces glare and helps to protect the lamp
- Bug-A-Way—does not attract insects. Use near patios, decks and party areas

Long life

- Lasts 7 years*

Energy savings

- Saves up to \$49 over the life of the lamp when you replace an 85W PAR38 incandescent lamp with a 23W energy saving PAR38 outdoor lamp.**

* Based on an average daily usage of 3 hours per day, 7 days per week.

** Energy savings based on wattage saved x replacement lamp rated average life (8000 hours) ÷ 1000 x \$0.10 kWh rate.

PHILIPS
sense and simplicity

Compact Fluorescent Energy Saver Outdoor and Bug-A-Way Lamps

Ordering, Electrical and Technical Data

Product Number	Description	Volts	Nom. Watts	Approx. Incand. Equiv.	Base	Color Temp. (Kelvin)	CRI	Approx. Initial Lumens ¹	MOL (In.)	Diam. (In.)	Rated Avg. Life (Hrs.) ²	Min. Starting Temp.	Max. Ambient Temp.
20285-3	EL/O Outdoor Post 14W	120	14	60 A19	Med.	2700	82	720	5 3/8	3.0	8000	-10°F/-23°C	120°F/48°C
20371-1	EL/A SWP 14W BAW	120	14	60 A19	Med.	2700	82	600	4 3/8	2.4	8000	-10°F/-23°C	120°F/48°C
REFLECTOR FLOOD													
15716-4	Reflector Flood EL/A PAR38 Outdoor	120	23	85PAR38	Med.	2700	82	1300	4 1/2	4.7	8000	-10°F/-23°C	120°F/48°C

Shipping Data

Product Number	SKU UPC (0-46677)	Outer Bar Code (5-00-46677)	Case Qty.	Case Weight (lbs.)	Case Cube (cu. ft.)	Pallet Qty.	SKUs Per Layer	Layers High	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Pallet Dimensions (W x D x H)(In.)
20285-3	20285-9	20285-4	6	2.6	0.194	1224	204	6	2.7 x 2.7 x 5.9	5.9 x 8.7 x 6.6	37.8 x 47.0 x 39.4
20371-1	20371-9	20371-4	6	6.0	0.178	1554	222	7	2.6 x 2.6 x 5.4	5.9 x 8.5 x 6.1	40.0 x 46.9 x 43.0
REFLECTOR FLOOD											
15716-4	15716-6	15716-1	4	1.8	0.810	200	40	5	6.5 x 5.2 x 8.1	7.1 x 22.5 x 8.9	45.0 x 35.6 x 43.4

1) Approximate initial lumens. The lamp lumen output is based upon lamp performance after 100 hours of operating life under standard laboratory conditions.

2) Average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Use in recessed cans or enclosed fixtures could result in reduced lamp life.

Amalgam Technology provides stable light output from -10°F to 120°F.

ENERGY STAR® Bulb: As an ENERGY STAR® Partner, Philips has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.

Above specifications subject to change without notice.

WARNINGS & CAUTIONS: Do not use with dimmers. Some electronic timer and photosensor switches contain dimming circuitry, so before using such a switch, check with its manufacturer to ensure compatibility with electronic CFL bulbs. Do not use with emergency exit fixtures or lights. Outdoor use requires a weather-protected fixture. Turn off power before changing bulb. This device complies with Part 18 of the FCC Rules.

Use in recessed cans or enclosed indoor fixtures could result in reduced lamp life.

Reliable operating temperature range -10F/-23C to 120F/48C.

Note: This product may cause interference with radios, televisions, telephones, or remote controls. If interference occurs, move this product away from device or plug into another outlet.

Bulb Type	Table/Floor Lamp	Outdoor Postlight	Wall Sconce	Surface Mount	Reading Lamp	Border Lights	Recessed Fixture	Open Hanging	Vanity Strip	Ceiling Fan
Decorative Twister	•		•		•			•		
Universal	•	•	•	•	•	•	•	•		
3-Way	•									
Reflector Flood							•	•		
Dimmable Reflector Flood							•	•		
Candle		•	•		•					•
Vanity & Decor Globe								•	•	•
Soft White Plus	•	•	•		•	•		•		•
Outdoor Bug-A-Way		•				•				
Circline	•									
Genie	•	•	•	•	•	•	•	•	•	•



© 2008 Philips Lighting Company. All rights reserved.
 Printed in USA 1/08
 P-5095-G
www.philips.com

Philips Lighting Company
 200 Franklin Square Drive
 P.O. Box 6800
 Somerset, NJ 08875-6800
 1-800-555-0050
 A Division of Philips Electronics North America Corporation

Philips Lighting
 281 Hillmount Road
 Markham, Ontario
 Canada L6C 2S3
 1-800-555-0050
 A Division of Philips Electronics Ltd.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>