

Philips
Composite A/V cable

6 ft

Mono audio

SWV2202W



Ensure a reliable connection

with this mono AV composite cable

Depend on this cable to provide you with a reliable audio/video connection between components.

Enjoy good picture and sound quality

- High purity copper conductor for reliable signal transfer
- Nickel-plated connectors for reliable contact
- Crafted with quality construction

Protects against signal loss

- Bare copper shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

PHILIPS
sense and simplicity

Composite A/V cable
6 ft Mono audio

Specifications

Packaging dimensions

- **Packaging dimensions (W x H x D):**
3.75 x 7.75 x 1.5 inch
- **Gross weight:** .207 lb
- **Nett weight:** .172 lb
- **Tare weight:** .035 lb

Inner Carton

- **Gross weight:** .988 lb
- **Inner carton (L x W x H):** 11.75 x 4.125 x 3.7 inch

- **Nett weight:** .688 lb
- **Tare weight:** .3 lb

Outer Carton

- **Gross weight:** 10.185 lb
- **Outer carton (L x W x H):**
13.375 x 12.6 x 12.4 inch
- **Nett weight:** 6.192 lb
- **Tare weight:** 3.993 lb

SWV2202W/27

Product highlights

High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

Quality construction

Quality construction uses only top grade materials to create products of extended durability.

Bare copper shielding

Bare copper shielding protects against signal loss.

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2008-08-19

Version: 1.0.14

12 NC: 8670 000 37323
UPC: 6 09585 15162 8

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>