

HTS-560

5.1-Channel Home Theater System with HDMI™ *1 Terminal, Auto MCACC, and Sound Retriever

Subwoofer Receiver: SX-SW560

- 600 Watts Total System Power (RMS)
 - Auto MCACC (Multi-Channel Acoustic Calibration System) for Creating an Ideal Acoustic Environment with Ease
 - Built-in 6-Channel Amplifier: 100W RMS x 6 (100W x 6, RMS, 10%THD@1kHz)
 - Continuous Power Output (FTC)
 - Front/Center/Surround: 25W per Channel (200Hz – 20kHz, 10%THD, 4Ω)
 - Subwoofer: 30W (45Hz – 200Hz, 10%THD, 4Ω)
 - Built-in DTS®/Dolby® Digital/Dolby® Pro Logic II Decoder
 - Sound Retriever for Improved Sound Quality of Compressed Music Files and Satellite Radio
 - Advanced Surround: Advanced Music, Advanced Movie, Expanded Theater, TV Surround, Sports, Game, Virtual Surround, 5ch Stereo
 - SR (Smart Remote)/SR+ Terminal
 - 3 Digital Inputs (1 Coaxial, 2 Optical)/ 1 Audio Input
 - FM/AM Presets (30 Stations)
 - Power Requirements: AC 120V, 60Hz
 - Power Consumption: 48W/85VA
 - Standby Power Consumption: 0.2W
 - Dimensions (W x H x D): 7-7/8 x 14-3/4 x 17-3/16 inches/200 x 375 x 437mm
 - Weight: 19 lbs. 13 oz./9.0kg
- DVD Player: DV-490V-S**
- Video Features**
- DVD-RW (compatible with CPRM)/DVD-R/ DVD+RW/DVD+R/DVD/CD-RW/CD-R/CD/ Video CD Playback Capability

- HDMI Terminal for Digital Audio/Video Out (with DVD sources)
 - HDMI Conversion (to 720p/1080i)
 - Official DivX® Certified Product
 - Plays all versions of DivX® video (including DivX® 6) with standard playback of DivX® media files
 - 12-bit/108MHz Video DAC
 - PureCinema 2:3 Progressive Scan
 - JPEG PhotoViewer (FUJICOLOR CD/ Kodak Picture CD Compatible)
- Audio Features**
- 24-bit/96kHz Audio DAC
 - WMA (Windows Media® Audio)/MP3 Compatible
 - DTS® (Digital Theater System) Output
 - Dolby® Digital Output
- Convenience Features**
- JPEG/MP3 Simultaneous Playback for “Slideshow with Music”
- Terminals**
- 1 HDMI Terminal
 - 1 Coaxial Digital Output
 - 1 S-Video Output
 - 1 Audio/1 Video Outputs
 - Component Video Output
- Specifications**
- Power Requirements: AC 120V/60Hz
 - Standby Power Consumption: 0.5W
 - Dimensions (W x H x D): 16-9/16 x 1-15/16 x 8-7/16 inches/420 x 49.5 x 213.8mm
 - Weight: 3 lbs. 15 oz./1.8kg

Speaker System: S-ST606

- Front and Surround Speakers: 2-way 3-1/16-inch (7.7cm) Cone x 2, 1-inch (2.6cm) Semi-Dome Tweeter, Floor-Standing Type, Magnetically Shielded
- Center Speaker: 3-1/16-inch (7.7cm) Cone, Magnetically Shielded
- Dimensions (W x H x D):
 - Front and Surround: 10-1/4 x 43-1/8 x 10-1/4 inches/260 x 1095 x 260mm
 - Center: 10-5/8 x 3-3/4 x 3-9/16 inches/270 x 96 x 90mm
- Weight:
 - Front and Surround: 9 lbs. 4 oz./4.2kg
 - Center: 1 lbs. 11 oz./0.78kg



* See reverse side for more information.

HTS-560

* Specifications and design subject to modification without notice.

* Unfinalized discs cannot be played.

* CPRM copy protection technology with scramble system allows recording of copy-once broadcast programs, but not copying of such recordings. CPRM recordings can only be made on DVD-RW discs in VR mode, and can only be played on CPRM-compatible players.

* Can play CD-R and CD-RW music discs in music CD and Video CD format, even if the discs are not finalized (with some non-finalized discs, time indication is not shown since they contain no TOC information). However, the pickup may not be able to play some CD-R or CD-RW discs, depending on the condition of discs and pickup.

* Compatible with MPEG1 Audio Layer3 32kHz, 44.1kHz and 48kHz formats. • Recording format should be in accordance with ISO9660 CD-ROM file system. • MP3 file name requires MP3 or mp3 as an extension.

• Chinese characters cannot be displayed, although files featuring them can be played. • 299 tracks/folders can be played per disc. • Can play with VBR (Variable Bit Rate), but playing time may not be shown correctly.

• This unit may not be able to play back discs that have been recorded on other units due to the recording conditions, mode, surface dirt or scratches.

RW This label indicates playback compatibility with DVD-RW discs recorded in VR mode (Video Recording format). However, for discs recorded with a record-only-once encrypted program, playback can only be achieved using the CPRM compatible device.

* DVD players and DVD discs have Regional Code classifications that determine their market area and compatibility. Discs and players must have matching codes in order to be played. All DVD players featured in this catalog are classed as Regional Code 1.

* Microsoft, Windows Media and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries. WMA content can be encoded by using Windows Media® Player version 7, 7.1, or Windows Media® Player for Windows® XP, or Windows Media® Player 9 Series. Compatible with sampling rate of 44.1 or 48 kHz. Not compatible with lossless-encoding or variable bit-rate (VBR) WMA files. WMA files encoded with DRM (Digital Rights Management) copy protection** will not play. Up to 99 folders and 999 files (MP3 and WMA) in total can be played. [** DRM copy protection: DRM (Digital Rights Management) copy protection is a technology designed to prevent unauthorized copying by restricting playback, etc. of material on devices other than the PC (or other WMA recording equipment) used to record it. For detailed information, please see the instruction manuals or help files that came with your PC (or other WMA recording equipment) and/or software.]

* JPEG PhotoViewer (FUJICOLOR CD/Kodak Picture CD Compatible): • This player is compatible with FUJICOLOR CD and Kodak Picture CD formats, as well as CD-R/RW/ROMs containing JPEG files (up to 648 files). • Baseline JPEG and EXIF 2.2 still image files up to 6 megapixels are supported. File format used by digital still cameras. • The CD-R/RW/ROM containing the JPEG files must be ISO 9660 Level 2 compliant. • CD physical format: Mode 1, Mode 2 XA Form 1.

* PIONEER and the Pioneer logo are registered trademarks of Pioneer Corporation.

* ENERGY STAR® and the ENERGY STAR certification mark are registered U.S. marks.

* DivX, DivX Certified, and associated logos are trademarks of DivX, Inc. and are used under license.

* HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

* FUJICOLOR and the FUJICOLOR logo are trademarks of FUJI PHOTO FILM Co., Ltd.

* DTS and DTS Digital Surround are registered trademarks of Digital Theater Systems, Inc.

* Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.



Backside View of the Subwoofer Receiver

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>