

Add salt only by the pinch, since too much salt can cause excessive boiling or blowing of fuse.

3. If the vaporizer has been operating normally and is now failing to steam, it needs to be cleaned. See the **weekly maintenance** section.

B. Vaporizer operates too fast, fuse blows:

Overboiling, flickering lights, blown fuse or heavy steam flow generally indicates one of the following causes:

1. Too much salt was added to the water.
To correct the condition: Disconnect the vaporizer from the electrical outlet and allow to cool. Pour out the water and rinse the ToteAway™ tank. Rinse steam unit as described in the weekly maintenance section. Refill with fresh water but do not add salt. If vaporizer now does not operate or steams too slowly, follow instructions in above section A.

2. You live in a "hard water" area and minerals in the tap water are causing the vaporizer to steam too rapidly.

To correct the condition: Disconnect the vaporizer from the electrical outlet and allow to cool. Remove steam unit allowing hot water to first dribble out, then pour out water and rinse the ToteAway™ tank. Rinse steam unit as described in the weekly maintenance section. Refill with fresh water but do not add salt.

If unit still steams too rapidly, use 1/2 distilled water and 1/2 tap water. Food and drug stores usually stock distilled water.

In "hard water" areas it is advisable to clean the unit every few days in accordance with the **weekly maintenance** instructions.

C. Vaporizer is making crackling / buzzing / humming sounds or water container is unusually hot:

1. You may have added too much salt. See section B above.
2. You may live in a "hard water" area. See section B above.
3. This condition can happen when the water level in the the ToteAway™ tank is low. Disconnect the vaporizer from the electrical outlet, allow to cool, remove steam unit allowing hot water to first dribble out. Fill the ToteAway™ tank with tap water to MAX water level marking.
4. This may be an indication your vaporizer needs cleaning. Refer to the **weekly maintenance** section.

If you are still experiencing difficulty operating your vaporizer, please call our Customer Service Department at 1-888-830-1326.

service parts

To obtain a service part for your vaporizer, call customer service at 1-888-830-1326 or e-mail us at Techsupport@hunterfan.com. Please be prepared to tell the operator the model number of your vaporizer and the name of the part you need to replace and the part number.

Servicable Parts:

Removable Medicine Cup	94798-00-000
Power Cord	94797-00-000



Hunter Fan Company
2500 Frisco Avenue
Memphis, Tennessee 38114

warranty

Hunter Fan Company

The Care Free® Vaporizer Plus

3 Year Limited Warranty

The Hunter Fan Company, Inc. makes the following warranty to the original residential user or consumer purchaser of The Care Free® Vaporizer Plus:

If any part of The Care Free® Vaporizer Plus ("Vaporizer") fails during the first 3 (three) years from the date of purchase due to a defect in material or workmanship, we will provide a replacement part free of charge. If no replacement part can be provided, we will replace your Vaporizer.

IF THE ORIGINAL RESIDENTIAL USER OR CONSUMER PURCHASER CEASES TO OWN THE VAPORIZER, THIS WARRANTY AND ANY IMPLIED WARRANTY WHICH THEN REMAINS IN EFFECT, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE VOIDED.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. THE DURATION OF ANY IMPLIED WARRANTY, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS EXPRESSLY LIMITED TO THE PERIOD OF THE EXPRESS WARRANTY SET FORTH ABOVE.

This warranty is voided if your Vaporizer is not purchased and used in the USA or Canada.

This warranty excludes and does not cover defects, malfunctions, or failures of the Vaporizer which were caused by repairs by persons not authorized by us, use of parts, or accessories not authorized by us, mis-handling, modifications, or damage to the Vaporizer while in your possession, or unreasonable use, including failure to provide reasonable and necessary maintenance. This warranty does not cover Vaporizers used in commercial applications. There are no express or implied warranties as to commercial purchasers or users.

To obtain service, contact the nearest Hunter authorized service center or the Hunter Fan Company Service Department, 2500 Frisco Avenue, Memphis, Tennessee 38114, 901-248-2222. You will be responsible for insurance and freight or other transportation to our factory service center. We will return the Vaporizer freight prepaid to you. The Vaporizer should be properly packaged to avoid damage in transit since we will not be responsible for any such damage. Proof of purchase is required when requesting warranty service. The purchaser must present the sales receipt or other document that establishes proof of purchase.

IN NO EVENT SHALL HUNTER FAN COMPANY BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES IN EXCESS OF THE PURCHASE PRICE OF THE VAPORIZER. YOUR SOLE REMEDY WILL BE REPAIR OR REPLACEMENT AS PROVIDED ABOVE.

SOME AMERICAN STATES AND CANADIAN PROVINCES DO NOT ALLOW

- LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS;
- THE EXCLUSION OR LIMITATION OF DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES;
- THE EXCLUSION OR INVALIDITY OF EXPRESS OR IMPLIED WARRANTIES IF THE USER CEASES TO OWN THE VAPORIZER;
- THE LIMITATION OF THE REMEDIES AND RECOURSES AVAILABLE TO THE PURCHASER; OR
- THE INVALIDITY OF AN EXPRESS WARRANTY WHEN A PRODUCT IDENTIFIED BY BRAND NAME IS NOT USED (UNLESS SPECIFIC CONDITIONS ARE FULFILLED);

SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE OR PROVINCE TO PROVINCE.

CareFree® Vaporizer plus



Model 35180

Features:

- 2-in-1™ Easy Lock™ Feature
- Vari-Mist™ Selector
- Removable Medicine Cup
- ToteAway™ Tank
- Easy Drain Plug
- NiteGlo™ Power Light


warnings

READ AND SAVE THESE INSTRUCTIONS

- This vaporizer may not work properly on an uneven surface. ALWAYS place this vaporizer on a firm, level, and water resistant surface. ALWAYS place the vaporizer at least six (6) inches away from walls and heat sources such as stoves, radiators, or heaters.
- ALWAYS place the vaporizer in an area that is out of the reach of children. Supervision is recommended when the vaporizer is used near children, invalids or pets.
- Before using the vaporizer, extend the cord and inspect for any signs of damage. DO NOT use the product if the cord has been damaged.
- This product has a polarized plug (one blade is wider than the other) as a safety feature. This plug will fit into a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. DO NOT attempt to defeat or override this safety feature.
- ALWAYS UNPLUG and empty the vaporizer when it is not in operation or while it is being emptied, filled or cleaned.
- DO NOT tilt or move the vaporizer while it is in operation.
- DO NOT direct steam towards people, the wall or furniture. Do not place the vaporizer under a tent.
- DO NOT touch the unit or steam vapors during use. Steam is hot and burns can occur.
- DO NOT add medication of any type into the water in the container. Do not cover the steam outlet or place anything over it while the vaporizer is operating. Never drop or insert any object into any opening.

using your vaporizer

1. Remove the plastic covering from the vaporizer. Remove the tape from the water level indicator.
2. Unravel and straighten out the cord before use. Always unplug the cord from the electrical outlet and the steam unit before removing the steam unit or when not in use. Allow vaporizer to cool before handling.
3. Remove the steam unit from the ToteAway™ tank. Twist the steam unit counterclockwise and lift it out of the ToteAway™ tank. Refer to Figure A & B.
4. Fill the ToteAway™ tank with tap water. Fill the container until the water level indicator shows the MAX marking. Refer to Figure C. DO NOT OVERFILL.
5. Add salt. For tap water of low or moderate mineral content, add 4 to 5 pinches (1/8 teaspoon) of ordinary table salt to the water and mix thoroughly. Salt has no effect on the purity of the steam or medication. If an adequate steam flow is not obtained after ten minutes, add another pinch or two as needed and mix thoroughly. If you live in a “hard-water” area, the vaporizer may operate well without salt additive.



CAUTION: Too much salt can cause excessive boiling or a blown fuse.

6. Replace the steam unit. Align the arrows as shown and twist clockwise to lock back in place. Refer to Figure A & B.
7. Place the vaporizer in a safe position. Vaporizer should always be placed on a firm, flat surface at least four feet away from the bedside and out of the reach of the patient and children. Be sure the vaporizer is in a stable position and the power cord is out of the way to prevent the vaporizer from being upset or tipped over.

NOTE: Protect the floor, rug or furniture by placing the vaporizer on a non-metallic, waterproof, heat-resistant surface.
CAUTION: Do not direct steam flow directly at patient, walls or furniture. You will still obtain the desired level of humidity. Keep out of the reach of children. Steam can cause burns.

8. When using vaporizer medications, fill the medicine cup on the steam unit as directed by the instructions on the medicine package. Refer to Figure E.

CAUTION: Do not add medication of any type into the water in the ToteAway™ tank .

9. Plug in the unit. Firmly insert the plug in the steam unit. The 2-in-1™ Easy Lock™ feature prevents you from inserting the plug into the steam unit until the steam unit is locked in place. Refer to Figure D.

Plug the power cord into 110-120 Volts AC outlet in good condition fused for at least 15 Amps. DO NOT use with extension cords.

CAUTION: This product has a polarized plug (one blade is wider than the other) as a safety feature. This plug will fit into a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. DO NOT attempt to defeat or override this safety feature.

Use the Vari-Mist™ selector to control the amount of vapors released.




Vaporizer will produce a gentle flow of steam within a few minutes. If steaming does not start within ten minutes, you may need to add salt. Please see the **troubleshooting** section. The vaporizer will automatically stop producing steam when the water has reached the minimum level which will be indicated when the water level indicator is showing MIN. Refer to Figure C. The NiteGlo™ power light will remain on indicating that the vaporizer is still plugged in. ALWAYS unplug the steam unit and allow to cool before removing the ToteAway™ tank.

10. Use fresh water and medication each time the vaporizer is used.
11. After each use, open the Easy Drain plug and empty any unused water from the ToteAway™ tank. Refer to Figure F. Shake the ToteAway™ tank gently back and forth to remove any remaining water. Rinse the ToteAway™ tank thoroughly, drain and wipe with a dry, clean cloth.

All medicinal ingredients should be released in use, leaving only the mineral oil base in the removable medicine cup. The medicine cup may be removed and cleaned. Refer to Figure E.

Both the ToteAway™ tank and the removable medicine cup are dishwasher safe.

IMPORTANT: To maintain proper operation of your vaporizer, be sure to follow the **cleaning and care** instructions. Download from www.Somanuals.com. All Manuals Search And Download.



cleaning and care

ALWAYS disconnect the plug from the electrical outlet and the plug from the steam unit and allow the unit to cool before cleaning. Remove the steam unit, letting all water drain back into the ToteAway™ tank. The 2-in-1™ Easy Lock™ feature prevents you from removing the steam unit until the plug is removed from the steam unit. DO NOT attempt to disassemble the steam unit.

daily maintenance

Open the Easy Drain plug and empty any unused water from the ToteAway™ tank. Refer to Figure F. Rinse the ToteAway™ tank thoroughly with water, drain and wipe with a dry, clean cloth. Remove and clean the removable medicine cup.

Both the ToteAway™ tank and the removable medicine cup are dishwasher safe.

weekly maintenance

1. Open the Easy Drain plug and empty unused water from the ToteAway™ tank. Refer to Figure F.
2. Create a 50/50 solution of vinegar and water which should be 1/2 gallon vinegar and 1/2 gallon water. Pour this solution into the ToteAway™ tank. Be sure to only fill the tank to the MAX line as indicated on the water level indicator. Refer to Figure C.
3. With the steam unit safely unplugged, place the steam unit back into the ToteAway™ tank and soak for 30 minutes. After soaking for 30 minutes, remove the steam unit.
4. Empty the solution from the tank and rinse the tank. Fill the tank with tap water to the MAX line as indicated on the water level indicator. Refer to Figure C. Place the steam unit back into the tank for 30 seconds. Remove the steam unit and empty the water. Repeat the rinsing steps until the vinegar smell is gone.
5. The ToteAway™ tank has built-in antimicrobial properties to inhibit the growth of bacteria, mold and fungi that may affect the tank. To clean, empty the tank and rinse with tap water until the vinegar smell is gone. Dry with a clean cloth. Remove and clean the removable medicine cup. Both the ToteAway™ tank and the removable medicine cup are dishwasher safe.


end-of-season maintenance

Follow the weekly maintenance procedure at end-of-season or when the vaporizer will not be used for several days. Be sure to dry all parts and store in a cool, dry location. Do not store unit with water inside.

troubleshooting

A. Vaporizer does not operate or steams too slowly:

1. Make sure the vaporizer is plugged in and the NiteGlo™ power light is on. If the NiteGlo™ power light is not on, you may have a blown fuse, tripped circuit breaker or a defective electrical outlet. Try a different outlet. You may want to contact an electrician to check the potentially defective outlet.
2. The fault may be the low mineral content of the water in your area. Unplug the vaporizer from the electrical outlet and allow to cool. Remove the steam unit allowing hot water to first dribble out, then add one or two pinches of salt to the water and mix thoroughly. Replace the steam unit and plug in the vaporizer. It should steam within 5 minutes.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>